

Contents

Preface xv

List of Acronyms xix

List of Symbols xxiii

1 Introduction 1

PART I: THE TROPICAL ATMOSPHERE 3

2 The Setting: Overview of the Tropical Atmosphere 5

- 2.1 Radiative Transfer 7
- 2.2 Radiative Equilibrium 14
- 2.3 Dry Convection 22
- 2.4 Dry Radiative–Convective Equilibrium 29
- 2.5 Introduction to Moist Radiative–Convective Equilibrium 33
- 2.6 Summary 41

3 Moist Convection and Moist Radiative–Convective Equilibrium 45

- 3.1 Convective Clouds and Mesoscale Organization 45
- 3.2 Moist Convective Stability and the Tropical Tropospheric Lapse Rate 54
- 3.3 Moist Radiative–Convective Equilibrium 65
 - 3.3.1 General Features of Moist RCE 65
 - 3.3.2 Behavior of Global Perturbations to RCE 77
 - 3.3.3 Behavior of Local Perturbations to RCE 84
- 3.4 Stability of RCE and the Aggregation of Tropical Convection 97
- 3.5 Tropical Squall Lines 107
- 3.6 Summary 111

4	Tropical Boundary Layers	115
4.1	Some General Principles	115
4.2	Semi-Infinite Thermal and Mechanical Turbulent Layers	116
4.3	Aerodynamic Flux Formulae	119
4.4	Cloud-Free Boundary Layers	120
4.5	Stratocumulus-Topped Boundary Layers	123
4.6	Transitioning Boundary Layers	125
4.7	Trade Cumulus Boundary Layers	127
4.8	Summary	128
5	Large-Scale Circulations in the Tropical Atmosphere	131
5.1	Overview of Large-Scale Tropical Circulations	131
5.1.1	Observations	132
5.1.2	Analysis Techniques	135
5.1.3	Large-Scale Climatology of the Tropics	136
5.1.4	Zonal Mean, Time-Mean Climatology	143
5.2	The Hadley Circulation	149
5.2.1	The Equatorially Symmetric Hadley Circulation	152
5.2.2	Equatorially Asymmetric, Thermally Direct Circulations	159
5.2.3	The Time-Dependent Hadley Circulation	165
5.3	Monsoons	168
5.3.1	Zonally Symmetric Theory and the Effects of Land	171
5.3.2	The Effects of Zonal Asymmetry	178
5.3.3	Intraseasonal Variability of the Monsoon	183
5.3.4	Monsoon Depressions	185
5.4	The Walker Circulation	189
5.4.1	Simple Model of the Coupled Walker Circulation	191
5.5	Summary	198
6	El Niño–Southern Oscillation (ENSO)	201
6.1	Introduction	201
6.2	Oscillations of the Equatorial Ocean	206
6.3	The Atmospheric Response to Large-Scale Equatorial Surface Flux Anomalies	211
6.3.1	Dynamics	212
6.3.2	Thermodynamics	216
6.3.3	Tropical Atmospheric Response to Slowly Evolving Sea Surface Temperature Anomalies	221
6.3.4	Dynamics of the Fully Coupled ENSO System	225
6.4	Summary	227

7	Tropical Weather on Time Scales of Days to Months	229
7.1	Introduction	229
7.2	Disturbances of the Equatorial Waveguide	229
7.2.1	The Madden-Julian Oscillation	233
7.2.2	Convectively Coupled Equatorial Waves	237
7.2.3	Equatorial Subseasonal Variability in a Convection-Permitting Global Model	240
7.2.3.1	<i>The MJO</i>	244
7.2.3.2	<i>Kelvin Waves</i>	247
7.2.3.3	<i>Westward-Propagating Symmetric Mode</i>	249
7.2.4	Linear Theory	252
7.2.4.1	<i>WISHE Modes</i>	255
7.2.4.2	<i>Effect of Cloud-Radiation Interactions</i>	256
7.2.4.3	<i>Effect of Coupling to the Stratosphere</i>	259
7.2.4.4	<i>Effect of Surface Drag</i>	259
7.2.4.5	<i>Excitation of Higher-Order Baroclinic Modes</i>	260
7.3	African Easterly Waves	261
7.3.1	Basic Structure	261
7.3.2	Climatology	264
7.3.3	Time-Mean Background Conditions	264
7.3.4	AEW Dynamics	267
7.3.5	Case Study with Dynamical Interpretation	273
7.4	Easterly Waves over the Eastern North Pacific	276
7.5	Summary	284

PART II: TROPICAL CYCLONES 287

8	Overview of Tropical Cyclones	289
8.1	Defining Tropical Cyclones	289
8.2	A Note on Terminology and Metrics	289
8.3	Climatology	291
8.3.1	Frequency	291
8.3.2	Geographic Distribution	291
8.3.3	Life Cycle	293
8.3.4	Seasonality	294
8.3.5	Intensity	297
8.3.6	Size	299
8.3.7	Rain	301
8.3.8	Extratropical and Tropical Transitions	303
8.3.9	Polar Lows, Medicanes, and Agukabams	305

8.4	Structure	310
8.4.1	Overview	310
8.4.2	Kinematic and Thermodynamic Structure	313
8.4.3	The Eye and Eyewall	318
8.4.4	Spiral Rainbands and Concentric Eyewalls	323
8.4.5	Associated Phenomena	324
8.4.5.1	<i>Waves</i>	324
8.4.5.2	<i>Storm Surges</i>	325
8.4.5.3	<i>Freshwater Flooding</i>	325
8.4.5.4	<i>Tornadoes</i>	327
8.5	Summary	327

9 Axisymmetric Steady-State Theory 329

9.1	Tropical Cyclones as Carnot Engines	330
9.1.1	The Differential Carnot Cycle	333
9.1.2	Boundary Layer Sources of Enthalpy and Angular Momentum	336
9.1.3	Potential Intensity	338
9.2	Tropical Cyclones as Quasi-Balanced, Slantwise-Neutral Vortices	339
9.2.1	Slantwise Convection and Slantwise Neutrality	339
9.2.2	Analogy to Quasi-Balanced Eady Model	342
9.2.3	Thermal Wind Balance and Characteristic Surfaces	342
9.2.4	Theory of the Outflow Layer	346
9.2.5	Putting It All Together: A Closed Model of a Slantwise Neutral Tropical Cyclone	351
9.2.6	Dry and Moist Tropical Cyclones	359
9.3	Axisymmetric, Steady Structure Theory	361
9.3.1	Outer Wind Field	361
9.3.2	Merged Inner and Outer Wind Profiles	364
9.3.3	Thermodynamic Balance in the Outer Boundary Layer and Equilibrium Cyclone Size	365
9.3.3.1	<i>Region 4</i>	367
9.3.3.2	<i>Region 3</i>	369
9.3.3.3	<i>Region 2</i>	370
9.3.3.4	<i>Matched Solutions</i>	370
9.4	The Tropical Cyclone Eye	372
9.5	The Tropical Cyclone Boundary Layer	378
9.5.1	Boundary Layer Equations	379
9.5.2	The Slab Boundary Layer	381
9.5.3	Vertically Resolved Tropical Cyclone Boundary Layers	383
9.6	Summary	387

10	Axisymmetric Spin-Up and Transients	393
10.1	Elements of a Simple Model of Inner Core Spin-Up	394
10.1.1	Some Approximate Solutions for Rates of Intensification	397
10.1.2	Eyewall Frontogenesis and Eye Formation	400
10.1.3	Full Numerical Solutions of the Simple Time-Dependent Model	402
10.1.4	A Note on Agradient Winds	406
10.1.5	Fields above the Boundary Layer	407
10.2	Full-Physics Axisymmetric Models	412
10.3	Secondary Eyewalls and Eyewall Replacement Cycles	413
10.4	Decay over Land and Cold Water	417
10.5	Observed Statistics of Intensification and Dissipation	421
10.6	Summary	422
11	Asymmetric Features: Theory and Numerical Experiments	425
11.1	Spontaneous Symmetry Breaking	425
11.1.1	Eyewall Mesovortices	425
11.1.1.1	<i>Rossby Waves and Associated Instabilities</i>	427
11.1.1.2	<i>Inertial Instabilities</i>	434
11.1.2	Asymmetric Boundary Layer Structures	435
11.1.3	Spiral Rainbands	439
11.2	Asymmetries Owing to Storm Translation	451
11.3	Asymmetries Owing to Beta	455
11.4	Summary	458
12	Interaction of Tropical Cyclones with Their Atmospheric Environment	461
12.1	Movement of Tropical Cyclones	461
12.1.1	Tropical Cyclone Motion in Flows with Vertical Shear	462
12.1.2	Effects of Anticyclonic Outflow on Tropical Cyclone Motion	468
12.1.3	Effects of Environmental Potential Vorticity Gradients	470
12.1.4	Thermodynamic Considerations	472
12.1.5	Forecasting Tropical Cyclone Motion	473
12.2	Effects of Environmental Wind Shear on Structure and Intensity	475
12.2.1	Dynamics of Shear-Vortex Interaction	476
12.2.2	Thermodynamics of Shear-Vortex Interaction	479
12.3	Interaction with Environmental Potential Vorticity	485
12.3.1	Radiation of Rossby Waves and Other Wave Types from Tropical Cyclones	485
12.3.2	Interaction of Tropical Cyclones with Localized Environmental Potential Vorticity Anomalies	486

12.4	Extratropical and Tropical Transitions	489
12.5	Polar Lows and Medicanes	498
12.6	Summary	500
13	Interaction of Tropical Cyclones with the Ocean and Land Surface	505
13.1	Ocean Surface Waves	505
13.2	Storm Surges	509
13.3	Sea Spray	513
13.4	Near-Inertial Ocean Current and Temperature Response	519
13.5	Nonbaroclinic Reintensification over Land	530
13.6	Summary	533
14	The Genesis Problem	537
14.1	The Local View	537
14.1.1	Case Study: The Development of Hurricane Ivan of 2004	537
14.1.2	Case Study: The Nondevelopment of Tropical Storm Gaston of 2010	539
14.1.3	Ivan and Gaston in the Context of Other Observational Studies and Field Programs	544
14.1.4	Inferences from Numerical Simulations	545
14.1.5	Synopsis of the Local View of Tropical Cyclogenesis	549
14.2	The Global View	554
14.2.1	Genesis Indices	554
14.2.2	“TC-World” Experiments	559
14.2.3	Random Seeding Experiments	572
14.3	Summary	574
15	Climate and Tropical Cyclones	581
15.1	Modulation of Tropical Cyclone Activity by ENSO	581
15.2	Modulation of Tropical Cyclone Activity by Tropical Intraseasonal Variability	584
15.3	Paleotempestology	586
15.3.1	Tempestites	586
15.3.2	Overwash Deposits and Blue Holes	588
15.3.3	Beach Deposits	588
15.3.4	Geochemical Proxies	590
15.3.5	Historical Data Mining	593
15.3.6	Perspective on Paleotempestology	593

15.4 Theoretical Considerations	594
15.4.1 Potential Intensity	594
15.4.2 Normalized Mid-Tropospheric Moisture	599
15.4.3 Thermodynamic Component of a Genesis Potential Index	600
15.4.4 Wind Shear	601
15.4.5 The Importance of the Spatial Distribution of Tropical SST	603
15.5 Historical Trends in Environmental Parameters	605
15.6 Aerosol Effects on Tropical Cyclones	607
15.6.1 Tropospheric Aerosols and the Late Twentieth-Century Hurricane Drought	608
15.6.2 Volcanic Aerosols in the Stratosphere	609
15.7 Greenhouse Gas Forcing: Global Warming	611
15.7.1 Behavior of TC-Relevant Environmental Parameters	612
15.7.2 Direct Numerical Simulations	616
15.7.3 Downscaled Numerical Simulations	619
15.8 Possible Feedbacks of Tropical Cyclones on Climate	623
15.8.1 Feedbacks on Clouds and Water Vapor	624
15.8.2 Feedbacks on Ocean Heat Transport	624
15.9 Summary	627

Bibliography 631

Index 667

1

Introduction

The climate of the tropics is at once the most benign and the most dangerous on our planet. Most of the time the weather, as Christopher Columbus described it, is like May in Seville. Yet this salubrious climate, the placid subject of travel agency brochures and dream source of snowbound northerners, begets the most violent storms on Earth. How and why does this happen? What physics determines the genesis, intensification, structure, and ultimate power of tropical cyclones? What role do they play in Earth's climate? This book addresses these and other fundamental questions.

Besides its intrinsic interest as a natural phenomenon, the tropical cyclone is a nearly perfect laboratory for geophysical fluid dynamics and thermodynamics, encompassing such concepts as balanced flow; potential vorticity conservation and inversion; dry and moist convection; boundary layer physics; frontogenesis; inertial, symmetric, and Kelvin-Helmholtz instabilities; Rossby waves; Carnot cycles; irreversible entropy production; interaction of longwave and shortwave radiation with clouds and water vapor; and upper ocean dynamics and mixing processes. As such, the content of this book is designed for the student with a firm background in classical physics, integral and differential equations, and geophysical fluid dynamics at the first-year graduate level. Some preparation in the physics of radiative and convective energy transfer will also be helpful.

To reach a viable understanding of tropical cyclones, it is first necessary to set them in the context of the tropical atmosphere-ocean system as a whole. Therefore, we first turn to the subjects of radiation and convection, which together form the two main elements of radiative-convective equilibrium (RCE), which we take to be a useful and natural starting point in describing the tropical atmosphere and ocean surface. Progressing from one spatial dimension to two, we inquire whether and to what extent the existence of meridional gradients of solar radiation perturbs our one-dimensional picture, leading us to an exposition of large-scale tropical circulations. The existence of continents breaks the symmetry of the response of ocean currents to wind stresses imposed by the Hadley Circulation, creating strong east-west gradients in ocean surface temperature, which in turn lead to zonal atmospheric circulations. So, too, do continents provide the setting for seasonal monsoonal circulations. Besides these phenomena, there is a rich variety of more time-dependent organized structures, from squall lines and cloud clusters to equatorially trapped and African easterly waves (AEW), to the massive and mysterious planetary wave known as the Madden-Julian Oscillation (MJO). In addition to being of inherent interest to us, all these circulations play a role in the formation and behavior of tropical cyclones.

Then we arrive at our true destination: a comprehensive description of the physics of tropical cyclones as best we know them today. After reviewing the observed characteristics of tropical cyclones, we begin with perhaps the best-known problem, the dynamics and energetics of the steady, circularly symmetric tropical cyclone vortex. While clearly an idealization, it has proven a useful one even though it is unlikely that the outflow region at the top of the storm is ever very symmetric or steady in time. We then tackle the time-dependent problem of the intensification of

tropical cyclones, retaining the idealization of circular symmetry. Finally relaxing this assumption, we examine the nature of departures from circular symmetric, including spiral rainbands and outflow jets, and time-dependent phenomena such as secondary eyewall cycles.

Tropical cyclones are powered by turbulent enthalpy fluxes from the sea and retarded by turbulent dissipation in the atmospheric boundary layer owing ultimately to frictional stress with the underlying surface. But these exchanges are complicated by the complex physics of the air-sea interface at the extraordinary wind speeds of tropical cyclones. The ocean is far from a passive source of heat and sink of momentum; it reacts strongly to the passage of tropical cyclones. Surface waves carry off a surprising fraction of the energy generated by the cyclone, and the storm-generated surface stresses can resonate strongly with near-inertial currents in the upper ocean. The turbulent breakdown of such currents leads to mixing to the sea surface of colder waters in the seasonal thermocline, producing a strong negative feedback on the storm itself. The role of ocean feedback and the importance of the air-sea interface are the central subjects of Chapter 13, as are the hydrodynamics of storm surges, tsunami-like phenomena generated by wind stresses but strongly affected by local bathymetry and astronomical tides. Surges are the main cause of loss of life in tropical cyclones globally.

The large-scale atmospheric environment also exerts strong influences on tropical cyclones. Vertical shear of the horizontal wind interacts in complex ways with tropical cyclones, stretching and separating the vortex's potential vorticity anomaly, leading to such phenomena as precession and realignment. Chapter 12 describes these interactions as well as the thermodynamic consequence of injecting large quantities of low-entropy air from the environment into the vortex core, an effect akin to throwing buckets of water on a fire. But as tropical cyclones move into higher latitudes, they often interact with extratropical potential vorticity anomalies and large-scale horizontal temperature gradients, leading to fascinating and not fully understood evolutions, which can include reintensification of the storm long after it has left its feeding grounds deep in the tropics. We also take the opportunity to describe tropical-cyclone-like phenomena outside the tropics, including certain classes of polar lows that paradoxically favor arctic oceans in winter; medicanes—hurricane-like storms that form over the Mediterranean Sea; and agukabams, which develop over land under special circumstances.

Of all the mysteries that confront the tropical cyclone physicist, the nature of the processes by which these storms are generated remains the most enigmatic. In Chapter 14 we delve into this problem, examining in detail the sequence of events leading to the genesis of individual storms but also looking at the physics by which tropical storms emerge spontaneously from the chaos of radiative-convective equilibrium (RCE) as simulated by contemporary numerical models that explicitly simulate cumulus clouds. This may provide clues about what controls the frequency of tropical cyclones on our planet in our current climate.

Which leads to the last topic of our treatise: How does tropical cyclone activity respond to climate change, and are these magnificent and terrifying storms incidental to our climate or integral elements of the climate machine, providing important feedbacks that stabilize climate or accelerate its change? Here we leave our reader with a perplexing unsolved mystery, but one that he or she should by then be well equipped to tackle.

Index

- A
- absorption. *See* radiation
 - Advanced Circulation ocean model (ADCIRC), 325, 511, 512
 - aerodynamic flux formulae, 43, 67, 74, 81, 119, 120, 158, 165, 173, 179, 193, 196, 219, 337, 338, 357, 381, 383, 395, 412, 535, 561, 562, 571, 596
 - aerosols, effects of: on cloud physics, 47, 74; on radiative transfer, 7, 8, 11, 45, 74, 115, 116; on tropical cyclone activity, 607–611, 628
 - African easterly vortices (AEVs), 275
 - agradiant wind, 399, 406–407; in tropical cyclones, 399, 406–407
 - agukabams, 2, 289, 290, 293–295, 309, 310, 528, 530, 533
 - airborne Doppler radar, 297, 310, 315, 413–414, 433, 439–440, 474
 - air-sea interface, 2, 337, 378, 513–519
 - albedo, 7, 21, 114, 116, 123, 128–130, 172, 173, 175
 - angular velocity in tropical cyclones, 322, 372–378, 400, 402, 406, 408, 433–435
 - annual cycle, 167, 177, 236, 241, 602, 603, 629. *See also* seasonal cycle
 - anvil clouds, 45, 65, 71, 74, 101, 440, 608
 - aquaplanet, 152, 163, 164, 189, 198, 199, 240, 241, 244, 245, 248, 250, 258, 570, 571, 605, 636, 637, 640, 653.
 - Argo floats, 134, 135
 - axisymmetrization of tropical cyclones, 2, 455–456, 470
 - Azores High, 264, 608
- B
- balance: concept of, 1, 6; geostrophic (*see* geostrophic balance); gradient (*see* gradient balance)
 - baroclinic instability, 131, 138, 241, 267, 271–273, 284, 303, 342, 388, 394, 396, 443, 445, 448, 450, 451, 458, 463, 492, 570, 625
 - bathymetry, 2, 534
 - beach deposits, 588–590, 627
 - Bénard, Henri, 560
 - Bergeron, Tor, 47, 550, 586
 - Bergeron–Findeisen process. *See* Wegener–Bergeron–Findeisen process
 - Best Track Archive for Climate Stewardship, 291, 299, 419, 482, 483, 530, 538, 556–558, 574, 593–594, 605–606, 619–620
 - beta drift, 179, 188, 486
 - beta gyres, 470
 - Bjerknes, Jacob, 189, 225
 - blackbody radiation. *See* radiation: blackbody
 - blue holes, 588
 - Boltzmann constant. *See* Stefan–Boltzmann constant
 - boundary layer clouds, 65, 71, 116
 - boundary layer quasi-equilibrium, 87, 88, 95, 96, 111, 112, 130, 139, 153, 217, 218, 369, 463, 475
 - boundary layers, 115–130; slab, 381–383; in tropical cyclones, 378–391
 - Boussinesq approximation, 26–28, 35, 36, 108, 379, 520, 560
 - bubbles, in air-sea transfer, 337, 378, 513, 514, 534
 - bulk precipitation efficiency. *See* precipitation efficiency
 - buoyancy diagram, 59, 62, 64
 - buoyancy entropy, 58
 - buoyancy flux, 26, 27, 30, 31, 35, 120–122, 125, 126, 336, 451
 - buoyancy frequency, 348, 349, 420, 444, 448, 487, 520
 - buoyancy matrix. *See* buoyancy diagram
 - buoyancy potential temperature, 58–61
- C
- CAPE. *See* convective available potential energy
 - carbon dioxide, 11, 13, 14, 20, 609, 611
 - carbon monoxide, 11
 - Carnot cycle, 1, 330–338, 345, 387, 388, 532, 533, 566, 567, 570, 594; differential, 333–336, 345, 387, 594
 - Carnot engines. *See* Carnot cycle
 - characteristic surfaces, 342–346, 486, 488
 - Charney problem of baroclinic instability, 271–273, 446–447
 - Charney–Stern Theorem, 189, 267–273, 447–448
 - Charnock length, 508, 513, 517
 - CIN. *See* convective inhibition
 - Clausius–Clapeyron equation, 22, 34, 37, 70, 82, 193, 350, 525, 570
 - climate, 1–2, 19, 33, 72, 94, 104, 112, 116, 123, 241, 298, 533, 554–556, 559, 571, 573, 578; effect of tropical cyclones on, 623–627, 629, 630; effects of, on tropical cyclones, 581–623, 627–630
 - Climate Model Intercomparison Project (CMIP), 240, 612, 618, 622, 623, 628
 - closure problem, 69, 383
 - cloud clusters, 1, 42, 112, 129, 537, 539, 541, 544–546, 549, 550, 552–554
 - cloud condensation nuclei (CCN). *See* condensation nuclei
 - cloud drop sizes, 47, 48
 - cloud microphysics. *See* microphysics
 - cloud optical properties. *See* clouds
 - cloud top entrainment instability, 123–124, 127
 - cloud-permitting numerical simulations, 97–100, 103, 110, 547, 624
 - cloud-radiation feedback, 42, 184, 187, 188, 198, 255–260, 285, 550, 552, 605, 608; effect of, on tropical cyclogenesis, 550–552, 605, 608; role of, in cloud clusters, 42, 104–107; role of, in the Madden–Julian Oscillation, 255–260, 285
 - clouds, and radiative transfer, 1, 7, 8, 11, 12, 14, 21, 33, 39, 41, 65, 68
 - clusters. *See* cloud clusters
 - cold pools, 48–51, 108–111, 128, 415, 458, 601, 608
 - column moist static energy, 97, 99, 249–251, 255–258, 277, 552; variance of, 97, 99–101
 - column relative humidity, 91–94, 107, 616
 - concentric eyewalls, 310, 323, 413, 422
 - condensate, 33, 37, 74, 413
 - condensation, 33, 34, 37, 41, 42, 47, 58, 60, 104, 115, 119, 125, 363, 441, 546, 622
 - condensation nuclei, 47, 608
 - convection: deep, 6, 21, 49, 51, 83, 85–87, 90–94, 100, 104–116, 128–130, 152–157, 162, 179, 188, 193–196, 211, 218, 233, 247, 307, 310, 342, 362–370, 415, 448, 454–456, 462, 463, 475–480, 544, 547, 552–554, 580, 982; dry, 22, 29, 33, 37, 42, 45, 64–68, 72–77, 107, 111, 125, 240, 388, 598; moist, 1, 5, 6, 20, 33–42, 45–113, 120, 127, 162, 166, 189, 218, 240, 256, 284–289, 307, 330, 339–341, 365, 366, 372, 388, 413–422, 462, 473–475, 491, 541, 546, 550–552, 605, 618; shallow, 5, 45–53, 85, 310, 366, 439, 547, 552
 - convective adjustment: dry, 30–32; moist, 68, 69, 71, 78

- convective available potential energy (CAPE), 6, 59–64, 69, 71, 96, 111, 260, 415–417, 550, 554
- convective clouds. *See* convection
- convective criticality, 6, 68–69
- convective inhibition (CIN), 6, 59–64, 111, 260, 415, 416, 417, 550, 575
- convective mass flux, 39, 40, 46, 65–71, 74, 77, 78, 85, 88–96, 104, 105, 112, 113, 127, 154–157, 195–197, 216–218, 285, 369–373, 475, 476, 484, 544, 554, 567, 568
- convective parameterization. *See* parameterization: of convection
- cumulonimbus, 33, 45, 49–53, 71, 310, 547, 550, 608
- cumulus: size distribution of, 47, 48; trade, 93, 116, 123, 127–130. *See also* convection: shallow
- cumulus congestus, 51, 53, 93, 552
- cyclone phase space, 303, 306
- D
- deformation radius, 84, 86, 95, 96, 207, 210, 241, 447, 467, 476–478, 520, 570
- delayed oscillator, 227
- density currents, 49, 108, 128, 439
- density temperature, 56–63, 84–88, 123, 127, 216, 462, 550
- detrainment, 40, 67, 76–78, 127, 546, 547, 572
- dew point temperature, 56, 57, 390
- diabatic processes, 5, 6, 100, 101, 179, 275, 284, 448, 488, 489, 565
- diffusion: molecular, 25–27, 36, 117, 384; turbulent, 69, 317, 412, 422
- dissipation: boundary layer, 2, 330–336, 338, 357, 358, 394, 448, 452, 453, 458, 480, 502, 565–567, 570, 594; outflow layer, 335, 336, 354, 502
- dissipative structures, 329–330
- diurnal cycle: of convection, 8, 52, 95–96, 112, 130, 541; of solar radiation, 95, 112, 114, 486, 530, 532
- Doppler broadening, 11–12
- Doppler on Wheels (DOW), 426–427, 435, 436
- Doppler radar. *See* airborne Doppler radar
- downdrafts, 28, 40, 45, 48–51, 65–67, 71, 74, 77–78, 87–89, 100, 109–113, 125, 216, 247, 322, 346, 358, 388, 396, 413–416, 422, 427, 433, 440, 463, 473, 479, 481, 483, 484, 502, 546, 548, 552–554, 561
- downscaling of tropical cyclones, 308, 619–623, 629
- drag coefficient, 120, 158, 193, 259, 337, 353, 357, 363, 365, 382–384, 419–423, 451, 510, 518–519, 532–534, 566–567, 576, 597
- drizzle, role in cloud-topped boundary layers of, 123, 125
- dropsondes, 297, 316, 323, 390, 439, 474, 519, 544
- dry adiabatic adjustment. *See* convective adjustment: dry
- dust devils, 289, 535–536
- E
- Eady edge waves, 189, 272–274, 278–279, 284, 446–451, 458–459, 491–493
- Eady model, of baroclinic instability, 342, 394–398, 449, 491
- easterly waves: African (AEWs), 1, 229, 261–276, 284, 488, 537, 539, 545, 559, 573–574, 587, 631; eastern North Pacific, 276–284
- effective emission temperature, 14–17
- Ekman layer instabilities, 437–441
- Ekman layers, 165, 317, 372, 373, 378, 382, 437–438
- Ekman pumping (suction), 362, 365, 416–417, 485, 523
- El Niño–Southern Oscillation (ENSO), 198, 201–228, 229; effects of, on tropical cyclones, 556–557, 573, 581–586, 593, 601, 602, 627, 630
- electromagnetic radiation. *See* radiation
- elevated surfaces, role in monsoons of, 173
- emission coefficient, 8
- emissivity, 14–19, 43
- emulsions, 337–338, 378, 513
- ENSO. *See* El Niño–Southern Oscillation
- enthalpy: definition, 23; and fluxes, 2, 8, 33, 64–68, 72–74, 81, 84–87, 91–96, 99–101, 111, 112, 139, 143, 153–157, 166, 183, 189, 192–193, 196, 198, 217–219, 223, 244–250, 255–260, 303, 309, 322, 327, 330, 337, 344, 356, 359, 365, 387–388, 397, 405, 417–418, 422, 451–454, 475–476, 481, 490, 495, 497, 514–516, 530, 533–535, 546–553, 564–565, 570–571, 596–597
- enthalpy exchange coefficient, 10, 353, 399, 518–519, 535–536, 576, 596
- entraining plume model, 47, 56–57, 61, 63, 71
- entrainment: into boundary layers, 112, 120–127, 522, 571–572, 596; into convective clouds, 45–47, 54, 57, 67, 71, 77–78
- entrainment parameter, 47
- entrainment velocity, 121–124
- entrainment zone, 121–122
- entropy production, irreversible, 1, 46, 331–332, 550, 565
- equatorial β -plane, 206, 211, 212, 215, 221, 255, 284, 443
- equatorial waves, 225, 229–260, 286, 289, 427, 441, 458, 586
- equivalent potential temperature, 37, 58, 59, 77, 123–126, 128, 175–176, 252, 315–318, 462, 555
- Ertel's potential vorticity. *See* potential vorticity
- evaporation: of precipitation, 34, 41, 45, 47, 54, 74–78, 111, 317, 376, 388, 413, 547; from the surface, 67, 75, 76, 172, 173, 359
- evapotranspiration, 7–8
- exchange coefficients, 68, 120, 196, 219, 338–339, 353–354, 360, 365, 368, 396, 399, 420, 516–519, 535–536, 576, 596
- extratropical transition, 294, 305, 309, 328, 489–497, 502
- eyes, of tropical cyclones, 290, 298–299, 307, 310–324, 342, 358, 366, 372–378, 382, 388, 390, 399–403, 406, 408, 425–427, 434, 444, 498, 500, 530
- eyewall mesovortices, 322, 387, 407, 425–434, 458
- eyewalls: frontogenesis at, 322, 336, 378, 399–13, 405–406; secondary, 299, 310, 323–324, 413–417, 425, 455–456; replacement cycles of (ERCs), 324, 413–416, 422–423
- F
- Ferrel, William, 158
- Ferrel cell, 158
- filamentation, of potential vorticity patches, 443, 458, 467–468, 545
- Findeisen, Walter, 17
- Findlater Jet. *See* Somali Jet
- first baroclinic mode, 207, 212, 237, 240, 247, 251, 253, 260, 284, 470
- first law of thermodynamics, 23–24, 412
- Fjortoft Theorem, 272–273, 432, 447
- flooding, 303, 325–327, 420, 494, 513, 534, 544, 572, 621–622, 629
- forecasting: of tropical cyclone intensity, 421–422, 502, 517, 519, 528–529, 534, 573, 575, 601; of tropical cyclone motion, 473–475, 519
- fractional area covered by convection, 39, 45, 87, 103–104, 107, 113, 125, 127, 128, 216, 517
- freezing level, 51
- friction velocity, 117, 382, 384, 508, 516
- frictional dissipation. *See* dissipation
- frontogenesis. *See* eyewalls: frontogenesis at
- Froude Number, 442
- Fujiwhara effect, 467
- G
- general circulation models (GCMs)
- genesis indices, 554–560, 569, 573–575, 580, 582–586, 594, 599–607, 610–618, 621, 628
- genesis potential index. *See* genesis indices
- geochemical proxies, for tropical cyclones, 590–593
- geostrophic balance, 5–6, 84, 132, 133, 150–153, 178–179, 269, 303, 400, 406, 444–445, 476–477, 488, 491
- gestation, of tropical cyclones, 547, 552–553, 564
- global warming, effect on tropical cyclone activity of, 199, 228, 599, 611–623, 628
- gradient balance, 178, 339, 342, 355, 393–394, 447

- gradient wind, 327, 339, 342–347, 357, 379–388, 393–412, 418–419, 438, 454–455, 594–595, 621
- gravity waves. *See* waves: gravity
- gray atmosphere approximation, 14–20
- greenhouse effect, 8, 15, 22, 153, 172–173, 330, 612–624, 628
- greenhouse gases, 8, 11–22, 33, 65, 74, 101, 102, 133, 330, 580, 608, 628
- gross moist stability, 90–91, 99–100, 106, 155, 192, 218, 222, 370, 552, 564, 605
- gust factor, 368–370
- H**
- Hadley, George, 144
- Hadley Circulation, 1, 129, 144–167, 171, 176, 179, 184, 198–199, 241, 264, 570, 601
- Halley, Edmond, 131–132, 136, 198
- Hide, Raymond, 152
- Hide's theorem, 152–153, 159, 178, 187
- HITRAN, 20
- Hovmöller, Ernest, 229
- Hovmöller plots, 229–230, 413, 415–416
- hub clouds, 322
- hypercanes, 357
- I**
- IBTrACS. *See* Best Track Archive for Climate Stewardship
- ice phase, 4, 12, 31, 34, 47–48, 57, 61, 63, 65, 71, 101, 109–112, 211, 241, 302, 332, 383, 413
- incubation parameter. *See* ventilation parameter
- inertial currents. *See* near-inertial currents
- inertial instability, 1, 156, 178, 340–341, 364, 373, 434–435, 438, 458
- intensification of tropical cyclones, 2, 309, 322, 376–378, 387, 390, 394–423, 458, 479, 482, 484, 488–489, 495, 530, 533–534, 548–549, 553, 564, 575, 580, 596, 601
- interface, air-sea. *See* air-sea interface
- International Best Track Archive for Climate Stewardship (IBTrACS). *See* Best Track Archive for Climate Stewardship
- Intertropical Convergence Zone, 131, 136, 165, 283, 541
- intraseasonal variability, 107, 183, 229–261, 284; effect of, on tropical cyclones, 581, 584
- invertibility. *See* potential vorticity: invertibility
- irreversible entropy production, 1, 46, 158, 330–331, 415, 468, 498, 502, 565; by fallout of precipitation, 34, 37, 42, 45, 54, 65, 111, 332, 363, 388, 415; by mixing across cloud boundaries, 46, 54, 332, 550
- J**
- Joint Typhoon Warning Center (JTWC), 299, 584
- Julian, Paul, 233
- K**
- Kelvin, Lord, 207
- Kelvin waves, 207–210, 226–227, 232, 237–238, 241–247, 253, 255, 259–260, 285, 586
- Kelvin–Helmholtz instability, 1, 348, 388, 522
- Kirchhoff's law, 9, 11
- Kolmogorov, Andrei, 26
- Kona storms, 503
- L**
- La Niña. *See* El Niño–Southern Oscillation
- Lagrangian chaos, 461–462
- land surface: effect of, on RCE state, 74, 83, 100, 130, 172–173; role of, in agukabams, 530–533, 535; role of, in diurnal cycle of convection; role of, in monsoons, 168, 173, 177
- landphoon. *See* agukabams
- lapse rates, 21, 43, 54–71, 88, 120, 150–151, 161–162, 178, 211, 217, 247, 253, 260, 267, 340–341, 362, 375–376, 388, 412, 491, 550–575, 604; dry adiabatic, 24, 35–36, 172, 175, 267, 359, 565; moist adiabatic, 35–36, 62–67, 71, 81, 85, 91, 105, 120, 150–151, 161–162, 211, 217, 253, 284, 340–341, 349, 550, 574; pseudo-moist adiabatic, 37
- large eddy simulations (LES), 378, 387, 489
- latent heat of fusion, 57, 61, 413
- level of free convection (LFC), 60
- level of neutral buoyancy (LNB), 60, 74
- lifetime maximum intensity (LMI), 297–298, 388, 594–597, 606, 628
- lifted condensation level (LCL), 58, 60, 74, 125
- lightning, 53–54, 63, 96, 112, 276
- liquid water density potential temperature, 123, 127
- liquid water mixing ratio, 123
- M**
- Madden, Roland, 233
- Madden–Julian Oscillation (MJO), 1, 225, 232–237, 240–249, 253, 259, 260, 284, 556–587, 601, 627
- mass flux. *See* convective mass flux
- Matsuno, Tarō, 208
- Matsuno modes, 208–210, 229, 231–237, 243, 249, 251, 255–256, 259, 284, 441, 458
- Maxwell relations, 23, 35, 151, 165, 178, 212, 343
- medicanes, 2, 289, 293, 295, 305, 308–310, 327–328, 498–500, 503, 554, 574
- mesocyclones, 546–554, 575
- mesoscale convective complexes, 544
- mesoscale organization, 45–53, 128, 378
- methane, 11, 13–14, 20, 611
- microphysics, 33–34, 40, 241, 578; effect of, on tropospheric water vapor profiles, 40–41, 67–68
- Mie scattering, 8
- mixed Rossby–gravity waves, 209, 232, 237–239, 243, 255, 259–260, 284, 443, 586
- MJO. *See* Madden–Julian Oscillation
- moats, 310, 414
- moist adiabatic adjustment. *See* convective adjustment: moist
- moist static energy profile, 68, 107, 552
- moisture, mid-tropospheric, 260, 476, 599–600, 627
- moisture adjustment time scale, 70–71
- moisture advection: horizontal, 73, 84, 87, 90, 96, 99, 153–154, 163, 167, 173, 178–179, 182, 244, 365, 368, 388, 396–397, 417, 422, 479, 605; vertical, 72–73, 99, 244, 255, 368. *See also* gross moist stability
- Monin–Obukhov length. *See* Obukhov length
- Monin–Obukhov similarity theory, 118, 121, 505, 560, 562
- monochromatic flux density, 8–9
- monochromatic radiant intensity, 9–10
- monsoon depressions, 185–189, 533
- monsoons, 136, 138, 168–189, 198–199, 264, 267, 291, 294, 533, 592, 601–602, 609
- mountains, role in monsoons of, 173, 182
- movement, of tropical cyclones, 461–475, 490
- N**
- National Hurricane Center. *See* NOAA, National Hurricane Center
- Navier–Stokes equations, 379, 412
- near-inertial currents, 2, 338, 505, 519–530, 533–535, 587, 624
- Newtonian relaxation, 10, 83
- nitrous oxide, 11, 13, 14, 20
- NOAA, National Hurricane Center, 290, 376, 474, 530, 539, 584
- non-baroclinic reintensification, of tropical cyclones over land, 530–533. *See also* agukabams
- nondevelopment, of tropical cyclones, 539–544
- nonprecipitating clouds. *See* convection: shallow; cumulus: trade
- O**
- Obukhov length, 117–118, 121, 336, 505
- ocean currents, 1–3, 114, 168, 226, 324–325, 333, 339, 378, 485, 586, 587, 625; near-inertial (*see* near-inertial currents); mixed layer, 83, 94, 167, 193–198, 338, 413, 520–522, 527–529, 534, 571–572, 596, 598, 624, 629; surface temperature of (*see* sea surface temperature); and surface waves, 2, 120, 324–325, 338, 486, 505–509, 517, 533–535, 587
- ocean heat transport, 84, 112, 198, 330, 571–572, 580, 596–601, 624–626; effect of, on tropical cyclone potential intensity, 598–600

optical depth, 9–10, 14, 18–21, 30, 173, 610
 outer radius, of tropical cyclones, 352–355, 361, 363, 365–372, 383, 391, 398, 405, 416–422, 451, 504, 569
 outer wind field, of tropical cyclones, 361–365, 404, 570
 outflow temperature, 335, 339, 346–358, 367, 389, 395, 397, 399, 402–403, 408, 482, 516, 532, 576
 overwash deposits, 588, 627
 ozone, 11, 13, 20–21, 357

P

paleotempestology, 586–594, 597
 parameterization: of cloud-radiation interaction, 252, 257–258; of convection, 240, 598, 618; of turbulence, 348–349, 387, 422; of ventilation, 480, 504, 573
 Planck constant, 9
 Planck's law, 9, 12–13, 15
 plane-parallel approximation, 10, 14–17, 20
 Poincaré waves, 209–210, 255, 259
 point potential vortices, 463–468, 476–478, 491–493
 polar lows, 2, 289–295, 305–310, 327–328, 498, 500, 503, 515, 544, 554
 potential intensity, of tropical cyclones, 330–339
 potential temperature, definition, 27
 potential vorticity: definition, 158; invertibility of, 5, 6, 388, 394; pseudo-, 179, 269–272, 342, 394, 444–447, 463, 487, 491; saturation (SPV), 6, 339, 342, 394, 455, 462, 468, 473, 594
 power dissipation index (PDI), 554, 582–583, 599
 Prandtl, Ludwig, 26
 Prandtl convection problem, 26–29, 42, 116, 117
 precipitation efficiency, 41, 67–68, 75, 89–93, 96, 195–197, 216–217, 256, 369, 488, 608, 622, 624, 629; sensitivity of tropospheric humidity to, 40–41, 67–68, 91–93, 105–106
 PREDICT field campaign, 544
 predictability, of tropical cyclones, 422, 461, 484–485, 534
 pressure broadening, 11
 Prigogine, Ilya, 330
 principal band, 439
 pseudo entropy, 37
 pseudo-potential vorticity. *See* potential vorticity: pseudo

Q

quasi-equilibrium, boundary layer. *See* boundary layer quasi-equilibrium
 quasi-geostrophy, 158, 179, 269, 303, 342, 393–394, 406, 444–448, 463, 466–468, 476–477, 487–488, 491–493

R

radar. *See* airborne Doppler radar
 radiant intensity. *See* monochromatic radiant intensity
 radiation, 7–22; blackbody, 8–15; and Earth's energy budget, 7–8
 radiative equilibrium, 14–22, 24–25, 29–33, 41, 43, 75, 598, 600, 601
 radiative subsidence, 41, 122, 362–365, 370, 372, 376, 383, 417, 451
 radiative subsidence velocity, 122, 363, 365, 370, 372, 376, 383, 451
 radiative-convective equilibrium, 1, 2, 6, 29–42, 61, 65–84, 131, 329, 448, 470, 488, 547–548, 596; behavior of perturbations to, 77–97; dry, 29–33; moist, 33–41, 65–107
 radiative-convective instability, 97–107
 radiative-slantwise-convective equilibrium, 162, 175
 radio occultation, 134
 radiosonde, 132–133, 237, 261, 264, 545
 radius of maximum winds (RMW), 290, 299–300, 315, 336, 352–361, 363, 365, 370, 377, 382, 386, 391, 397–405, 412, 415–416, 419–420, 442, 450, 487, 570
 radius of vanishing winds (RVW), 290, 299, 405
 rainbands, 310, 311, 312, 323–324, 481, 530; spiral, 2, 310, 311, 323–324, 439–451, 498
 rapid intensification of tropical cyclones. *See* intensification of tropical cyclones
 rawinsondes, 21, 56–57, 61, 72, 233, 237–240, 252–253, 263, 473, 539, 605
 Rayleigh necessary condition for instability, 431–433, 438, 444, 446–447, 458–459
 Rayleigh scattering, 8, 13
 Rayleigh shear problem, 427–433, 446–447
 Rayleigh–Bénard convection, 560–562
 realignment. *See* axisymmetrization of tropical cyclones
 re-evaporation. *See* evaporation
 reflection. *See* radiative transfer
 Relámpago del Catatumbo, 276
 relaxation time scales, 30, 79, 82–83, 88, 91, 95–96, 112, 172
 Reynolds Number, 25–26, 380
 Rhines scale, 571
 Riccati equation, 363–364
 Richardson number, 122, 347–350, 386, 522; and criticality, 122, 347–350, 365, 370, 397, 391–392, 412, 420, 522–523, 526, 528
 roll structures, in tropical cyclone boundary layers, 387, 435–438, 441
 Rossby wave breaking, 128, 159, 303, 443, 495
 Rossby waves, 1, 136, 158, 159, 189, 267, 272–278, 303, 333, 458, 470, 472, 485–486, 491–492, 495, 498, 502, 519, 554; equatorially trapped, 209, 210, 214, 226–227, 232, 237–243, 249, 259–260; vortex, 415–434,

437, 438, 443–451, 458–459, 468, 470, 478–480, 502–503
 roughness length: mechanical, 117–119, 505, 508–509; thermal, 120

S

Saffir–Simpson scale, 290, 591
 Saharan air, 141, 544
 SAM. *See* System for Atmospheric Modeling
 saturation deficit, 105, 555–556, 576, 580, 599–600, 612, 615–616
 saturation entropy, 54–55, 147–148, 153–159, 165, 176, 211–212, 216, 218, 221–224, 252, 255, 258, 285, 331, 343, 350–356, 394–397, 403–408, 556, 599
 saturation moist static energy, 67, 68, 81, 85, 89–92, 154, 192, 219, 329, 367–368, 371, 549, 576, 599
 saturation potential vorticity. *See* potential vorticity: saturation
 scattering. *See* radiative transfer
 scattering source function, 8
 scatterometer, 133, 261–262, 300–301
 sea spray. *See* spray
 sea surface temperature (SST), 31–32, 68, 75, 93–94, 97, 102, 103, 125, 138–139, 166–167, 179–182, 189–191, 198, 201–204, 211, 219–227, 236, 240–241, 252, 279, 306, 308, 330, 338, 339, 346, 356–357, 416, 421, 448, 495, 505, 515–516, 523–529, 547–549, 555–556, 559, 563–572, 576, 580–586, 589, 598–629
 seasonal cycle, 165, 203, 226, 264, 389, 557, 572, 596. *See also* annual cycle
 secondary eyewalls. *See* concentric eyewalls
 self-aggregation of deep convection, 72, 97–107, 110, 256, 279, 560, 563–565
 semi-geostrophy, 487
 sensible heat flux, 31, 119, 267, 330
 shallow-water equations, 6, 189, 206, 212, 227, 251, 284, 441–443, 470, 509, 534
 shear, effect of: on tropical cyclone genesis, 533–535, 545, 549, 555–556, 559, 571–572, 575–580; on tropical cyclone intensity, 475–485; on tropical cyclone motion, 462–468; on tropical cyclone structure, 475–485
 single-column model, 20, 68–83, 93–94, 111, 139, 172–177, 359, 598–601, 617
 skew-T diagram, 38, 55, 56, 62, 390
 slab boundary layers. *See* boundary layers: slab
 slab ocean, 79, 112–114, 165–167, 172, 570, 598, 629
 slantwise convection, 339–344, 369, 394, 618
 slantwise convective neutrality, 339–342, 388, 473
 slantwise neutral vortices, 339–342
 soils, role of: in agukabams, 309–310, 417, 505, 530–533, 534, 535; in CAPE generation, 52, 63–64; in monsoons, 172, 175, 177, 267

- solar radiation. *See* radiation; shortwave
 Somali Jet, 168, 183–184
 soundings, 21–22, 58, 62–64, 72, 77, 114, 134, 307, 390, 564. *See also* radiosondes;
 rawinsondes
 South Pacific convergence zone (SPCZ), 108, 583
 Southern Oscillation. *See* El Niño–Southern Oscillation
 spin-up. *See* intensification of tropical cyclones
 spiral rainbands. *See* rainbands: spiral
 spray, 47, 311, 315, 331, 337, 378, 388, 412, 505, 508, 509, 513–519, 533–536, 607
 squall lines, 1, 42, 49–51, 107–111, 323, 439–441, 458
 state estimation, 135
 static stability, 66–67, 88–89, 95–96, 194, 216, 269, 370, 381, 412, 441, 448, 488–489
 statistical equilibrium, 5–6, 26, 29, 74, 77, 97, 112, 117, 516–517, 565–566, 569–570
 Stefan–Boltzmann constant, 15, 19
 storm surges, 325, 327, 378, 505, 509–513, 534, 586–588, 621
 storm tides, 325
 stratiform clouds, 41, 45, 65, 71, 74, 260, 311, 317, 439, 440, 546–547, 553; rain from, 260, 311, 317, 439, 440, 546–547, 553
 stratocumuli, 48, 94, 115, 123–130, 138, 312, 322, 366, 390, 624
 stratosphere, and effect on equatorial modes, 259
 subcloud layer, 39, 45, 48, 49, 58, 61–62, 65–77, 85–91, 95, 108, 111–112, 125–128, 154–156, 160–162, 172, 175, 211–219, 252, 344, 352, 574
 subsidence, 5, 41, 48, 76, 85–87, 121–127, 155, 179, 194, 216, 315, 321–322, 341, 358, 362–372, 376, 415–417, 451
 subtropical cyclones, 186, 503, 505
 sulfate aerosols. *See* aerosols, effects of
 supergradient winds. *See* agradient winds in tropical cyclones
 superposition principle, 487–488, 494, 502, 545
 surface energy balance, 16, 74, 79
 surface fluxes. *See* enthalpy: and fluxes; latent heat flux; sensible heat flux
 surface layer, 121, 124–128, 219, 337, 383
 surface roughness. *See* roughness length
 surface waves. *See* ocean current: and surface waves
 surface wind speed, effect of: on boundary layer enthalpy deficit, 68; on potential intensity, 572, 597–599, 628; on self-aggregation of convection; on surface temperature, 43. *See also* wind-induced surface heat exchange (WISHE)
 surges. *See* storm surges
 Sverdrup, Harald, 227
 Sverdrup balance, 227
 System for Atmospheric Modeling (SAM), 97, 240–260, 563–564

 T
 TCS08 field campaign, 544
 TC-world numerical experiments, 559–572, 574, 575, 594
 tempestites, 586–587
 TEXMEX field campaign, 546–547
 thermocline, 189–191, 196, 202, 204, 208, 226–227, 505, 625–626
 thermodynamic disequilibrium, 17–19, 31, 75, 305–306, 329–332, 338, 354, 359, 448, 563, 569, 596, 599–601, 608
 thermodynamic equilibrium, 9, 25, 33, 34, 42, 315, 330, 363, 599
 Thomson, William, 207
 THORPEX field campaign, 544
 Tibetan High, 173, 179, 184
 TOGA COARE field campaign, 21, 72–75, 252–253
 tornadoes, 64, 111, 323, 327, 425–427, 435
 trade cumuli. *See* cumulus: trade
 trade inversion, 127–128
 trade winds, 125–127, 131–132, 136–138, 229–230, 261, 286
 triggering disturbances, in tropical cyclone genesis, 486, 489, 495, 545, 548–575, 580
 tropical cyclones and climate change, 581–624
 tropical depression, 290–293, 544, 553, 573
 Tropical Rainfall Measuring Mission (TRMM), 134, 138, 140, 142, 186–187, 302, 309, 524, 530
 tropical storms, 2, 284, 290–294, 299, 309–313, 326, 420, 473–479, 490, 530–534, 539–541, 553
 tropical transition, 495, 500
 tropical upper-tropospheric troughs (TUTTs), 545
 tropics, definition, 5
 turbulence kinetic energy, 28, 35, 121, 123, 330, 624
 turbulent diffusion. *See* turbulent fluxes
 turbulent dissipation. *See* dissipation
 turbulent fluxes, 7, 72, 76, 89, 99, 330, 336–337, 378, 380–384, 387, 398, 422; radial, 336–337, 422
 typhoons, 290, 299, 300, 301, 312, 318, 320, 324, 387, 414, 435, 437, 544, 593

 U
 ultraviolet radiation, 8, 11–13, 19

 V
 ventilation, of tropical cyclone cores, 479–484, 495, 502–504, 533, 544, 549–550, 573–580, 599, 605
 ventilation parameter, 481–484, 495, 549, 550, 575–580
 volcanoes, effect on tropical cyclone activity of, 607–611
 von Kármán constant, 117, 384
 vortex alignment, 2, 463, 468, 478–480
 vortex Rossby waves. *See* Rossby waves: vortex

 W
 Walker, Gilbert, 189, 201
 Walker circulation, 86, 129, 189–198, 201, 211, 225–226, 601
 water vapor: absorption of solar radiation by, 1, 7, 11, 13, 101, 598; as a greenhouse gas, 1, 8, 11–14, 31, 33, 65, 68, 71, 100, 101, 104, 106, 111, 173, 192, 196, 256, 596, 624
 waterspouts, 323
 waves: equatorially trapped, 206–211, 229–260; gravity, 438, 441–443, 486, 552, 575; ocean surface (*see* ocean currents: and surface waves); radiation of, 259, 441, 486, 575
 WAVEWATCH, 507
 weak temperature gradient approximation (WTG), 84–90, 94–95, 100, 103–105, 112, 130, 136, 139, 153, 192, 195, 211, 580–581, 598–601
 Weather Research and Forecasting Model (WRF), 547–549, 559, 564
 Wegener–Bergeron–Findeisen process, 47
 Wegener, Alfred, 47
 wind shear. *See* shear
 wind-induced surface heat exchange (WISHE), role of: in equatorial disturbances, 222–226, 246–249, 255–260; in monsoons, 166–167, 183–185, 188; in tropical cyclones, 279, 284, 553, 574
 WISHE. *See* wind-induced surface heat exchange

 Y
 Yanai, Michio, 209
 Yanai waves. *See* mixed Rossby-gravity waves