

Contents


Preface	7	Gomphidioids	372
Idea and execution	8	Pholiotoids	374
What is a basidiomycote?	12	Little brown mushrooms (LBMs)	382
Fungal nutritional modes	13	Inocyboids	416
Distribution	18	Hebelomas	474
Macro-morphology	20	Cortinarioids	482
Smell and taste	27	Paxilloids	562
Micro-morphology	30	Boletes	564
Collecting, identification and preserving		Polypores	580
for the fungarium	34	Polypores with a stem	582
Microscopy	36	Clustered polypores	588
		Perennial polypores	590
Overview and keys to form groups	38	Annual, capped polypores	598
Chanterelles and the like	44	Annual, resupinate polypores	614
Agarics	48	Rosette fungi and the like	628
Pleurotoids	54	Corticoids	632
Clitocyboids	68	Capped corticoids	636
Omphalinoids	82	Spiny corticoids	642
Hygrocyboids	90	Meruloid corticoids	652
Mycenoids	108	Plane to warty corticoids	658
Tricholomatoids	134	Hydnoids	720
Collybioids and marasmioids	156	Cyphelloids	730
Cystodermatoids	176	Clavarioids	740
Lepiotoids	178	Dacrymycetales	768
Limacelloids	192	Jelly fungi	774
Amanitoids	194	Bird's nest fungi	812
Russulas	204	Stinkhorns and the like	814
Lactarioids	230	Puffballs and the like	816
Entolomatoids	242	Truffles	830
Pluteoids	292		
Agaricoids	304	Literature	844
Coprinoids	316	Index	847
Psathyrelloids	340	Colour chart	876
Hypholomatoids	366	Photographers	878

Form groups with external production and active dispersal of the sexual spores (meiospores) from hymenia are found on the previous page spread, and groups with internal spore production are covered on this page spread.

On this page spread, the groups with spores that are actively released are shown at the upper/left side; the groups with fruitbodies that have passive spore dispersal, or have a powdery or slimy inner spore mass, are represented in the lower/right side of the wheel. For passive spore dispersal to take place an external force is often required, e.g. rain drops or animal activity.

The wheels here and throughout this publication can be used in various ways. By checking the images in the outer "rim", a quick overview can be obtained of the variation in the fungal groups covered. Images in the pale blue sections (see, e.g., the wheel on p. 44) represent fungi that in some way recall species from the form group covered by the wheel, and which are treated in other wheels in this publication (or in *Fungi of Temperate Europe*, volume 2); the relevant page number is given for ease of cross-referencing. The inner part of the wheel shows other features that could be considered, particularly microscopic characters such as spore morphology (see, e.g., the wheel on page 636).

non-stromatic
pyrenomycetous fungi
FTE 2 page 1510





almost closed
fruitbodies with a
round or slit-like
opening

stromatic
pyrenomycetous fungi
FTE 2 page 1510



perithecia in a
fleshy structure –
a stroma; surface
dotted with
openings (ostioles)

perithecia
(incl. pseudothecia,
thyriothecia
& hysterothecia)



acomyces

fruitbodies with external
spore production
and active spore release





Key to form groups of fruitbody-forming fungi



The key covers the form groups as defined in the identification wheels.

Keyed out fruitbody-forming basidiomycetes are marked in **black**, not included groups are **grey**. Identification wheels for the excluded groups are found in the book *Fungi of Temperate Europe*, vol. 2 (FTE).

1. With fruitbodies 2
Without fruitbodies, typically plant parasites 3
2. Fruitbodies with external spore formation **key A**
Fruitbodies with internal spore formation **key B**
3. Spores formed in asci; host mostly showing deformed leaves, fruits or witches' brooms *Taphrinales*, FTE 2 p. 1622
Spores formed on basidia; host deformed or not 4
4. Deforming living herbs and dwarf bushes, which typically turn red
Emerging as yellow, brown or blackish, often powdery spots on living plants or as internal spore powder in killed seeds, etc. *Exobasidiales*, FTE 2 p. 1214
rusts and smuts, FTE 2 p. 1198

Key A – fruitbodies with external spore production

1. With a hymenophore of veins or gills 2
Hymenophore different 3
2. Hymenophore of low, branched veins, which are $\pm$ triangular in section **chanterelles**, p. 44
Hymenophore of plate-like gills **agarics**, p. 48
3. Fruitbodies tube-, cup-, goblet-, disc- or slit-shaped 4
Fruitbodies different 7
4. Spores formed on basidia; fruitbodies usually $\pm$ pendulous; typically less than 5 mm wide **cyphelloids**, p. 730
Spores formed in asci; fruitbodies upright or without orientation; small to large 5
5. Symbiotic with green algae or cyanobacteria that typically form a layer within the fruitbodies or in the surrounding flesh (the thallus)
Without built-in green algae or cyanobacteria **lecanoralean lichens**, FTE 2 p. 1484 6
6. Asci with an operculum; fruitbodies often large, usually on soil, wood, moss or dung **operculate cup fungi**, FTE 2 p. 1278
Asci without an operculum, but typically with an internal "plug"; fruitbodies usually small, usually on wood or herbaceous stems and other debris **inoperculate cup fungi**, FTE 2 p. 1348
7. With a hymenophore of tubes or pores 8
Hymenophore different 9
8. Hymenophore of tubes that are not well attached to the flesh and usually also not to each other **boletes**, p. 564
Hymenophore of tubes that are fully fused with the flesh and with each other **polypores**, p. 580
9. With a hymenophore of spines 10
Hymenophore plane, warty or wrinkled 12
10. Fruitbody with a cap and a stem or as a large branched or rounded structure **hydroids**, p. 720
Resupinate, possibly with a protruding cap margin 11
11. Fruitbodies more than 10 mm thick **hydroids**, p. 720
Thinner **corticoids**, p. 632
12. Fruitbodies fully resupinate or with a protruding cap margin 13
Fruitbodies different 15

	13. As a layer of basidia on living leaves and stems of species of <i>Ericaceae</i> that become deformed and typically turn red <i>Exobasidiales</i> , FTE 2 p. 1214 Different 14	
	14. Basidia 1-celled; spores not repeating corticoids , p. 632 Basidia 2–4-celled or otherwise deviant <i>and/or</i> spores repeating jelly fungi , p. 774	
	15. Fruitbodies elastic and tough or jelly-like; basidia 2–4-celled or otherwise deviant <i>and/or</i> spores repeating 16 Fruitbodies not especially tough; basidia 1-celled; spores not repeating 17	
	16. Basidia tuning-fork-shaped or cylindrical <i>Dacrymycetales</i> , p. 768 Basidia not tuning-fork-shaped, 2–4-celled or otherwise deviant jelly fungi , p. 774	
	17. Fruitbodies club-shaped, coral-shaped or as hanging spines 18 Fruitbodies lobed or rosette-, cone-, funnel-, fan- or spatula-shaped 20	
	18. Spores formed on basidia clavarioids , p. 740 Spores formed in asci 19	
	19. Fruitbodies less than 10 mm wide; asci with a plug <i>earthtongues and the like</i> , FTE 2 p. 1350 Fruitbodies more than 10 mm wide; asci with an operculum <i>morels and the like</i> , FTE 2 p. 1280	
	20. Fruitbodies lobed or rosette-, fan- or spatula-shaped; with basidia rosette fungi , p. 628 Fruitbodies cone- to funnel-shaped; with basidia or asci 21	
	21. Fruitbodies ± funnel-shaped; spores formed on basidia chanterelles , p. 44 Fruitbodies cone-shaped; spores formed in asci <i>operculate discomycetes</i> , FTE 2 p. 1278	
Key B – fruitbodies with internal spore production and passive spore release		
	1. Fruitbodies like ± underground tubers . . . truffles and false truffles , p. 830 Fruitbodies different 2	
	2. With a foul-smelling fly-dispersed spore mass stinkhorns and the like , p. 814 Different 3	
	3. Fruitbodies as small cups with “eggs” inside (peridioles) bird’s nest fungi , p. 812 Different 4	
	4. Fruitbodies rather large to very large fleshy structures with a powdery spore mass puffballs and the like , p. 816 Different 5	
	5. Like tiny pins with spore-forming, sometimes dusty tips 6 Different 7	
	6. Spores formed on basidia jellypins , p. 779 Spores formed in asci calicioids and myocalicioids , FTE 2 p. 1494	
	7. Like small, completely enclosed spheres that may split open when mature mildews and cleistothecial fungi , FTE 2 p. 1500 Different 8	
	8. Tiny, erect structures on living insects, millipedes and other arthropods <i>Laboulbeniales</i> , FTE 2 p. 1620 Different 9	
	9. Fruitbodies with a slit-like opening hysterioid fungi , FTE 2 p. 1614 Fruitbodies with a ± round opening pyrenomycetous fungi , FTE 2 p. 1510	

Chanterelles and the like


Species in this form group have rather fleshy fruitbodies with a $\pm$ central stem and a deeply decurrent hymenophore, which may be completely smooth or of $\pm$ branched veins to wrinkles. The fruitbodies can be massive or hollow.

The core group consists of *Craterellus* and *Cantharellus*. These genera belong in *Cantharellales* and both form ectomycorrhiza.

Gomphus clavatus, which belongs in *Gomphales*, also forms ectomycorrhiza, while *Faerberia carbonaria*, which is situated in *Polyporales*, is a decomposer.


- SIMILAR GROUPS:
- clitocyboids have normal gills,
 - which may be forked (page 68).
 - some pleurotoids have a veined

- hymenophore, but are smaller with reduced stems (page 54).
- funnel-shaped hygrocyboids and omphalinoids have decurrent, normal gills (pages 82 & 90).
 - some mycenas (e.g. *Hemimycena*) may look similar, but are small, fragile and whitish (page 108).



Chanterelles and the like

- 1.** Hymenophore with violet colours (); spore deposit cinnamon-buff (); spores coarsely warted. Fruitbody very thick-fleshed; spores $10\text{--}15.5 \times 4\text{--}7\text{ }\mu\text{m}$, with cyanophilous warts; on $\pm$ calcareous soil with *Fagus* and *Picea* in forests with long continuity; rare with *Fagus* in the lowlands, more common with *Picea* at higher altitudes and latitudes *Gomphus clavatus*
- Hymenophore without violet colours; spore deposit white to cream (); spores smooth 2
- 2.** On burnt ground; with thick-walled cystidia with crystalline encrustations. Cap dark greyish brown, finely scaly; spores $7\text{--}11 \times 4\text{--}5\text{ }\mu\text{m}$; rare, more common towards southwest *Faerberia carbonaria*
- Not on burnt ground; without thick-walled cystidia with crystalline encrustations 3
- 3.** Fruitbodies without clear differentiation into stem and cap; opening as a funnel all the way down 4
- Fruitbodies with an obvious stem and cap; not open all the way down, but possibly with hollow stem 5
- 4.** Hymenophore $\pm$ plane; spores $9.5\text{--}13 \times 6\text{--}9\text{ }\mu\text{m}$; basidia 2-spored. Upper/inner side dark mouse grey to black, rarely olivaceous buff, as dry usually greyish brown and scaly; without clamps; on clayey/calcareous soil primarily with *Fagus* and *Picea*; rather common *Craterellus cornucopioides*
- Hymenophore of distinct, branched veins; spores $7\text{--}8.5\text{ }(-9) \times 5\text{--}6\text{ }(-6.5)\text{ }\mu\text{m}$; basidia 4–6-spored. Without clamps; with deciduous and coniferous trees; rare (N) *Craterellus caeruleofuscus*
- 5.** All parts ash grey to dark grey () 6
- With whitish, brownish, yellowish or orange colours (
-), but possibly blackening 7
- 6.** Spores subglobose, $9.5\text{--}10.5 \times 8.5\text{--}9.5\text{ }\mu\text{m}$, Q 1.08–1.18; with clamps; cap depressed, but probably never perforated and stem almost or entirely solid; veins below the cap distinctly chanterelle-like; smell distinctly fruity. With deciduous and coniferous trees; rare (S) *Cantharellus atrofuscus*
- Spores broadly ellipsoid, $9\text{--}10 \times 5\text{--}6\text{ }\mu\text{m}$, Q 1.70–1.80; without clamps; cap sometimes perforated down to the $\pm$ hollow stem; veins may be indistinct; smell faintly aromatic. On clayey soil, preferably with *Fagus* and often accompanied by *C. cornucopioides*; scattered to rare (W) *Craterellus cinereus*
- 7.** With regularly bifurcate gills 8
- Not with regularly bifurcate gills 9
- 8.** Cap ash grey (); gills reddening; spores amyloid see *Cantharellula umbonata*, p. 70
- Cap cream, pale buff, orange to orange-brown or with brownish rose shades (
-); gills without colour change; spores inamyloid, but may be dextrinoid see *Hygrophoropsis* and *Aphroditeola*, p. 70
- 9.** With deep, cross-veined, thick vaxy gills see *Musumecia*, p. 71
- With low, irregularly branched veins 10





10. Stem $\pm$ hollow; spores $\pm$ ellipsoid, usually without a depression below the apiculus [*Craterellus* p.p.] . 11
 Stem solid; spores constricted (violin-case-shaped) to ellipsoid with a depression below the apiculus [*Cantharellus* p.p.] . 16



11. Hymenophore of distinct gill-like veins 12
 Hymenophore folded-wrinkled or entirely plane 14



12. Small and thin; cap up to 25 mm wide; never with yellow colours; hymenophore of rudimentary, low veins see *Craterellus undulatus*, cpl. 15
 More robust; cap up to 60 mm wide; stem typically cinnamon-buff (☐); hymenophore of gill-like veins 13



13. Flesh (and usually also the hymenophore) slowly blackening when bruised. With clamps; spores $8-11 \times 6-7.5 \mu\text{m}$; on clayey soil, preferably with *Fagus*; rare (N), scattered (S) *Craterellus melanoxeros*
 Flesh and hymenophore unchanging. With clamps; spores $10-13 \times 7-9 \mu\text{m}$, Q $1.18-1.33$; both on poor and clayey soil, but usually on nutrient-poor soil with mor formation, usually with *Picea*, *Abies* or *Fagus*; common to scattered *Craterellus tubaeformis*



14. Hymenophore (underside of cap) yellow to apricot orange (☐). Spores $9-12 \times 6.5-9 \mu\text{m}$; Q $1.36-1.59$; with clamps; with *Picea* in damp, calcareous coniferous forests and plantations; scattered (N and higher altitudes in the S) to rare (SW) *Craterellus lutescens*
 Hymenophore pale grey to pinkish buff (☐) 15



15. Hymenium downy from protruding, scattered, well defined cystidia (lens!); cap margin usually frayed; spores up to $8.5 \times 2.8 \mu\text{m}$ see *Cotylidia*, p. 630

- Hymenium without protruding cystidia; cap margin entire, but wavy; spores $8.5-12 \times 5-8 \mu\text{m}$. Without clamps; on clayey/calcareous soil preferably with *Fagus*, *Quercus* and *Corylus*; scattered *Craterellus undulatus*




16. Fruitbodies very delicate; cap up to 30 (–50) mm wide and in places with striking reddish hue (apricot orange to coral – ☐); the hyphae of the cap cuticle are thin-walled (up to $0.4 \mu\text{m}$ thick). Flesh pale rose with FeSO_4 ; spores $8.5-10.5 \times 4-5 \mu\text{m}$; with clamps; in mature deciduous forests with *Fagus*, *Quercus*, etc.; rare *Cantharellus friesii*
 Fruitbodies more robust; mature caps usually wider and white, straw yellow, buff-yellow to orange-yellow (☐), rarely pale pinkish; the hyphae of the cap cuticle thick-walled (more than $0.8 \mu\text{m}$ thick) 17

17. Fruitbodies entirely white (☐), but may turn brown when bruised . 18
 Fruitbodies mostly with yellow to orange-yellow (☐) colours, rarely pale pinkish 19

18. Cap surface as young covered by loosely interwoven hyphae (lens!); fruitbodies rather robust and thick-fleshed; on neutral to calcareous, usually clayey soil see *Cantharellus pallens*, cpl. 21
 Cap surface as young glabrous or finely downy; fruitbodies rather delicate; on acidic to neutral, usually $\pm$ sandy soils see *Cantharellus cibarius*, cpl. 20



19. Cap surface with a felty layer that breaks up in small scales, usually with a greyish violet (☐) hue; spores $9-13 \times 5-7.5 \mu\text{m}$; flesh rosy with FeSO_4 . With clamps; scattered on rich soil; scattered *Cantharellus amethysteus*
 Cap surface without greyish violet scales; spores $6.5-11 \times 4-6.5 \mu\text{m}$; flesh greyish with FeSO_4 20





20. Hymenophore usually unchanged or at most weakly and slowly brown when bruised; fruitbodies rather delicate; cap usually less than 60 mm wide; on acidic to neutral, usually light/sandy soil with both deciduous and coniferous trees. Cap surface as young glabrous or finely downy; with clamps; spores $7-9.5 \times 4-6 \mu\text{m}$; common to scattered *Cantharellus cibarius*

Hymenophore on fresh fruitbodies strikingly and quickly turning brown when bruised; fruitbodies delicate or robust; on neutral to calcareous, usually clayey soil, with deciduous trees or rarely with *Abies* 21

21. Hymenophore on young specimens whitish to cream (☐); cap surface as young glabrous or finely downy; spore deposit cream; fruitbodies relatively delicate; cap up to 50 mm wide; spore Q 1.6–2.3. With clamps; spores $7-11 \times 4-6 \mu\text{m}$; mostly in deciduous forest; mostly towards SW, scattered *Cantharellus ferruginascens*

Hymenophore on young specimens distinctly buff-yellow (☐), at least near the cap margin; cap surface as young whitish-downy from loosely interwoven hyphae (lens!); spore deposit buff-yellow to orange-yellow; fruitbodies robust; cap up to 100 (–150) mm wide; spore Q 1.5–1.9. With clamps; spores $6.5-10 \times 4-6 \mu\text{m}$; typically with *Fagus*, but also with *Quercus* and *Corylus* on better soils; common to scattered *Cantharellus pallens*



Agarics

The gilled mushrooms comprise a very large group of macrofungi, with more than 3,000 species in temperate Europe. They are characterized by having vertical gills under a horizontal cap. Most species also have a stem, but in the pleurotoid agarics the stem is reduced or absent.

Spore colour





The colour of spore deposits is a key character for dividing the agarics into manageable groups: white, cream to yellow (this page spread) or brownish, rose-brown to black (next page spread). In addition, a few species have green or lilac spore deposits (next page spread).

Veil

In some agarics the gills develop freely – a naked development. Others have a protecting tissue over the young gills – a partial veil. Some have the entire fruitbody covered in a protective universal veil. *Amanita phalloides*, for example, has a membranous version of both veil types: the partial veil is seen as a ring on the stem at maturity, while the universal veil is seen as a volva at the stem base. In *Cortinarius*, the two veil types can be threadlike and in others, e.g. *Gomphidius*, they are present as slimy layers; see pages 24–26.

Gill attachment

The way the gills attach to the stem is an important character for separating species and genera. The gills may be free (of the stem), narrowly or broadly attached, notched or decurrent.



I+ = may be amyloid
I+ (dex.) = may be dextrinoid

tricholomatoids
page 134

mycenoids
page 108

robust,
medium-sized to
large; gills ± notched

slender, mostly small
and fragile; mostly with
convex caps and variable
gill attachment; often
with amyloid spores

hygrocyboids
page 90

with thick,
waxy
gills

small and
fragile; with
decurrent gills

omphalinoids
page 82

fleshy;
with decurrent
gills

clitocyboids
page 68

without or with
reduced or
eccentric stems

pleurotoids
page 54

collybioids and marasmoids
page 156




small to medium, rather tough;
gills narrowly to broadly attached
or meeting in a collarum

cystoderroids
page 176



with grainy
surfaces
(universal veil)

leptotoids
page 178



limacelloids
page 192



amanitoids
page 194



with free gills;
with slimy universal
veil

with free or
narrowly attached
gills and a
membranous
universal veil

with grainy
surfaces
(universal veil)

fragile;
flesh with
spherical cells;
without milk

fragile; flesh with
spherical cells;
with milk


Phaeolepiota
page 176



lactarioids
page 230



russulas
page 204



spore deposit
white to cream

agarics
with ± soft-fleshed
fruitbodies with a cap
and with gills below

spore deposit
white to
yellowish


ornament I+

other spore
colours

other
similar
fungi



with decurrent veins,
chanterelles, page 44



leathery, broadly
attached fruitbodies,
polypores, page 580

Microscopic characters

Many species of agarics have cystidia on the stem (caulocystidia), cap surface (pileocystidia) or on the gills. The gill cystidia are divided into those in the hymenium (pleurocystidia) and those on the edges (cheilocystidia). The cystidia are very important in species identification. It is advisable to use a dissection microscope when making preparations, to ensure that the appropriate part of the gill is studied.


Agarics have a huge range of spore types: smooth, angular, spiny, thin- to thick- or double-walled, with or without germ pore, etc. Some spores stain $\pm$ blue with Melzer's reagent (termed amyloid, or I+). When studying microscopic characters, always check for amyloidity and surface ornaments (use oil immersion and $\times 1,000$).


Relationships

The agarics constitute a "form group" – an artificial assemblage. The biggest monophyletic groups of agarics are the *Agaricales*, the *Russulales* and the *Hymenochaetales*, each of which also includes many species that are not agarics, e.g. corticioids, clavarioids, puffballs and polypores.

OTHER SIMILAR FUNGI:

- chanterelles do not have proper gills but, instead, sinuose, branching veins or wrinkles (page 44).
- certain polypores have gill-like hymenophores, but these structures are very tough compared with agaric gills (page 580).







Key to form groups of agarics

The groups of agarics are based more on experience and intuition than on scientific characteristics. The key below is therefore not sharply defined (as analytical keys ideally should be) but paints with broader strokes. Moreover, many species do not fit neatly into a specific morphological group, so in the following keys in this book, we strive to cross-reference these species wherever we believe they may appear.

1. Stem lateral or absent **pleurotoids, p. 54**
 Stem $\pm$ centrally positioned 2
2. Spore deposit white, cream, buff- to orange-yellow (☼     ) 3
 Spore deposit greenish, reddish, brownish or black (☼    ) 14
3. The flesh of the stem brittle (with many globose cells – breaking as a dry cheese); spores with distinctly amyloid ornament of spines and veins; spore deposit white, cream, buff- to orange-yellow (☼     ) 4
 The flesh of the stem fibrous; spores smooth or ornamented, possibly by amyloid warts; spore deposit white to cream (☼     ) 5
4. With milk; all species with both long and short gills **lactarioids, p. 230**
 Without milk; many species only have long gills **russulas, p. 204**
5. Cap and lower stem finely granular; usually with pale buff, cinnamon-buff, orange-brown, brownish orange to coral (☼     ) colours **cystodermatoids, p. 176**
 Cap and lower stem different; colours often different 6
6. Gills $\pm$ free; with a threadlike, powdery to membranous partial and/or universal veil 7
 Gills narrowly to broadly attached, notched to decurrent; veils mostly absent 9
7. Universal veil membranous **amanitoids, p. 194**
 Universal veil threadlike or slimy 8
8. Cap greasy to slimy **limacelloids, p. 192**
 Cap dry **lepiotoids, p. 178**
9. Mostly small, elegant and fragile mushrooms with $\pm$ convex caps and rather thin stems; most species with amyloid spores; usually with cystidia, which may be branched **mycenoids, p. 108**
 Different 10
10. With striking thick, usually waxy gills; usually with splendid colours or a slimy cap; basidia usually very long and slender (Q 6–9) **hygrocyboids, p. 90**
 Different 11
11. With $\pm$ decurrent gills; cap usually flat, with a central navel or depressed 12
 With narrowly to broadly attached or notched gills 13
12. Small, elegant and fragile fungi; cap often with with a central navel **omphalinoids, p. 82**
 More robust fungi; cap convex, flat to depressed **clitocyboids, p. 68**
13. Rather robust fungi with $\pm$ notched gills **tricholomatoids, p. 134**
 Small to large fungi with narrowly to broadly attached gills **collybioids and marasmioids, p. 156**



	14. Spore deposit dull red or green (* ) lepiotoids, p. 178 Spore deposit ± salmon, brownish or black (* ) 15	
	15. Spore deposit brownish rose to salmon (* ) 16 Spore deposit ± brownish to black (* ) 18	
	16. Gills free pluteoids, p. 292 Gills ± attached, notched or decurrent 17	
	17. Spores finely warty; flesh with a perfumed, sweetish smell see <i>Lepista</i> and others, pp. 142 & 74 (key D) Spores angular, nodulose, striated or if finely warty then without a sweetish smell entolomatoids, p. 242	
	18. Spore deposit dark chocolate brown to black (* ) 19 Spore deposit paler brownish (* ) 23	
	19. Gills ± ink-like, dissolving at maturity coprinoids, p. 316 Gills not dissolving 20	
	20. Gills entirely free agaricoids, p. 304 Gills ± attached, notched to decurrent 21	
	21. Gills decurrent gomphidioids, p. 372 Gills ± attached to notched 22	
	22. Fruitbodies rather fragile; gills ± attached; fruitbodies mostly with brown to ash-grey colours; with cystidia, but these usually without yellow content psathyrelloids, p. 340 Fruitbodies not strikingly fragile; gills attached to notched; fruitbodies usually with yellow, orange-brown or green colours; mostly with cystidia with yellow content hypholomatoids, p. 366	
	23. Gills distinctly decurrent; stem more than 10 mm thick but with rather brittle flesh paxilloids, p. 562 Gills ± attached to notched or rarely slightly decurrent; stem thinner and/or with distinctly longitudinally fibrous flesh 24	
	24. Rather robust fungi, mostly growing on wood and usually with scaly caps; usually with cystidia, which may have yellow content pholiotoids, p. 374 Different 25	
	25. Spore deposit ± greyish brown (* ); ectomycorrhizals 26 Spore deposit ± yellowish brown to orange-brown (* ); ectomycorrhizals or decomposers 27	
	26. Cap felty, glabrous, greasy to slimy; usually rather large; often with a striking soil- to radish-like smell; spores finely warty, usually dextrinoid hebelomas, p. 474 Cap dry and radially fibrous to scaly; often with a spermatic smell; spores smooth, nodulose or almost star-shaped inocyboids, p. 416	
	27. Ectomycorrhizal species; with ± threadlike universal and partial veil; fruitbodies usually medium to large; spore deposit vivid orange-brown (* ); rarely with cheilocystidia cortinarioids, p. 482 Decomposers, less commonly ectomycorrhizal species; with or without a veil; fruitbodies rather small; spore deposit orange-brown or paler and less intensely coloured (* ); typically with cheilocystidia and possibly also other types of cystidia little brown mushrooms (LBMs), p. 382	

Pleurotoids

The pleurotoid agarics are either fan- or tongue-shaped and have an eccentric to lateral stem or lack the stem entirely. Some are attached on the back side, with the gills forming a radiating pattern. Some have the gills reduced to veins or wrinkles, or may even have an almost plane hymenophore. Species with a completely smooth hymenophore and no stem are treated under the cyphelloid fungi (page 730).

Most pleurotoids are decomposers, and the majority grow on wood, even though some are in addition nematophagous. A few occur on herbaceous stems: *Gloiocephala*, *Metacampanella*, and some of the *Hohenbuehelia* species, one species of *Lentinellus*, one *Clitopilus*, several *Entoloma*, some *Deconica* and a few *Crepidotus* species.

Pleurotoids have variable spore colours. The majority are white- to cream-spored, but a smaller group is rose- or brown-spored, and *Pleurotus ostreatus* can have a greyish-violet spore deposit. The different spore colours reflect the fact that the species concerned have completely different phylogenies. The spore colour is used to divide species into groups in the wheel and the keys.

Some pleurotoids are remarkably tough, e.g. *Panus* and *Neofavolus*, and also older fruitbodies of *Lentinellus* and *Pleurotus*. Others, e.g. *Schizophyllum*, *Hohenbuehelia* and *Sarcomyxa*, have a gelatinous or rubbery flesh.


OTHER SIMILAR FUNGI:

- the cyphelloid fungi have small fruitbodies without gills and mostly with a reduced or absent stem. They are typically attached on the upper side of the fruitbody (page 730).
- the clitocyboids may have deeply decurrent gills, but have ± central stems (page 68).

Micro-drawings:
spores and cystidia.



Hohenbuehelia
B3, 31, 53



small to large;
rather tough;
mostly felty

rather large;
± tough; partially
yellowish
or greenish

Panus
B29

rather large;
± tough;
base lilac, felty;
with skeletal
hyphae

tough; gills with
hyphal pegs;
smells of aniseed;
with skeletal
hyphae

Neofavolus
B11




tough; gills
serrated;
with skeletal
hyphae

tough; gills
serrated;
with skeletal
hyphae

large; gills
smooth-edged, simple,
not anastomosing

large, ± tough; gills
smooth-edged,
anastomosing;
with skeletal hyphae

Neolentinus
B15



Lentinus
B14

Lentinellus
B16

Pleurocybella
B22

Pleurotus
B34

Phyllotopsis
C3

Clitopilus
page 246

Entoloma
page 250


Tapinella
C4

Chromocyphella
C6

Crepidotus
C11

Deconica
p. 347

Pleuroflammula
C8



Key to groups of pleurotoid fungi


1. Hymenophore plane, veined or with longitudinally divided gills; spores hyaline (white) **key A**
Hymenophore with normally developed gills; spores hyaline or coloured 2
2. Spore deposit whitish or rarely greyish violet ( ) . . . **key B**
Spore deposit brownish rose to ± brown ( ) . . . **key C**

Key A – pleurotoid fungi with reduced or abnormal gills

1. Gills longitudinally divided and in dry condition rolled together; cap surface rough-haired. Cap up to 40 mm wide; spores $7.5\text{--}10 \times 2.5\text{--}3\text{ }\mu\text{m}$; on sun-baked wood, on silage bales, old whale bones, etc.; common *Schizophyllum commune*
Without longitudinally divided gills; cap surface not rough-haired . . 2
2. Hymenophore plane; fruitbody without stem . . see cyphelloids, p. 730
Hymenophore ± veined and/or fruitbody with an obvious stem 3
3. On wood (bark); hymenophore of radial, wavy, branched veins. Cap up to 20 mm wide; spores sausage-shaped, $2.8\text{--}4.5 \times 1\text{--}1.3\text{ }\mu\text{m}$; on deciduous wood, rarely coniferous wood; common, more rare towards NE *Plicatura crispa*
On herbaceous stems or mosses; hymenophore plane or veined 4
4. On mosses 5
On herbs, grasses, etc. 9
5. Fruitbody white () 6
Fruitbody greyish cream, greyish to brownish (  ) [*Arrhenia* p.p.] . . 7
6. With an obvious stem; hymenophore plane; spores $3\text{--}4.5\text{ (–}5\text{)} \times 2.2\text{--}3\text{ }\mu\text{m}$ see *Muscinupta laevis*, p. 630
Without a stem; hymenophore veined to gill-like; spores $6\text{--}7.5 \times 5\text{--}6\text{ }\mu\text{m}$ see *Rimbachia bryophila*, p. 734
7. Cap pale greyish to pale greyish brown ( ); cap 1–5 (–10) mm wide. Hymenophore initially plane, later veined, coloured like the cap; spores $(5\text{--})\ 6\text{--}10\text{ (–}11.5\text{)} \times 3\text{--}6\text{ (–}7\text{)}\text{ }\mu\text{m}$; clamps absent; common, less to the S, often in late season *Arrhenia retiruga*
Cap darker greyish to brownish ( ); cap wider 8
8. On mosses in springheads and other wet habitats; with clamps. Cap up to 50 mm wide; spores $5\text{--}10\text{ (–}15\text{)} \times 4\text{--}8.5\text{ }\mu\text{m}$; scattered to rare *Arrhenia lobata*
Mostly on the moss *Syntrichia ruraliformis* in dry habitats like dunes and sandy grasslands; without clamps. Cap up to 15 (–25) mm wide; spores $(5.5\text{--})\ 6\text{--}10\text{ (–}10.5\text{)} \times 4\text{--}6.5\text{ }\mu\text{m}$; scattered to locally common *Arrhenia spathulata*





9. Fruitbodies pale pinkish buff to greyish and usually with glaucous green or bluish shades (); gills cross-connected to an almost pore-like structure; on coarse grass stems in dunes and other grass communities; without prominent cystidia. Cap up to 17 mm wide; spores (6.5–) 7.5–9.5 (–10) × 4–5.5 (–6) μm; rare or overlooked, absent in N parts *Metacampanella caesia*
- Fruitbodies without greenish or bluish shades; hymenophore not pore-like; not in dunes; ± downy from cystidia [*Gloiocephala*] . . 10
10. On *Typha*; cap surface ± pale brown (). Cap up to 15 mm wide; spores 15–22 × 5.5–7.5 μm; rare, but probably very overlooked, apparently absent in N parts *Gloiocephala menieri*
- On *Carex* or *Cladium*; cap surface ± white or very pale brown () 11
11. On *Cladium*; hymenium plane or wrinkled. Cap up to 4 mm wide, white or tinged in brown; spores 12–18 × 3.5–6.5 μm; with thick-walled caulo- and pileocystidia; rare or overlooked – probably delimited by host *Gloiocephala cornelii*
- On *Carex*; with ± rudimentary to rather well-developed gills 12
12. Cap pure white (); basidia 2-spored. Cap up to 5 mm wide; spores 16.5–22.5 (–24.5) × (4.5–) 5–6.5 μm; cystidia in the hymenium, 25–62 × 4–12 μm, cylindrical, spindle-, bottle- or bowling-pin-shaped; found on leaves and stems of *Carex paniculata*, *C. rostrata* and possibly *C. acutiformis*; rare or overlooked *Gloiocephala caricis*
- Cap very pale olivaceous buff (); basidia 4-spored 13
13. Spores to 18 (–22) μm long; cheilo- and pileocystidia probably not capitate, to 56 μm long. Cap 1–3 mm wide; spores (11.5–) 14–18 (–22) × 4.5–6 (–7) μm; cheilocystidia 27–56 × 5–9 (–12) μm, spindle- to flask-shaped, rarely slightly capitate; on leaves of *Carex* spp., rare (Scotland) *Gloiocephala pseudocaricis*
- Spores up to 27 × 6 μm; cheilo- and pileocystidia capitate, up to about 90 μm long. Cap up to 8 mm wide; found on leaves of *Carex acutiformis*; rare and undescribed *Gloiocephala caricoides* nom. prov.



Key B – pleurotoid fungi with gills and white to greyish violet spores

1. On grasses, sedges and rushes or seemingly on soil 2
On dicotyledonous herbaceous stems, wood, sawdust or wood chips
or deeply rooting in forest soil 11
2. With thick-walled, crystal-encrusted pleurocystidia; fruitbodies rather
robust and with a gelatinous flesh layer [*Hohenbuehelia* p.p.] ... 3
Cystidia absent; fruitbodies fragile and without gelatinous flesh
[*Arrhenia* p.p.] ... 7
3. On grasses 4
Seemingly on soil 5
4. Fruitbodies dark grey (■ ■ ■), up to 25 (–40) mm wide. Spores (8–)
9–12 (–14) × (4.5–) 5–7 (–7.5) μm; with thick-walled, crystal-encrusted
pleurocystidia; on *Ammophila*; rare (W) or overlooked
Hohenbuehelia culmicola
Fruitbodies cinnamon-buff to pale vinaceous brown (■ ■ ■), up
to 75 mm wide. Spores 7–10.5 × (3.5–) 4.5–6 μm; with thick-walled,
crystal-encrusted pleurocystidia; on grasses (but not *Ammophila*) or
seemingly on soil; rare *Hohenbuehelia bonii*
5. Spores 5–7.5 (–8.5) × 3.5–4.5 (–5) μm; with many thick-walled, spindle-
shaped pileocystidia see *Hohenbuehelia petaloides*, cpl. 31
Spores larger; with rather few, thick-walled, spindle-shaped pileocyst-
idia 6
6. Fruitbodies cinnamon-buff to pale vinaceous brown (■ ■ ■)
..... see *Hohenbuehelia bonii*, cpl. 4
Fruitbodies dark greyish brown (■ ■ ■)
..... see *Hohenbuehelia tremula*, cpl. 31
7. Spores subglobose, Q 1.1–1.3. Cap up to 25 mm wide, greyish brown;
spores 5.5–7.5 × 5–6.5 μm; amongst mosses on soil; rare
Arrhenia subglobisemen
Spores more elongated, Q more than 1.3 8
8. On rushes, sedges and grasses 9
On soil with mosses, possibly mixed with wood chips 10
9. Basidia 2-spored. Cap 35 (–40) mm wide, greyish brown; spores 8.5–12.5
(–17.5) × 4–5.5 μm; on rushes and grasses; rare
Arrhenia acerosa var. *tenella* ss. auct.
Basidia 4-spored. Cap 18 mm wide, greyish brown; spores 7–10 × 3.5–6 μm;
on rushes and *Carex*; rare or overlooked *Arrhenia juncorum*
10. Spores ellipsoid, 5.5–8 × 3–5.5 μm, av. 6.6 × 4 μm, Qav. 1.7. Cap up to
10 mm wide, pale brown to pale greyish blue, solitary or in dense clus-
ters; on soil, grass and moss debris and decomposed wood chips; rare
or overlooked *Arrhenia glauca*
Spores elongated drop-shaped, 7–9 × 3.5–4 μm, av. 7.4 × 3.8 μm, Qav. 2.
Cap 35 (–40) mm wide, greyish brown; on soil and decaying pieces of
wood; scattered *Arrhenia acerosa* var. *acerosa*
11. Smell extremely strongly of aniseed; typically high up in bushes
in *Salix* carrs; gill sides with protruding hyphal pegs. Cap up to 50
(–100) mm wide; with cinnamon-buff to straw-yellow colours; with
thick-walled binding hyphae; spores 7–8 × 3.5–4 μm; rare or almost
absent towards W–SW *Neofavolus suavissimus*
Smell insignificant or different; not high up in *Salix* carrs; gill sides not
with hyphal pegs 12
12. Gill edge serrated (lens!) 13
Gill edge not serrated 21



13. Spores more than 6 μm long, inamyloid, smooth; taste mild or acidic 14
 Spores very small, less than 6 μm long, strongly amyloid, finely warty-spiny; taste very bitter or hot/acrid [Lentinellus] .. 16



14. On deciduous wood, typically entirely or partly submerged; white-rotter. Cap up to 80 mm wide; cap and stem with greyish brown scales; with thick-walled binding hyphae; spores 6–10 $\times$ 2–3 μm ; usually on *Salix* or *Populus*; absent to rare (N) to common going S *Lentinus tigrinus*
 On less wet, deciduous or coniferous wood; brown-rotter 15



15. Cap whitish, at maturity pale pinkish buff (☐) with darker, coarse scales; typically on very dry coniferous wood, e.g. old railway sleepers or sun-exposed stumps; spores 8–14 $\times$ 3.5–5 μm , cylindrical. Cap up to 150 mm wide; flesh very tough; both in cities and in plantations; scattered *Neolentinus lepideus*



- Cap pale brown to brown (☐), finely fluffy to scaly; on wood of *Populus*. Cap up to 150 mm wide; spores 10–14 $\times$ 3.5–5 μm ; rare (N & W), scattered E–S *Neolentinus degener*



16. On herbaceous stems (e.g. *Chamaenerion angustifolium*); fruitbodies up to 15 mm wide; without clamps. Spores 4.5–5.5 $\times$ 3.5–4.5 μm ; pleurocystidia spindle-shaped to blunt, 22–33 $\times$ 5–11 μm ; rare or overlooked *Lentinellus herbarum*



- On wood; fruitbodies larger; with clamps 17

17. Fruitbodies $\pm$ sideways split; surface almost smooth; with or without an obvious smell of aniseed; usually in large clusters on stumps or dead roots of *Fagus*, rarely other deciduous trees. Cap up to 90 mm wide; spores 4–5 $\times$ 3–4 μm ; with oil-cystidia from deep within the flesh, but without typical pleuro- and cheilocystidia; with thick-walled resting spores in the flesh; common to rare (NE) *Lentinellus cochleatus*



- Fruitbodies $\pm$ depressed to convex; surface smooth or at maturity hairy-felty from the base and outwards; never with a smell of aniseed; usually on fallen trunks or smaller branches 18

18. With a distinct, $\pm$ excentric stem; cap with a $\pm$ central navel and glabrous; spores 5–6 $\times$ 3–4.5 μm . Cap up to 40 mm wide; flesh black in Melzer's reagent; with 26–34 $\times$ 5–13 μm sized oil-cystidia from deep within the flesh, but without typical pleuro- and cheilocystidia; on coniferous wood, less commonly on deciduous wood; scattered (N) to rare towards S & W *Lentinellus flabelliformis*



- Without or almost without a stem; cap convex and glabrous to hairy; spores smaller 19

19. Cap surface almost glabrous and rather pale; flesh not or almost not coloured in Melzer's reagent; without dark separating line between the cap surface and the flesh; with oil-cystidia from deep within the flesh, but without typical pleuro- and cheilocystidia. Cap up to 70 mm wide; spores 4–5 $\times$ 3–4 μm ; on deciduous wood; scattered (N) to rare *Lentinellus vulpinus*



- Cap surface rather felty; flesh on slightly older specimens immediately black in Melzer's reagent; usually with a dark zone between the cap surface and the flesh; with pleuro- and cheilocystidia 20

20. With $\pm$ knobby skeletal hyphae. Cap up to 70 mm wide; spores 3.5–4.5 $\times$ 2.5–3.5 μm ; pleurocystidia 16.5–20 (–30) $\times$ 5–6 μm ; with oil-cystidia; on deciduous and less commonly coniferous wood, often in forests with seminatural appearance; common to scattered *Lentinellus ursinus*



- Without distinctly knobby skeletal hyphae. Cap up to 120 mm wide; spores 3.5–4.5 $\times$ 2.5–3.5 μm ; pleurocystidia 20–48 $\times$ 3.5–5 μm ; with oil-cystidia; on deciduous and coniferous wood; distribution and abundance uncertain *Lentinellus castoreus*





21. Fruitbodies white (□) 22
Fruitbodies in places cream (□) or darker 26
22. Fruitbodies 30–120 mm wide, funnel-shaped. Spores globose, 5–7.5 × 4–6 μm; on coniferous stumps and wood chips; common (N and at higher altitudes), rare in the lowlands to S ... *Pleurocybella porrigens*
Fruitbodies smaller, usually convex 23
23. With crowded, slightly rubbery gills that end in a well-defined zone; without cheilocystidia see *Panellus mitis*, cpl. 42
Gills different; with cheilocystidia 24
24. On coniferous wood; spores 5.5–7 × 2.5–3 μm. Cap 3–8 mm wide; cheilocystidia ± knotted, with or without a sticky drop at the top; cap cuticle with cystidia with similar sticky drops; rare *Hohenbuehelia lateralis*
On deciduous wood; spores broader 25
25. Cap surface and margin rough-haired; rather tough. Cap up to 20 mm wide; spores 7–9 × 5–6 μm; cheilocystidia 12–55 × 5–15 μm; on deciduous wood, e.g. *Clematis* and *Lonicera*, desiccation-adapted; scattered, only S–SW *Chaetocalathus craterellus*
Cap surface and margin glabrous; rather fragile. Cap up to 15 mm wide; spores globose, 5–6 × 4.5–5.5 μm; cheilocystidia 40–110 × 2–4 μm; on deciduous branches; in damp forests with a long continuity; common (N), rare towards S *Cheimonophyllum haedinum*
26. Gills or stem with ± cinnamon-buff to yellow (□□□□) colours 27
Gills and stem not cinnamon-buff or yellow 28
27. Without a stem; cap surface in mature specimens hairy; spores 4–6 × 2–3 μm, inamyloid see *Phyllotopsis nidulans*, C3
With a stem where the gills end in a well-defined, transverse zone; cap initially hairy but when mature greasy and glabrous; spores 4–6.5 × 1–2 μm, amyloid. Cap up to 100 mm wide; pleuro- and cheilocystidia 40–60 × 7.5–16 μm; almost always on deciduous wood and mostly in late season; common *Sarcomyxa serotina*
28. As young with an obvious, lilac to violet (■) mycelial felt at the base of the stem, usually also with lilac to violet colours on the cap 29
Without lilac and violet colours 30
29. Cap surface finely felty. Cap 40–120 mm wide; with skeletal hyphae; spores 5.5–7 × 2.5–3.5 μm; pleuro- and cheilocystidia 30–60 × 6–16 μm; on deciduous wood, usually *Populus* stumps; common to scattered *Panus conchatus*
Cap surface with coarse hairs. Cap 40–80 mm wide; with skeletal hyphae; spores 4.5–6.5 × 2.5–4 μm; on deciduous wood; rare (S) *Panus rudis*
30. On needle litter, sawdust or wood chips, possibly also rooting to pieces of wood deep in the soil 31
On branches, stumps or trunks 32
31. Spores 5–7.5 (–8.5) × 3.5–4.5 (–5) μm; with many thick-walled, spindle-shaped pileocystidia. Cap 18–85 mm wide; spores broadly ellipsoid to ellipsoid, Q 1.4–1.7; with a 100–475 μm thick, gelatinous layer in the cap flesh; without capitate pileocystidia; mostly on deciduous wood; in calcareous, deciduous forests or on piles in sawmills, etc.; rare to scattered *Hohenbuehelia petaloides*
Spores (7–) 7.5–9.5 × (4–) 4.5–5 (–5.5) μm; with rather few thick-walled, spindle-shaped pileocystidia. Cap up to 100 mm wide; spores ellipsoid, Q 1.7–1.9; with a 50–100 μm thick, gelatinous layer in the cap flesh; with thin-walled, capitate pileocystidia with goo; on coniferous wood or rooting to pieces of wood, in parks; rare *Hohenbuehelia tremula*





32. Fruitbodies rather large to large, fleshy 33
Fruitbodies small to medium-sized, not fleshy 39

33. Cap surface densely covered with hairs; flesh with a 1–2 mm thick, gelatinous layer above the gills. Cap up to 70 (–100) mm wide, cream to pinkish buff; gills ± cream; spores 7.5–8.5 × 3.5–4.5 μm; cheilocystidia slightly wavy, about 40 × 5 μm; with clamps; on *Fagus* and *Populus*; rare (S & E) *Resupinatus vetlinianus*



- Cap surface not hairy; without a thick, gelatinous layer 34



34. Young fruitbodies with a veil covering the gills. Cap surface felty, up to 130 (–180) mm wide; spores 8.5–15.5 (–17) × (2.5–) 3–5 (–5.5) μm; on deciduous wood, e.g. *Fagus* or fruit trees, rare on coniferous wood; common *Pleurotus dryinus*
Almost or entirely without a veil 35



35. On the roots of *Eryngium*. Cap up to 120 (–150) mm wide; stem ± central; spores 10–13 × 4–5.5 μm; rare (S–SW) *Pleurotus eryngii*
On wood 36



36. Young specimens dark grey to bluish grey (♀ ■■■ ■■■); mostly appearing after the first frost and until April in the north. Cap up to 150 (–350) mm wide; spores (7–) 8–12.5 × (2–) 3–4.5 (–5.5) μm, spore deposit greyish violet; mostly on deciduous wood, often *Fagus*, rare on coniferous wood; common *Pleurotus ostreatus*
Young fruitbodies paler; appearing in the warm season 37



37. Fruitbodies rather small (less than 50 mm) with an excentric stem; cap surface ± brownish rose (♀ ■■■ ■■■); on relatively thin branches in *Salix* carrs. Cap up to 60 mm wide; spores (6.5–) 7–12 × 3.5–4.5 (–5) μm; rare or overlooked *Pleurotus ostreatus* var. *praecox*
Larger or with centrally positioned stem; cap usually with other colours; mostly on larger trunks 38



38. Fruitbodies distinctly funnel-shaped with very deeply decurrent and cross-connected (anastomosing) gills. Cap up to 100 (–150) mm wide; spores 7–11 (–12) × 3.5–5 μm; on deciduous wood, often *Ulmus*; rare (N–E), scattered S–SW *Pleurotus cornucopiae*



- Fruitbodies somewhat funnel-shaped to more convex; gills not distinctly cross-connected down the stem. Cap up to 110 (–180) mm wide; spores (7.5–) 8–11 (–12.5) × 3–4.5 μm; on larger deciduous trunks, often *Fagus*; common *Pleurotus pulmonarius*



39. Fruitbodies without an obvious gelatinous cap cuticle; cap smooth to flaky; in species with lateral stems the gills end in a well-defined zone across the stem; spores amyloid [*Panellus*] . . 40

- Fruitbodies with gelatinous cap cuticle; cap usually hairy, especially towards the base; without well-defined transition between gills and stem; spores inamyloid 44

40. With a veil. Cap up to 20 mm wide, attached to substrate on the upper side; spores 3–5.5 × 1–1.5 μm; cheilocystidia somewhat thick-walled, 16–30 × 4–10 μm; mostly on *Alnus* wood; rare (N and higher altitudes in the S) *Tectella patellaris*
Without a veil 41



41. Taste bitter. Cap up to 30 (–45) mm wide, surface cracking; spores 4–5 × 2–2.5 μm; cheilocystidia irregularly club-shaped, 40–90 × 5–8 μm; on wood of *Quercus*, less commonly *Fagus*, *Betula* and other deciduous trees and very rarely on coniferous wood; common *Panellus stipticus*
Taste mild 42








42. With a distinct, lateral stem; young fruitbodies $\pm$ white ($\square$); spores $3.5\text{--}6 \times 1\text{--}1.5 \mu\text{m}$. Cap up to 25 mm wide; cheilocystidia absent; almost exclusively on coniferous wood, mostly twigs of *Picea*; common, mostly late in autumn *Panellus mitis*
Cap usually attached to substrate on the upper side and totally without stem; fruitbodies already from the beginning clay-pink to $\pm$ brownish rose ($\square$); spores larger 43
43. Spores $5\text{--}7 \times 1\text{--}2 \mu\text{m}$. Cap up to 30 mm wide; cheilocystidia $21\text{--}33 \times 4\text{--}6.5 \mu\text{m}$; on deciduous wood, rarely on coniferous wood, usually on still attached branches; scattered (N), rare (S) *Panellus ringens*
Spores $6.5\text{--}10 \times 2.5\text{--}3.5 \mu\text{m}$. Cap up to 15 mm wide; cheilocystidia $22\text{--}35 \times 3\text{--}5 \mu\text{m}$; on *Salix* and other deciduous trees, rarely on coniferous wood; rare (S, higher altitudes) *Panellus violaceofulvus*
44. With narrow-necked, branched cheilocystidia, but without thick-walled pleurocystidia with crystals (metuloids); spores usually globose to ellipsoid, rarely sausage-shaped [*Resupinatus* p.p.] 45
With both narrow-necked cheilocystidia and thick-walled pleurocystidia with crystals; spores nearly always elongated [*Hohenbuehelia* and others] 52
45. Spores sausage-shaped. Cap 1–9 mm wide, pale mouse grey to dark grey; gills dark at maturity; spores $6\text{--}7 \times 3\text{--}3.5 \mu\text{m}$, Q 1.7–2.3; on deciduous and coniferous wood; rare (S) *Resupinatus europaeus*
Spores globose to ellipsoid 46
46. Spores ellipsoid, $6\text{--}7.5 \times 3.7\text{--}4.6 \mu\text{m}$, Q 1.4–1.9 see *Resupinatus niger*, cpl. 57
Spores globose to subglobose, spore Q 1–1.3 47
47. Cap whitish to pale grey ($\square$); spores $5.5\text{--}6.5 \mu\text{m}$ long. Cap up to 8 mm wide, but usually smaller; gills few and distant, whitish to pale grey; spores $5.5\text{--}6.5 \times 4.5\text{--}6 \mu\text{m}$, Q 1.04–1.26; on *Vitis*, *Juniperus* and possibly other hosts; rare or overlooked *Resupinatus hausknechtii*
Cap darker ($\square$) and/or spores shorter 48
48. Fruitbodies up to 4 mm wide 49
At least some fruitbodies more than 4 mm wide 50
49. Cap not striped or at most striped when very old; on deciduous trees (*Fagus* and *Quercus*). Cap 1–3 mm wide, attached on the back as a small cyphelloid, greyish to light reddish grey; gills usually few, distant, paler than the cap; spores $5\text{--}5.5 \times 4\text{--}4.5 \mu\text{m}$, Q 1.1–1.3; rare or overlooked *Resupinatus kavinae*
Cap distinctly striped; on coniferous wood (*Pinus*). Cap usually obliquely attached, 1–4 mm wide, clay-pink, greyish violet to vinaceous brown; gills distant, paler than the cap; spores $5\text{--}5.5 \times 4\text{--}5 \mu\text{m}$, Q 1–1.2; rare (S) *Resupinatus striatulus*
50. Fruitbodies 15–25 mm wide; spore width $3.5\text{--}4.5 \mu\text{m}$. Cap with mouse-grey hairs; gills mouse grey; spores $4.4\text{--}5.2 \times 3.5\text{--}4.5 \mu\text{m}$, av. 4.8×4.2 , Q 1.07–1.25; on *Fagus*; rare (S) *Resupinatus rouxii*
Fruitbodies smaller; spore width $4.5\text{--}5.5 \mu\text{m}$ 51
51. Cap on older fruitbodies with prominent, black felt at the inner parts. Cap up to 12 mm wide, not striped, greyish; gills medium spaced, typically slightly paler than the cap; spores $4.5\text{--}6 \times 4\text{--}5.5 \mu\text{m}$, Q 1–1.17; mostly on deciduous wood, e.g. in old hedges, mostly during winter; common *Resupinatus trichotis*
Cap felt sparse, ash grey to greyish brown. Cap up to 8 mm wide, only weakly striped, greyish; gills medium spaced, coloured like the cap; spores $5\text{--}5.5 \times 4.5\text{--}5 \mu\text{m}$, Q 1–1.17; mostly on deciduous wood, mostly during winter; common *Resupinatus applicatus*





52. Fruitbodies almost spatula-shaped with an obvious, lateral stem; pleurocystidia 50–100 μm long 53
53. Fruitbodies kidney- to hoof-shaped without a well-defined stem; pleurocystidia 25–75 μm long 54
53. On deciduous, rarely coniferous wood – often on *Fagus*; with upright, thin-walled pileocystidia but never with thick-walled. Cap up to 10 (–20) mm wide; spores (4.5–) 5–6.5 $\times$ 3.5–4.5 (–5) μm ; in $\pm$ unmanaged forests with lots of dead wood; rare *Hohenbuehelia auriscalpium*
On coniferous wood, mostly *Picea*; without thin-walled pileocystidia but sometimes with thick-walled. Cap up to 40 mm wide; spores 5.5–6.5 (–7) $\times$ 4–5 (–5.5) μm ; rare *Hohenbuehelia abietina*
54. Gills vinaceous grey, greyish brown, dark grey to blackish (◀ ). 55
Gills white, cream, pale buff to very pale ash grey (◀ ) 58
55. Most spores $\pm$ bean-shaped. Cap 4–15 mm wide, greyish brown to dark grey, finely scaly; gills somewhat distant, clay-pink, greyish to almost blackish; spores 7–8 $\times$ 3.5–4 μm ; pleurocystidia thick-walled with crystals, 27–33 $\times$ 6.5–10 μm ; on *Abies*; rare (S–SE) *Hohenbuehelia josserandii*
Spores mostly ellipsoid 56
56. Cheilocystidia club-shaped to spindle-shaped with blunt ends, usually imbedded and hard to find; gills vinaceous grey to greyish brown (◀ ). Cap up to 15 mm wide, usually stem-like compressed towards the attachment point, $\pm$ hoof-shaped; spores 6–9 $\times$ 3–4.5 μm , Q 1.6–2; pleurocystidia thick-walled with crystals, 20–60 $\times$ 6–10 μm ; on the bark of dead deciduous trees; scattered (N), rare (S) *Hohenbuehelia unguicularis*
Cheilocystidia spindle-shaped with $\pm$ pointed ends, usually protruding and conspicuous; gills greyish to blackish (◀ ) 57
57. Spores 7.5–9 $\times$ 4–5 μm . Cap 3–15 mm wide, dark grey to black with paler felt; gills distant, greyish to almost blackish; spores ellipsoid, Q 1.6–2.1; pleurocystidia thick-walled, with crystals, 26–40 $\times$ 7–8.5 μm ; on deciduous and coniferous wood; rare (N) *Hohenbuehelia mustialensis*
Spores 6–7.5 $\times$ 3.5–4.5 μm . Cap 4–12 mm wide, obliquely attached, slightly felty towards the base, dark grey to dark bluish grey; gills rather distant, thicker towards the edge, dark grey to blackish; spores ellipsoid, Q 1.4–1.9; pleurocystidia thick-walled, with crystals, 28–45 $\times$ 7–10 μm ; on deciduous wood; rare (S) *Resupinatus niger*
58. Gills distant, usually fewer than 10 full-length gills; cap 2–15 mm wide; spores $\pm$ bean-shaped 59
Gills more crowded or more numerous; cap wider; spores subglobose to $\pm$ ellipsoid 60
59. Spores highly curved, 7.5–10 $\times$ 3–4.4 μm , averaging about 8.2 $\times$ 3.6 μm ; cap almost or entirely glabrous. Cap 2–12 mm wide, clay-buff to pale mouse grey; gills white; spore Q 1.9–2.7; on herbaceous stems or branches of *Sambucus* and similar; scattered to rare (N) *Hohenbuehelia cyphelliformis*
Spores moderately curved, 8.7–11.5 $\times$ 4.2–5.4 μm , averaging about 10.1 $\times$ 4.8 μm ; cap at maturity with pale, basal felt. Cap 2–15 mm wide, clay-buff to pale mouse grey; gills pale grey; spore Q 1.8–2.4; on twigs and herbaceous stems; rare (S) *Hohenbuehelia leightonii*
60. Spores 4.5–5.5 $\times$ 3.5–4 μm , globose to subglobose. Cap 15–50 mm wide, pale mouse grey to clay-buff, finely downy, more deeply hairy towards the base; gills crowded, whitish; spore Q 1.1–1.3; on deciduous wood; rare (S–SE) *Hohenbuehelia wilhelmii*
Spores larger and ellipsoid 61










61. Cap covered with robust, dark scales; cap surface pale vinaceous brown, dark greyish brown to dark grey-brown (☞ ) , darkest towards base. Cap 20–45 (–100) mm wide; gills crowded, whitish; spores 7–8.5 × 4.5–5.5 μm, av. 7.7 × 5 μm, Q 1.4–1.7; on deciduous and coniferous wood; rare *Hohenbuehelia valesiaca*
Cap without dark scales towards the margin; paler 62
62. Basidia mostly 2-spored; spores 7.5–12.5 × 3–5.5 μm. Cap up to 20 mm wide; on deciduous twigs, mostly in the canopy of *Salix* in willow carrs, rarely on *Pinus* twigs; common *Hohenbuehelia fluxilis*
Basidia 4-spored; spores up to 9 × 4.5 μm 63
63. With an approximately 1 mm thick, gelatinous layer in the cap flesh; with pale felt, usually aggregated in pointed tufts. Cap up to 50 mm wide; gills crowded, cream to yellowish; spores 6–9 × 3–4.5 μm; in clusters on deciduous wood; scattered *Hohenbuehelia mastrucata*
With thinner gelatinous layer in the cap flesh; cap felt more regular 64
64. Cap cuticle with cystidia with sticky heads. Cap 10–60 mm wide; gills medium spaced to crowded; the central cap flesh of thin-walled hyphae; spores 5.5–8.5 (–9.5) × 3–4.5 (–5) μm; on deciduous wood, mostly *Quercus*, less commonly on coniferous wood; scattered *Hohenbuehelia atrocoerulea*
Cap cuticle without cystidia with sticky heads. Cap 10–40 mm wide; gills medium spaced to crowded; the central cap flesh of thick-walled hyphae; spores (5–) 6–8.5 (–9) × 3–4.5 μm; scattered *Hohenbuehelia grisea*






Key C – pleurotoid fungi with gills and brownish rose to brown spore deposit

1. Spore deposit brownish rose () 2
Spore deposit ± brown () 4
2. Spores with longitudinal ridges; with a mealy smell see *Clitopilus*, p. 246
Spores not with longitudinal ridges; with or without a mealy smell . . . 3
3. Fruitbodies yellowish with cinnamon-buff gills (); spores cylindrical to sausage-shaped. Cap up to 60 (–80) mm wide, felty to coarse-haired; spores 4–6 × 2–3 µm; on deciduous wood, usually on exposed wood and usually during winter; common to scattered, rare in oceanic parts *Phyllotopsis nidulans*
Fruitbodies white to ash grey; spores angular to nodulose see *Entoloma*, p. 250
4. Stem more than 15 mm thick, with dark grey-brown felt. Cap up to 150 mm wide; gills usually cross-connected; spores 5–6 × 3–4 µm, smooth; on coniferous wood in plantations and forests; common *Tapinella atrotomentosa*
Stem absent or thinner and without dark felt 5
5. Gills thick, near the fruitbody attachment point irregularly cross-veined; without cheilocystidia. Cap up to 80 mm wide; without a stem, possibly with violet felt near the attachment point; moderately thick-fleshed; spores 4–6 × 3–4 µm, smooth; on coniferous wood, mostly *Pinus*, also on processed timber; common *Tapinella panuoides*
Gills normal, thin and not cross-connected; with cheilocystidia 6
6. On mosses, typically on bark of living trees. Cap 1–10 mm wide, downy from cystidia, ± pinkish buff; gills distant, coloured like the cap; spores finely warty, 7.5–10.5 × 6–8 µm; basidia 2–4-spored; with cylindrical to wavy cheilo-, pleuro-, pileo- and caulocystidia; with clamps; rare *Chromocyphella lamellata*
Not on mosses 7
7. Stem short but present; spores smooth 8
Stem almost or entirely absent; spores ornamented or smooth [*Crepidotus*] . . . 11
8. Cap margin toothed from veil remnants; cap curry yellow to yellowish brown. Cap up to 20 mm wide; basidia 2-spored; spores 8–11 × 6–7.5 µm, smooth; cheilocystidia club-shaped; with clamps; on deciduous wood; rare (S–SW; oceanic) *Pleuroflammula ragazziana*
Cap margin not toothed from veil remnants; cap olivaceous buff, clay-buff to brown 9
9. Cap ± olivaceous buff (), pruinose (from pileocystidia) see *Simocybe haustellaris*, p. 391
Cap clay-buff to brown (), without olive shades, finely felty [*Deconia* p.p.] . . . 10
10. On grasses, less commonly sedges; cap flesh with a gelatinous layer; spores 3–4 µm wide see *Deconica phillipsii*, p. 347
On wood, rarely rotten textiles and similar; cap flesh without a gelatinous layer; spores 4–5 µm wide see *Deconica horizontalis*, p. 347
11. Fruitbodies entirely dark clay-pink, rose to scarlet () 12
Fruitbodies white, cream to brownish (), without shades of rose or pink 14



12. Fruitbodies dark clay-pink. Cap 7–22 mm wide; spores 5–8 (–7.5) × (3.5–) 4–5 (5.5) µm, ± spiny; basidia 2- or 4-spored; cheilocystidia club-shaped to slightly branched; with clamps; mostly on wood of *Populus*; rare (S) *Crepidotus brunneoroseus*
Fruitbodies bright pink, coral to scarlet 13
13. Fruitbodies coral to scarlet (■ ■ ■). Cap 5–25 mm wide; gill edges concolorous with cap, darker than sides; spores 6–8 × 5–6.5 µm, Q 1–1.3, warty; without clamps; on bark of fallen deciduous trees, e.g. *Fraxinus*, often near *Crepidotus mollis*; rare *Crepidotus cinnabarinus*
Fruitbodies rose (■ ■ ■). Cap 4–10 mm wide; gill edges coloured as the sides; spores 6–8 × 5–7 µm, spiny; cheilocystidia coralloid-branched; with clamps; mainly on wood of *Robinia*; rare (S) *Crepidotus roseoornatus*
14. The upper cap flesh gelatinous (can be stretched when pulling the fruit-body from two sides) 15
Cap flesh not gelatinous (not stretchable), fragile 16
15. Cap without scales or with small, scattered pale scales. Cap up to 50 (–80) mm wide; spores 7–10 × 5–6.5 µm, ellipsoid, Q 1.3–1.7, smooth; without clamps; on deciduous wood, mainly *Populus* and *Fraxinus*; common *Crepidotus mollis*
Cap with numerous small, tightly spaced, pointed, brown scales. Spores 7–10 × 5–6.5 µm, ellipsoid, Q 1.3–1.7, smooth; without clamps; on *Populus* and other deciduous trees; rare to scattered *Crepidotus calolepis*
16. Fruitbodies rather large and emerging directly from clayey soil; spores smooth. Cap up to 50 mm wide; spores 7–9 × 5–6 µm, Q 1.3–1.7; with clamps; often on (coastal) slopes in deciduous woodlands; rare (NE) *Crepidotus autochthonus*
Fruitbodies small to rather large, on wood and debris; spores ornamented or smooth 17
17. Cap hairy-scaly from yellowish brown to cinnamon (■ ■ ■) hairs; gills yellowish (■ ■ ■), red with KOH. Cap up to 10 mm wide; spores globose, 5–6.5 (–7) µm in diameter, rough; with clamps; on deciduous wood; rare (S–E) *Crepidotus crocophyllus*
Cap paler; gills not distinctly yellow, not red with KOH 18
18. Fruitbodies small and very tightly spaced; cheilocystidia with finger-like projections, up to 30 µm, ± often encrusted. Cap up to 10 mm wide, with a yellowish tinge; spores 5–6.5 × 4.5–6.5 µm, Q 1–1.25, rough; with clamps; on deciduous twigs; rare *Crepidotus carpaticus*
Fruitbodies small to large but not very crowded; cheilocystidia variable (may be branched), longer, not encrusted 19
19. Hyphae without clamps (easiest to find on the cap hairs); spores almost hyaline (under the microscope) 20
Hyphae with clamps; spores distinctly brown 21
20. Spores spindle-shaped to narrowly drop-shaped, 2.5–3.5 µm wide, Q more than 2.1; cheilocystidia with a long thin neck, simple to branched. Cap up to 20 mm wide; spores 6.5–9.5 × 2.5–3.5 µm; on fallen leaves and herbaceous debris, rarely on wood; common *Crepidotus epibryus*
Spores ellipsoid to slightly spindle-shaped, 5–6.5 µm wide, Q less than 2.1; cheilocystidia cylindrical to somewhat flask-shaped, never branched. Cap up to 25 mm wide; spores 8.5–12 × 5–6.5 µm; on deciduous wood, less commonly on debris; common (N–NE), scattered to rare (S–SW) *Crepidotus versutus*
21. Spore Q 1.4–2.3, Qav. more than 1.4 22
Spore Q 1–1.5, Qav. less than 1.4 27

22. Spores 2.5–4 μm wide 23
 Spores more than 4 μm wide 24
23. Cheilocystidia 19–29 $\times$ 4.5–7 μm . Cap up to 17 mm wide; spores 6–7 $\times$ 3–4 μm , Q 1.8–2.3, narrowly ellipsoid to almost cylindrical; on deciduous wood; rare (S–E) *Crepidotus cinnamomeus*
 Cheilocystidia more than 30 $\times$ 7 μm . Cap up to 10 mm wide; spores 5.5–7.5 $\times$ 2.5–4 μm , Q 1.6–2.3, narrowly ellipsoid to almost cylindrical; cheilocystidia may be unbranched; mostly on deciduous wood; common *Crepidotus variabilis*
24. Spores almost spindle-shaped, Q 1.6–2.2; fruitbody white to yellowish (□ □ □), especially at inner parts; mostly on herbaceous stems. Cap up to 30 (–60) mm wide; spores 7.5–10 $\times$ 4–5.5 μm ; common to rare (N) *Crepidotus luteolus*
 Spores egg-shaped, ellipsoid to almond-shaped, never almost spindle-shaped, Q up to 1.7; fruitbody $\pm$ white (□), never with yellow shades; mostly on wood 25
25. Spores smooth see *Crepidotus autochtonus*, cpl. 16
 Spores $\pm$ ornamented 26
26. Spores almost smooth; spores $\pm$ ellipsoid to very slightly almond-shaped; cheilocystidia with broad tip. Cap up to 30 mm wide; spores 6.5–9.5 $\times$ 4.5–6 μm , Q 1.4–1.7; mostly on deciduous branches; common *Crepidotus caspari*
 Spores distinctly warty; spores distinctly almond-shaped; cheilocystidia tapering upwards, rather irregular. Cap up to 10 mm wide; spores 7.5–10 $\times$ 5–6.5 μm , Q 1.4–1.7; mainly on thin deciduous branches on calcareous localities; rare or overlooked *Crepidotus subverrucisporus*
27. Cap not hygrophanous; cheilocystidia $\pm$ branched at the tips 28
 Cap hygrophanous; cheilocystidia not branched at the tips 29
28. Spores $\pm$ egg-shaped to broadly ellipsoid, Q 1.2–1.5, Qav. 1.37. Cap up to 40 mm wide; spores 6–9 $\times$ 4.5–7 μm , finely spiny; on coniferous wood; common *Crepidotus kubickae*
 Spores globose to egg-shaped, Q 1–1.3, Qav. 1.14. Cap up to 25 mm wide; spores 6–9 $\times$ 5.5–7.5 μm , finely spiny; mostly on deciduous wood, often high in the trees; common *Crepidotus cesatii*
29. On deciduous wood 30
 On coniferous wood 31
30. Spores (5–) 6–7.5 (–9.5) $\times$ (5–) 6–7.5 (–9.5) μm . Cap 10–50 mm wide; cheilocystidia club-shaped; rare (S–E) *Crepidotus malachius*
 Spores (4–) 5–5.5 (–7) $\times$ (4–) 5–5.5 (–7) μm . Cap 5–50 mm wide; spores distinctly warty; cheilocystidia typically broadly club-shaped; common *Crepidotus applanatus*
31. Cheilocystidia flask-shaped; spores (5–) 6–7.5 $\times$ 5–7 μm . Cap 10–30 mm wide; spores distinctly warty; rare or overlooked *Crepidotus stenocystis*
 Cheilocystidia mostly widest above; spores smaller 32
32. Cheilocystidia broadly club-shaped see *Crepidotus applanatus*, cpl. 30
 Cheilocystidia usually narrowly club-shaped. Cap up to 7–50 mm wide; spores (4.8) 5.5–6.5 (–7) $\times$ (4.8–) 5–6 (–7) μm ; on *Pinus*; rare or overlooked *Crepidotus pini*



Clitocyboids


Clitocyboid agarics have short to deeply decurrent gills. The cap is umbonate, applanate or funnel-shaped and the flesh is fibrillose but not very tough. Some species form small fruitbodies, but most are medium-sized to very large. Most clitocyboids have white to cream spore deposits, but in some species belonging to the genera *Clitocybe* and *Paralepista* they are clay-pink.

Almost all clitocyboids are decomposers of litter or soil. Exceptions include, e.g., *Ossicaulis* and *Omphalotus*, which are lignicolous. *Hygrophoropsis* and *Aphroditeola* may also grow on remnants of wood. *Catathelasma* forms ectomycorrhiza with conifers.

The generic division of the clitocyboid agarics has gone through large changes, with many species previously accepted in *Leucopaxillus* and *Clitocybe* now being assigned to a number of new genera.


OTHER SIMILAR FUNGI:


- omphalinoids are mostly more fragile and smaller. Some have a biotrophic association with mosses or algae, others are decomposers (page 82).
- pleurotoids likewise have deeply decurrent gills but have eccentric or absent stems. Many of these (e.g. *Neolentinus* and *Lentinellus*) have distinctly tough flesh (page 54).
- entolomatoids may be shaped like clitocyboids, but have brownish-rose, verrucose, striate or angular spores (page 242).
- paxilloids have brownish spore deposits (page 562).



deep and short decurrent gills

Micro-drawings:
spores first, followed on
the inside by cystidia.





Aspropaxillus

Hertzogia, Lepista & Paralepista
D10, D20, D27

Omphalotus
D1

Bonomyces
D18

Ampulloclitocybe
E8

Infundibulicybe
10+ species
C16, C27, D28

Rhizocybe
D12, E7

Omphaliaster & Hygroaster
C29, E19

Ossicaulis
C5, C21

Atractosporocybe
C26

Leucocybe & Singerocybe
C13, C24, C28, D7

Clitocybe, Clitopaxillus, Harmajaea, Musumecia & Spodocybe
key B, C, D, E

omphalinoids & hygrocyboids
pages 82 & 96

entolomatoids & Paxillus
pages 242 & 362

pleurotoids
page 54

For general queries, contact info@press.princeton.edu

large to very large; gills detachable from the flesh

moderately large; gills detachable from the flesh

gills yellow; on wood

gills distant; often on burnt soil

distinctly funnel-shaped, 1 species with umbo

with soft, club-shaped stem

with spiny spores

with striking hyphal cords; mostly in spring

whitish, small farinaceous; on wood

stem whitish and gills brown-grey

whitish; with characteristic odours

remaining species with white, cream to clay-pink spore deposits

small and fragile or with thick, fleshy gills

brownish-rose, brown or black spores

tough or with eccentric to lateral stem

clitocyboids
have ± decurrent gills and umbonate, applanate or funnel-shaped caps. Spore deposit white to clay-pink

other similar fungi

Key to groups of clitocyboid fungi

1. Gills regularly bifurcate **key A**
Gills without or with only a few bifurcations 2
2. Spores pale brown (under the microscope) and finely spiny; cap margin ± hairy (lens!) see *Ripartites*, p. 392
Spores whitish (under the microscope) and/or smooth; cap margin mostly glabrous or downy 3
3. Gills thick and waxy or veined/wrinkled **key B**
Gills normal 4
4. Cap white, cream, yellowish or greenish (☐    ) **key C**
Cap ± rose, brownish or greyish 5
5. Cap brownish rose, rose to vivid brown (☐   ) **key D**
Cap greyish to greyish brown (☐   ) **key E**

Key A – with bifurcate gills

1. Cap ash grey (☐ ); gills reddening when bruised; spores amyloid. Cap 10–50 mm wide; spore deposit white; spores 8–11 × 3–4 μm, ± spindle-shaped, smooth; amongst moss on acidic, ± sandy soil; scattered to rare in NW lowlands *Cantharellula umbonata*
Cap cream, pale buff, orange to orange-brown or with brownish rose shades (☐     ) ; gills not changing colour; spores inamyloid 2
2. Cap with a brownish rose tinge (☐ ); smell very sweetish-nauseating, slightly like strawberry; spores 3.5–4.5 × 2.5–3 μm, not dextrinoid. Cap 10–50 mm wide; spore deposit whitish; on debris in ± calcareous coniferous forests; rare (N) to ± absent going S *Aphroditeola olida*
Cap cream, orange to orange-brown (☐   ) , without a flesh-pink tinge; smell insignificant; spores larger and dextrinoid 3
3. Cap with brownish orange to orange-brown felt (☐  ). Cap 30–100 mm wide; spore deposit whitish; spores 5–6.5 (–7) × (3–) 3.5–4.5 μm; usually on wood chips in deciduous and coniferous forests; rare (but variously interpreted) *Hygrophoropsis rufa*
Cap without brown felt 4
4. Cap pale to deeply apricot orange (☐  ) , or paler cream (☐ ) to towards the margin; spores 5–7 × 3.5–4.5 μm. Cap 30–80 mm wide; spore deposit whitish; on debris or wood in coniferous forests, rarer in mixed forests or on disturbed land (typically after tree clearing); common *Hygrophoropsis aurantiaca*
Cap cream to pale buff (☐  ) ; spores 6–9 (–10) × 3.5–5 μm. Cap 15–50 mm wide; spore deposit whitish; on debris in coniferous forests, less commonly in mixed forests or on disturbed land, e.g. on boggy-turfy soils; scattered *Hygrophoropsis pallida*

(continued...)

Index

The following index includes all species, varieties and forms treated in this book. See also the genus index inside the cover.

A

- aanenii*, *Hebeloma* 480
abdit, *Inocybe* 434
abiegnus, *Cortinarius* 553
abieticola, *Flagelloscypha* 737
abieticola, *Kneiffiella* 649
abietina, *Hohenbuehelia* 63
abietina, *Phaeoclavulina* 752
abietina, *Typhula* 746
abietina, *Veluticeps* 640
abietinum, *Gloeophyllum* 594
abietinum, *Heterobasidion* 593
abietinus, *Hirschioporus* 604
abietis, *Rhizopogon* 843
abprunulus, *Clitopilus* 247
abramsii, *Mycena* 130
abruptibulbus, *Agaricus* 314
abruptiflagellata, *Flagelloscypha* 737
absarakonensis, *Cortinarius* 491
abscondita, *Russula* 217
absistentis, *Crittendenia* 780
abundilobus, *Polyozellus* 667
acanthophysa, *Heteroacanthella* 798
accedens, *Tubulicrinis* 702
acerbum, *Tricholoma* 155
acerina, *Dendrothele* 705
acerosa var. *acerosa*, *Arrhenia* 58
acerosa var. *tenella*, *Arrhenia* 58
acerrimus, *Lactarius* 237
acervatus, *Connopus* 171
acetolens, *Russula* 222
acicula, *Pruinomyces* 123
aciculata, *Mycena* 111
acidophilum, *Entoloma* 271
acrifolia, *Russula* 208
acris, *Lactarius* 235
acrospora, *Athelia* 697
actiniceps, *Chaetothyphula* 749
aculeata, *Ceratellopsis* 749
aculeata, *Phanerochaete* 651
acuminata, *Ceratellopsis* 749
acuminata, *Coprinopsis* 329
acuminatus, *Panaeolus* 346
acuta, *Inocybe* 430
acutispissipes, *Cortinarius* 545
acutoconica, *Hygrocybe* 95
acutoides, *Inocybe* 431
acutus, *Cortinarius* 530
adaequatum, *Inosperma* 423
adalbertii, *Cortinarius* 542
adelphus, *Paxillus* 563
adiposa, *Pholiota* 379
adnatifolia, *Cystoderma* 177
adonis var. *adonis*, *Atheniella* 122
adonis var. *coccinea*, *Atheniella* 122
adpressus, *Dacrymyces* 773
adpersum, *Ganoderma* 595
adulterina, *Cystolepiota* 182
adulterina, *Russula* 227
adusta, *Bjerkandera* 611
adusta, *Russula* 208
adustorimosus, *Cortinarius* 554
aemiliae, *Lyophyllum* 151
aeneus, *Cerinomyces* 770
aerea, *Inocybe* 464
aereus, *Boletus* 572
aeruginascens, *Inocybe* 420
aeruginea, *Russula* 213
aeruginosa, *Conobolbitina* 400
aeruginosa, *Stropharia* 370
aestivale, *Hebeloma* 478
aestivalis, *Globaria* 822
aestuans, *Tricholoma* 147
aetites, *Mycena* 130
affinis, *Laccaria* 160
afibulatus, *Rectipilus* 734
agardhii, *Mallocybe* 466
agaricoides, *Chlorophyllum* 829
agathosmoides, *Hygrophorus* 106
agathosmus f. *albus*, *Hygrophorus* 103
agathosmus f. *aureofloccosus*,
Hygrophorus 106
agathosmus, *Hygrophorus* 106
agrestis, *Clitocybe* 76
agroterae, *Inocybe* 422
ainsworthii, *Cortinarius* 560
aipoliae, *Zyzygomycetes* 784
alba, *Phloeomana* 126
albertii, *Calonarius* 500
albescens, *Efibulobasidium* 807
albida, *Antrodia* 610
albida, *Tulasnella* 797
albidoflava, *Ramaria* 757
albidoincarnatus, *Ripartites* 392
albidolilacea, *Mycena* 119
albidula, *Pseudobaespora* 164
albidum, *Aphanobasidium* 694
albidum, *Sirobasidium* 803
albipes var. *rugata*, *Conocybe* 402
albipes, *Conocybe* 402
alboadustus, *Cortinarius* 541
alboalutaceus, *Leucopaxillus* 73
alboamarensis, *Thaxterogaster* 488
albobrunnea, *Anthoporia* 622
albobrunneum, *Tricholoma* 153
albocarneus, *Lactarius* 237
alboacrenulata, *Hemistropharia* 368
albocyaneus, *Cortinarius* 524
albofloccosa, *Psathyrella* 352
albofragrans, *Clitocybe* 72
alboglaucom, *Coronidium* 696
albogrisescens, *Amanita* 201
albohelvola, *Lachnella* 737
albolens, *Cortinarius* 540
alboluteum, *Sistotrema* 626
alboluteus, *Pycnoporellus* 620
albomarginata, *Inocybe* 456
albomarginata, *Melanoleuca* 140
albomellea, *Cyrtidiella* 640
albonigra, *Russula* 207
albonitens, *Stropharia* 371
albo-ochraceum, *Ramaricium* 673
albopallescens, *Sistotrema* 623
alboradicans, *Conocybe* 405
alborubescens, *Odoria* 605
alborufescens, *Cortinarius* 552
albstipitata, *Tubaria* 394
albstipitatum, *Leccinum* 568
albotomentosa, *Galerina* 414
albotomentosum, *Entoloma* 262
albovariegatus, *Cortinarius* 531
albovelutipes, *Inocybe* 451
alboviolaceus, *Cortinarius* 545
alboviolascens, *Lachnella* 737
alboviridis, *Kavinia* 647
album, *Hebeloma* 480
album, *Tricholoma* 149
albus, *Descomyces* 841
alcalinophilus, *Calonarius* 504
alcedicolor, *Entoloma* 254
alcis, *Panaeolus* 346
alcis, *Protostropharia* 370
aleuriodor, *Cortinarius* 560
aleuriosmum, *Phlegmacium* 506
alexandri, *Clitopaxillus* 78
alienum, *Pseudohydnum* 792
alkaliviolascens, *Infundibulicybe* 77
allantoidea, *Paulisebacina* 789
allantospora, *Clavaria* 763
allantospora, *Tulasnella* 795
allantoporum, *Amyloxenasma* 687
alliacea, *Dendrothele* 711
alliaceus, *Mycetinis* 159
allobadia, *Thelephora* 668
allochromum, *Entoloma* 291
allospermum, *Entoloma* 287
allospora, *Galerina* 412
alluviana, *Galerina* 412
alluvionis, *Inocybe* 445
alnea, *Inocybe* 439
alnetorum, *Russula* 219
alni, *Cyanosporus* 605

- alni*, *Phellinus* 597
alnicola, *Athelia* 717
alnicola, *Flammula* 380
alnicola, *Xenasmata* 676
alniphilus, *Pluteus* 296
alnophilus, *Polyozellus* 667
alobatus, *Polyozellus* 667
alpigenes, *Inocybe* 430
alpina, *Guepiniopsis* 773
alpina, *Hygrocybe* 95
alpina, *Lichenomphalia* 84
alpinus, *Cortinarius* 491
alpinus, *Gymnopus* 171
alseides, *Amanita* 201
altipes, *Agaricus* 310
alutacea, *Alutaceodontia* 650
alutacea, *Russula* 225
alutacea, *Skeletocutis* 623
alutaria, *Hyphodontia* 702
alutarius, *Cortinarius* 539
alveolaris, *Neofavolus* 587
amabilis, *Suillus* 567
amara, *Hygrocybe* 95
amarellus, *Chalciporus* 572
amarensis, *Clitocybe* 81
amarensis, *Naucoria* 397
ambigua, *Conocybe* 407
ambigua, *Inocybe* 436
ambiguus, *Melanogaster* 842
amblyospora, *Inocybe* 455
ambusta, *Russula* 208
ambustum, *Lyophyllum* 165
ameides, *Entoloma* 263
amelandica, *Inocybe* 442
americanus, *Cortinarius* 535
americanus, *Leucoagaricus* 187
amethysteus, *Cantharellus* 46
amethystina, *Clavaria* 765
amethystina, *Inocybe* 429
amethystina, *Laccaria* 160
amethystina, *Russula* 221
amianthinum, *Cystoderma* 177
amicta, *Inocybe* 434
amicta, *Mycena* 121
ammoniavirescens, *Paxillus* 563
ammophila, *Melanoleuca* 140
ammophila, *Psathyrella* 360
ammophilae, *Coprinopsis* 334
ammophilum, *Entoloma* 282
ammophilus, *Gyroporus* 570
amoena, *Mycena* 111
amoenicolor, *Russula* 214
amoenoides, *Clavaria* 763
amoenolens, *Russula* 210
amoris, *Pseudosperma* 469
amorphia, *Skeletocutis* 609
amorphus, *Aleurodiscus* 675
amphibolia, *Phanerochaete* 700
amphithalla, *Ephemerocybe* 322
amplivelata, *Amanita* 200
amplum, *Schizophyllum* 734
ampullaceocystis, *Galerina* 415
amurceus, *Cortinarius* 492
amygdalinum, *Entoloma* 251
amygdalispora, *Dendrothele* 696
amygdalispora, *Rhizoctonia* 799
analogum, *Gloeohypochnium* 676
anaptychia, *Tremella* 783
anatina, *Russula* 213
anatinum, *Entoloma* 282
anatinus, *Hodophilus* 99
anceps, *Rhizoctonia* 799
andreae, *Cortinarius* 527
androsaceus, *Gymnopus* 171
aneirina, *Ceriporiopsis* 627
angelesianus, *Cortinarius* 522
anguifera, *Tulasnella* 795
angulata, *Ephemerocybe* 323
angulatosquamulosa, *Inocybe* 449
angustisepta, *Rhizopogon* 843
angustispora, *Amphinema* 694
angustispora, *Helicogloea* 802
angustispora, *Hermimycena* 116
angustisporum, *Dermoloma* 144
angustus, *Tubulicrinis* 690
annae-maritae, *Cortinarius* 539
annosum, *Heterobasidion* 593
anomalellus, *Cortinarius* 525
anomalus, *Cortinarius* 524
anomalus, *Merismodes* 735
anserinum, *Phlegmacium* 500
antarctica, *Descolea* 384
anthocephala, *Telephora* 631
anthracina, *Russula* 207
anthracinum, *Entoloma* 265
anthracinus, *Cortinarius* 519
anthracobia var. *anthracobia*, *Fayodia* 132
anthracobia var. *bisphaerigerella*, *Fayodia* 132
anthracophila var. *anthracophila*,
Conocybe 407
anthracophila var. *ovispora*, *Conocybe* 404
anthracophilum, *Lyophyllum* 165
antillarum, *Panaeolus* 346
antipus, *Conocybe* 406
antipus, *Trechispora* 678
antoniniana, *Inocybe* 441
apala, *Conocybe* 404
apatelia, *Lepiota* 185
aphroditeana, *Inocybe* 426
apiculata, *Ramaria* 753
apium, *Tricholoma* 154
apollonium, *Inosperma* 473
apopor, *Pholiotina* 399
appendiculata, *Inocybe* 449
appendiculatus, *Butyriboletus* 576
applanatum, *Dermoloma* 145
applanatum, *Ganoderma* 595
applanatus, *Crepidotus* 67
applicatus, *Resupinatus* 62
apricum, *Inosperma* 470
aprile, *Entoloma* 255
aprinus, *Cortinarius* 557
aptecphaerens, *Cortinarius* 553
apulica, *Clavaria* 764
aquilinum, *Phlegmacium* 509
aquilonia, *Helicogloea* 801
aquiloniniger, *Phellodon* 725
aquizonatus, *Lactarius* 234
aquosa, *Russula* 219
aquosus, *Gymnopus* 171
arachidosporus, *Achroomyces* 786
arachnoidea, *Athelia* 717
arachnoidea, *Rimbachia* 734
aranense, *Entoloma* 285
araneosum, *Entoloma* 275
arbusculensis, *Octaviania* 838
arbuscula, *Ramariopsis* 767
arbustivus, *Hygrophorus* 105
arcangeliana, *Mycena* 124
archeri, *Clathrus* 815
arcuatorum, *Calonarius* 500
arcularius, *Lentinus* 587
ardua, *Inocybe* 429
arduennensis, *Phaeocollybia* 389
arenaria, *Montagnea* 829
arenarium, *Pseudosperma* 469
areni-silvae, *Phlegmacium* 493
arenicola, *Pseudosperma* 469
arenosa, *Psathyrella* 363
areolatum, *Amylostereum* 640
areolatum, *Scleroderma* 819
argentea, *Amanita* 198
argentea, *Coprinopsis* 338
argentea, *Pseudobaespora* 165
argenteolilacinus, *Thaxterogaster* 502
argillacea, *Clavaria* 762
argillacea, *Jaapia* 694
argillacea, *Kurtia* 704
argillaceum, *Entoloma* 270
arguta, *Hyphodontia* 650
argutum, *Phlegmacium* 494
argyraceum, *Tricholoma* 150
arhizus, *Pisolithus* 818
arida, *Coniophora* 679
aridum, *Steccherinum* 648
armeniaca, *Inocybe* 421
armeniacus, *Cortinarius* 554
armeniacus, *Rheubarbariboletus* 578
armillatus, *Cortinarius* 518
arnoldii, *Bonomyces* 76
arpalices, *Russula* 224
arrrhenii, *Pholiotina* 399
arthyridiae, *Achroomyces* 785
arundinacea, *Setoseptoria* 793
arvalis, *Agrocybe* 395
arvensis, *Agaricus* 313
arvernense, *Tricholoma* 147
asani, *Rhodocybe* 248
asema, *Rhodocollybia* 170
asiaticus, *Suillus* 567

- asperula*, *Thelephora* 670
asperulispota, *Clavaria* 764
asperum, *Echinoderma* 181
asperus, *Xylodon* 651
aspideus, *Lactarius* 233
asprellum, *Entoloma* 282
assimilata, *Inocybe* 433
assimilatus, *Pluteus* 303
asterophora, *Tylospora* 693
asterosperma, *Octaviania* 838
asterospora, *Inocybe* 436
asterosporus, *Omphaliaster* 79
astragalinus, *Pyrrhulomyces* 380
astraiana, *Inocybe* 465
asyae, *Rhodocybe* 248
athenana, *Inocybe* 456
athyrii, *Typhula* 746
atkinsoniana, *Galerina* 411
atlanticum, *Entoloma* 273
atlanticus, *Cuphophyllus* 101
atomatoides, *Psathyrella* 361
atra, *Thelephora* 631
atramentaria, *Coprinopsis* 329
atramentaria, *Thelephora* 672
atramentosa, *Russula* 207
atramentosus, *Hydropus* 133
atramentosus, *Hygrophorus* 107
atratum, *Lyophyllum* 165
atroarenicolor, *Thelephora* 669
atrocinereum, *Dermoloma* 144
atrocitrina, *Thelephora* 631
atrocoerulea, *Hohenbuehelia* 64
atrocoeruleum, *Entoloma* 281
atrocyaneus, *Amaurodon* 665
atrofusca, *Clavaria* 764
atrofuscus, *Cantharellus* 45
atrofuscus, *Polyozellus* 666
atroglaucia, *Russula* 211
atomadidum, *Entoloma* 255
atromarginatus, *Pluteus* 295
atropapillata, *Phloeomana* 128
atropunctus, *Hodophilus* 100
atropurpureum, *Lycoperdon* 824
atrorubens, *Russula* 219
atrotomentosa, *Tapinella* 65
atroumbrina, *Clavaria* 765
atrovelutina, *Camarophylloopsis* 98
atrovirens, *Byssocortium* 680
atrovirens, *Calonarius* 500
atrovirens, *Tricholoma* 146
attenuatipilis, *Maireina* 736
audens, *Inocybe* 451
augeana, *Clitocybe* 78
augustus, *Agaricus* 313
aurae, *Cortinarius* 532
aurantia, *Hygrocybe* 97
aurantia, *Naematelia* 792
aurantiaca, *Erastia* 621
aurantiaca, *Hygrophoropsis* 70
aurantiacum, *Athelidium* 711
aurantiacum, *Erythrimum* 710
aurantiacum, *Hydnellum* 726
aurantiacum, *Leccinum* 568
aurantiacus, *Lactarius* 241
aurantiacus, *Rhizopogon* 843
aurantiifolia, *Inocybe* 454
aurantiocarnescens, *Ceriporia* 618
aurantiomarginata, *Mycena* 119
aurantiomarginatus, *Cortinarius* 517
aurantioroseus, *Marchandiomyces* 710
aurantiorugosus, *Pluteus* 300
aurantiosplendens, *Hygrocybe* 96
aurantium, *Tricholoma* 153
aurantius, *Aleurodiscus* 675
auratile, *Hydnellum* 726
aurea, *Conocybe* 404
aurea, *Inocybe* 430
aurea, *Mycocacia* 644
aurea, *Phaeolepiota* 177
aurea, *Ramaria* 756
aurea, *Russula* 223
aureocalceolatus, *Calonarius* 501
aureocitrinum, *Pseudosperma* 472
aureum, *Botryobasidium* 708
aureus, *Pseudomerulius* 654
auricoma, *Inocybe* 450
auricoma, *Parasola* 319
auricula-judae, *Auricularia* 792
aurilicis, *Phlegmacium* 504
auriscalpium, *Hohenbuehelia* 63
aurora, *Aphanobasidium* 693
auroripes, *Cortinarius* 538
aurulenta, *Auriporia* 619
austera, *Mycena* 130
autochthonus, *Crepidotus* 66
azonites, *Lactarius* 235
azurea, *Russula* 212
azureomarginatus, *Thaxterogaster* 489
azureopallidum, *Entoloma* 285
azureovelatus, *Cortinarius* 523
- B**
babosiae, *Coprinopsis* 335
bachmannii, *Zyzygomyces* 783
badhamii, *Leucoagaricus* 188
badia, *Imleria* 577
badia, *Russula* 227
badiolaevis, *Cortinarius* 558
badiolateritia, *Naucoria* 397
badiophyllum, *Candolleomyces* 359
badiopurpureum, *Echinoderma* 181
badiosanguineus, *Lactarius* 241
badipes, *Galerina* 415
badius, *Picipes* 587
badjelannadanus, *Polyozellus* 666
baeospermum, *Lyophyllum* 167
baeospora, *Arrhenia* 89
balaustinus, *Cortinarius* 554
balsameus, *Spongiorus* 608
balteatocumatile, *Phlegmacium* 495
balteatum, *Phlegmacium* 493
baltica, *Arrhenia* 85
baltica, *Inocybe* 455
barba-jovis, *Kneiffiella* 649
barbatus, *Thaxterogaster* 488
barbularum, *Clitocybe* 80
baronii, *Clitopilus* 247
barsii, *Leucoagaricus* 188
basii, *Pseudobaeospora* 164
basiroseus, *Cortinarius* 518
basirubens, *Tricholoma* 151
bataillei, *Cortinarius* 513
bataillei, *Melanoleuca* 140
bataillei, *Ramaria* 754
batrachiorum, *Mallochybe* 466
batschii, *Tricholoma* 139
bavaricae, *Pseudobaeospora* 164
bavarica, *Russula* 837
bavaricus, *Rectipilus* 732
beatifica, *Inocybe* 459
beckeri, *Amanita* 200
bellerianum, *Dermoloma* 143
belliae, *Mycena* 125
bellidiana, *Inocybe* 425
bellula, *Coprinopsis* 333
benesii, *Agaricus* 307
benzoinum, *Ischnoderma* 606
bergeronii, *Cortinarius* 505
berkeleyi, *Cuphophyllus* 98
berkeleyi, *Gastrum* 825
bernardii, *Agaricus* 308
berthieri, *Typhula* 746
bertillonii, *Lactifluus* 239
bettinae, *Colacogloea* 787
bettlachensis, *Musumecia* 71
betulae, *Amanita* 200
betularum, *Russula* 218
betulina, *Fomitopsis* 586
betulina, *Trametes* 612
betulinus, *Cortinarius* 490
bialoviesense, *Dentipratulum* 750
bialoviesensis, *Cyphelloporia* 732
bibulus, *Cortinarius* 535
bicolor, *Laccaria* 160
bicolor, *Laxitextum* 640
bicolor, *Resinicium* 646
biconidata, *Colacogloea* 787
bicornis, *Coprinopsis* 334
bicornis, *Rhizoctonia* 799
biennis, *Abortiporus* 589
biformis, *Pallidohirschioporus* 604
bifrons, *Tulasnella* 796
bigelowii, *Arrhenia* 86
biggsiae, *Sistotrema* 713
biguttulata, *Skeletocutis* 623
binucleospora, *Athelia* 697
bipellis, *Coprinellus* 327
bipellis, *Psathyrella* 361
biriensis, *Cortinarius* 535
birnbaumii, *Leucocoprinus* 187

- birrus*, *Hebeloma* 477
bisphaerigera, *Fayodia* 132
bispora, *Colacogloea* 786
bispora, *Conocybe* 406
bispora, *Ephemerocybe* 322
bispora, *Mycocicella* 644
bispora, *Unilacryma* 770
bisporiger, *Ephemerocybe* 322
bisporigerum, *Entoloma* 269
bisporus, *Agaricus* 308
bisporus, *Bolbitius* 390
bitorquis, *Agaricus* 308
biveloides, *Cortinarius* 554
bivelosimilis, *Cortinarius* 555
bivelus, *Cortinarius* 555
blandula, *Inocybe* 441
blennius, *Lactarius* 238
bloxamii var. *rubellum*, *Entoloma* 254
bloxamii, *Entoloma* 254
boertmannii, *Echinoderma* 181
bohémica, *Naucoria* 397
bohussii, *Agaricus* 308
boidinii, *Peniophora* 684
boisseletii, *Agaricus* 307
bolaris, *Cortinarius* 517
bombacina, *Athelia* 717
bombina, *Inocybe* 438
bombycina, *Anomopora* 625
bombycina, *Volvariella* 293
bombycinum, *Hypochnicium* 714
bomiense, *Hydnellum* 727
bonachei, *Cortinarius* 520
bongardii, *Inosperma* 422
bonii, *Hohenbuehelia* 58
bonii, *Inocybe* 458
bonii, *Tricholoma* 151
boreale, *Dichostereum* 672
borealis, *Armillaria* 138
borealis, *Cerinomyces* 769
borealis, *Climacocystis* 607
borealis, *Gerhardtia* 153
borealis, *Phaeomarasmium* 376
borealis, *Ripartites* 392
borealis, *Tubulicrinis* 690
boreimaxima, *Ramaria* 756
boreorepandum, *Hydnum* 723
boreoroseum, *Corticium* 713
boreotrichus, *Cortinarius* 537
botaurina, *Inocybe* 460
botryoides, *Thelephora* 670
botryosum, *Botryobasidium* 695
botrytis, *Ramaria* 754
boudieri, *Lepiota* 185
boudieri, *Myochromella* 167
boudieri, *Tricholoma* 146
bourdotii, *Aphanobasidium* 687
bourdotii, *Steccherinum* 645
bourdotii, *Tulasnella* 796
bovinus, *Suillus* 566
bovista, *Disciseda* 820
bovista, *Scleroderma* 819
brachypodii, *Conocybe* 404
brachysporus, *Protomerulius* 809
braendlei, *Agaricus* 310
brassicolens var. *pallidus*, *Gymnopus* 169
brassicolens, *Entoloma* 263
brassicolens, *Gymnopus* 169
brebissonii, *Leucocoprinus* 189
brefeldianum, *Sirobasidium* 803
bresadolae, *Ceriporia* 617
bresadolae, *Inocybe* 421
bresadolae, *Mucronella* 750
bresadolae, *Suillus* 567
bresadolana, *Infundibulicybe* 77
bresadolana, *Tomentellopsis* 675
bresadolatum, *Tricholoma* 150
brevibasidiatus, *Gyrophlexus* 85
brevipes, *Sparassis* 630
brevisetulosa, *Ephemerocybe* 326
brevisetus, *Xylodon* 651
brevispora, *Lindtneria* 677
brienzensis, *Ramaria* 755
brinkmannii, *Sistotrema* 687
brinkmannii, *Tulasnella* 797
britannicum, *Geastrum* 826
britannicus, *Chroogomphus* 373
britannicus, *Cortinarius* 535
broomeanus, *Melanogaster* 842
brownii, *Flaviporus* 602
brumale, *Tulostoma* 828
brumalis, *Lentinus* 587
brunaudiana, *Atractiella* 779
brunnea, *Mycena* 122
brunnea, *Pholiotina* 399
brunneiaurantium, *Phlegmacium* 497
brunneicoeruleum, *Entoloma* 287
brunneicontusa, *Ramaria* 758
brunneidisca, *Conocybe* 407
brunneidiscus, *Pluteus* 296
brunneifolius, *Cortinarius* 553
brunneo-ochrascens, *Lyophyllum* 152
brunneoaffinis, *Cortinarius* 554
brunneocarpus, *Cortinarius* 551
brunneoconulus, *Amanita* 200
brunneoflocculosum, *Entoloma* 269
brunneofulginea f. *ochraceomaculata*, *Amanita* 203
brunneoincarnata, *Lepiota* 184
brunneola, *Exidia* 794
brunneola, *Typhula* 747
brunneolilacina, *Ramaria* 755
brunneolividum, *Phlegmacium* 496
brunneolus, *Agaricus* 315
brunneoroseus, *Crepidotus* 66
brunneoserulatum, *Entoloma* 278
brunneotinctus, *Cortinarius* 546
brunneotomentosa, *Inocybe* 453
brunneovenosus, *Pluteus* 301
brunneoviolacea, *Russula* 212
brunnescens, *Pholiota* 381
brunneum, *Chlorophyllum* 190
brunneus, *Cortinarius* 552
bryophila, *Mycenella* 132
bryophila, *Rimbachia* 734
bryophila, *Thelephora* 670
bryophthora, *Arrhenia* 86
bryorum, *Entoloma* 261
bubalinus, *Hortiboletus* 579
buccina, *Guepinopsis* 771
bucknallii, *Cystolepiota* 182
bugellensis, *Fasciodontia* 651
bulbiferum, *Hebeloma* 478
bulbiger, *Leucocortinarius* 139
bulbosa, *Mycena* 112
bulliardii, *Cortinarius* 518
bulliardii, *Hymenogaster* 840
bulliardii, *Marasmius* 159
butyracea, *Rhodocollybia* 170
butyreburneus, *Agaricus* 309
byssinum, *Piloderma* 709
byssiseda, *Lentaria* 762
byssisedum, *Entoloma* 250
byssoides, *Amphinema* 703

C

- caccabus*, *Entoloma* 253
caelata, *Rhodocybe* 249
caerulea, *Russula* 221
caeruleofuscus, *Craterellus* 45
caeruleopolitum, *Entoloma* 264
caerulescens, *Phlegmacium* 498
caeruleum, *Byssocorticium* 680
caeruleum, *Hydnellum* 726
caesaraugustae, *Inocybe* 428
caesarea, *Amanita* 195
caesia, *Metacampanella* 57
caesiocinctum, *Entoloma* 278
caesiocinereum, *Basidiobolus* 806
caesiocortinatum, *Phlegmacium* 508
caesiolamellatus, *Thaxterogaster* 507
caesiostamineum, *Phlegmacium* 506
caesiosticta, *Volvariella* 293
caesius, *Cyanosporus* 604
caespitosa, *Chamonixia* 834
cagei, *Cortinarius* 547
calaminare, *Entoloma* 268
calamistratum, *Inosperma* 420
calcarea, *Psathyrella* 362
calcarea, *Pseudobaecyspora* 164
calcarea, *Hysterangium* 836
calcarea, *Tulostoma* 829
calcea, *Alloexidiopsis* 810
calceus, *Entoloma* 286
calicula, *Echinoderma* 181
calicula, *Odontia* 669
calcipila, *Hygrocybe* 95
calida, *Amanita* 202
calida, *Inocybe* 438
caliginosus, *Cortinarius* 521
callichroum, *Entoloma* 291

- callina, *Ephemerocybe* 325
callipygmaeum, *Entoloma* 279
calisteus, *Aureonarius* 516
callunicola, *Tremella* 788
caloceraticola, *Tremella* 788
calochrous, *Calonarius* 501
calolepis, *Crepidotus* 66
calophyllus, *Hygrophorus* 107
caloplaeae, *Tremella* 780
calopus, *Caloboletus* 574
calospora, *Ceratosebacina* 804
calospora, *Inocybe* 435
calospora, *Tulasnella* 797
calosporum, *Ceratobasidium* 798
calosporus, *Hymenogaster* 841
calothrix, *Tubulicrinis* 689
calotricha, *Phanerochaete* 707
calva, *Mucronella* 750
calvenda, *Postia* 608
calyptrata, *Galerina* 411
calyptriformis, *Porpolomopsis* 94
camarophylla, *Russula* 211
camarophyllus, *Hygrophorus* 107
cambriensis, *Hodophilus* 99
camelicolor, *Inocybe* 452
camerina, *Galerina* 415
campanella, *Xeromphalina* 120
campanula, *Calyptella* 735
campester, *Cortinarius* 538
campestre, *Geastrum* 825
campestris, *Agaricus* 310
campestris, *Dichomitus* 592
camphoratus, *Cortinarius* 545
camphoratus, *Lactarius* 240
camptopodum, *Homophron* 365
canadense, *Acanthophysellum* 698
canadensis, *Quasiphebia* 688
canadensis, *Typhula* 746
candelariellae, *Tremella* 780
candicans, *Leucocybe* 73
candida, *Calvatia* 822
candida, *Disciseda* 820
candida, *Exidia* 794
candida, *Hemimycena* 113
candida, *Russula* 837
candidata, *Coprinopsis* 333
candidissima, *Russula* 837
candidissima, *Trechispora* 623
candidolanata, *Coprinopsis* 335
candidus, *Henningsomyces* 732
candidus, *Marasmiellus* 172
candolleanus, *Candolleomyces* 354
canescens, *Aporpium* 791
canescens, *Hymenochaete* 664
caninus, *Cortinarius* 522
caninus, *Mutinus* 815
canistri, *Ephemerocybe* 326
canoceps, *Coprinopsis* 354
canosericeum, *Entoloma* 274
caperatus, *Cortinarius* 488
capillaripes, *Mycena* 119
capillaris, *Mycena* 113
capitata, *Typhula* 744
capitatum, *Botryobasidium* 695
capitatum, *Hyphoderma* 680
capitatus, *Dacrymyces* 771
capnoides, *Hypholoma* 368
cappellii, *Agaricus* 310
capreolarius, *Hygrophorus* 106
caprimulgi, *Inocybe* 440
capsulifer, *Pisolithus* 818
capula, *Calyptella* 735
caput-medusae, *Psathyrella* 349
carbonaria, *Faerberia* 45
carbonicola, *Entoloma* 275
carbonicola, *Galerina* 414
carcharias var. *carcharias*, *Cystoderma* 177
carcharias var. *fallax*, *Cystoderma* 177
cardiaspora, *Narcissea* 332
caricina, *Typhula* 746
caricioides, *Gloiocephala* 57
caricis-pendulae, *Pterulicium* 749
caricis, *Gloiocephala* 57
carinii, *Echinoderma* 181
carminipes, *Russula* 225
carnea, *Calocybe* 153
carneiculis, *Inocybe* 444
carneogrisea, *Skeletocutis* 606
carneogriseum, *Entoloma* 279
carneopallidus, *Marasmiellus* 174
carneum, *Hydangium* 835
carnosum, *Ganoderma* 585
caroticolor, *Stephanospora* 834
caroviolaceus, *Calonarius* 507
carpathicum, *Dermoloma* 143
carpathicus, *Hodophilus* 100
carpatia, *Cotylidia* 631
carpatia, *Hymenochaete* 664
carpaticus, *Crepidotus* 66
carpini, *Hygrophorus* 105
carpini, *Russula* 224
carpoophilus, *Flammulaster* 393
caryophyllea, *Thelephora* 631
caspari, *Crepidotus* 67
caspica, *Phlebiodontia* 706
castanea, *Inocybe* 437
castanea, *Lepiota* 185
castaneoleucus, *Phellodon* 726
castaneopallidus, *Cortinarius* 527
castaneus, *Gyroporus* 570
castanochrous, *Cortinarius* 519
castoreus, *Lentinellus* 59
castorina, *Inocybe* 462
catalaunica, *Inocybe* 456
catalaunicum, *Entoloma* 276
catharinae, *Calonarius* 501
catinus, *Infundibulicybe* 74
caucasica, *Trechispora* 672
caudatum, *Lycoperdon* 823
caulis-auroreae, *Inocybe* 443
caulocystidiata, *Galerina* 411
caulocystidium, *Entoloma* 266
caussei, *Paraxerula* 163
causticus, *Thaxterogaster* 489
cauticinalis, *Xeromphalina* 120
cavicola, *Fomitiporella* 596
cavipes f. *aureus*, *Suillus* 567
cavipes f. *cavipes*, *Suillus* 567
cavipes, *Hebeloma* 480
cavipes, *Russula* 219
cebenense, *Amylocorticium* 687
ceciliae, *Amanita* 201
celata, *Tremella* 783
celatum, *Hebeloma* 478
celluloderma, *Naucoria* 398
celluloderma, *Pseudobaeospora* 165
centesima, *Inocybe* 443
centrifuga, *Hermanssonia* 656
centrifugus, *Cortinarius* 555
centunculus var. *centunculus*, *Simocybe* 391
centunculus var. *filopes*, *Simocybe* 391
centunculus var. *maritima*, *Simocybe* 391
centunculus var. *obscura*, *Simocybe* 391
cepa, *Scleroderma* 819
cephalotricha, *Galerina* 412
cephalotricha, *Hemimycena* 114
cephalotrichum, *Entoloma* 262
cepstipes, *Armillaria* 137
cepstipes, *Leucocoprinus* 189
ceracea, *Hygrocybe* 96
cerasi, *Ditangium* 792
cerea, *Bourdotigloea* 802
cerea, *Russula* 837
ceres, *Leratiomyces* 368
cerifera, *Pholiota* 379
cerifluus, *Spongiporus* 609
cerina var. *longicystis*, *Galerina* 411
cerina, *Calocybe* 147
cerina, *Galerina* 411
cernua, *Calyptella* 735
cernuum, *Homophron* 365
cerussatum, *Acanthophysellum* 698
cervicolor, *Inosperma* 423
cervina, *Trametopsis* 613
cervinus, *Pluteus* 296
cesatii, *Crepidotus* 67
cessans, *Lyophyllum* 174
cessans, *Russula* 222
cetrariae, *Tremella* 782
cetrariellae, *Tremella* 782
cetrariicola, *Tremella* 782
cetratum, *Entoloma* 269
cettoiana, *Conocybe* 406
chaetosporum, *Chaetospermum* 807
chailletii, *Amylostereum* 640
chalybeum, *Entoloma* 279
chamaemori, *Typhula* 745
chevassuttii, *Cortinarius* 549
chioneus, *Tyromyces* 609
chionodermus, *Agaricus* 310

- chlamydosporum* 785, *Tectobasidium* 801
chlorantha, *Mycena* 123
chlorinosum, *Entoloma* 263
chlorochroum, *Inosperma* 469
chlorocyanea, *Arrhenia* 88
chloroides, *Russula* 206
chlorophana, *Hygrocybe* 96
chloropolium, *Entoloma* 282
chocenensis, *Pholiota* 381
chondrospora, *Inocybe* 442
chordulatum, *Cyanobasidium* 674
chrischonensis, *Clitopilus* 246
christianopolitanus, *Ephemerocybe* 326
christiansenii, *Tremella* 784
christiansenii, *Xenasmata* 676
christinae, *Flagelloscypha* 738
christinae, *Phaeocollybia* 389
chrysenteron, *Calocybe* 147
chrysenteron, *Xerocomellus* 579
chrysocomus, *Guepinopsis* 772
chrysodon, *Hygrophorus* 103
chrysolithus, *Cortinarius* 511
chrysoloma, *Porodaedalea* 595
chrysonemus, *Xerocomus* 577
chrysophlebius, *Pluteus* 300
chrysophylla, *Chrysomphalina* 87
chrysorrheus, *Lactarius* 234
chrysospermus, *Dacrymyces* 772
chytrophilum, *Entoloma* 291
cibarium, *Ileodictyon* 815
cibarius, *Cantharellus* 47
cidaris, *Phaeocollybia* 389
cincinnati, *Inocybe* 428
cinctula, *Galerina* 414
cinctulus, *Panaeolus* 346
cineracea, *Kniffiella* 689
cinerea, *Clavulina* 759
cinerea, *Coprinopsis* 336
cinerea, *Peniophora* 685
cinereispinula, *Lichenomphalia* 84
cinerella, *Mycena* 125
cinerellum, *Basidiodendron* 806
cinereobrunneolus, *Cortinarius* 549
cinereofloccosa, *Coprinopsis* 331
cinereofuscus, *Pluteus* 302
cinereopallida, *Ephemerocybe* 324
cinereoumbrina, *Telephora* 671
cinereum, *Basidiodendron* 806
cinereus, *Craterellus* 45
cingulatum, *Tricholoma* 139
cingulum, *Lepiota* 185
cinicola, *Piloderma* 681
cinnabarina, *Cystodermella* 177
cinnabarinus, *Cortinarius* 510
cinnabarinus, *Crepidotus* 66
cinnabarinus, *Pycnoporus* 602
cinnamomea, *Coltricia* 584
cinnamomea, *Hymenochaete* 664
cinnamomeoluteus, *Cortinarius* 514
cinnamomescens, *Myxarium* 811
cinnamomeus, *Cortinarius* 513
cinnamomeus, *Crepidotus* 67
cinnamoviaceus, *Cortinarius* 547
circellatus, *Lactarius* 238
circinata, *Waitea* 696
cirrhatta, *Collybia* 161
cirrhatum, *Hericius* 722
cisalpinus, *Xerocomellus* 579
cistetorum, *Rhodocybe* 249
cisticola, *Calonarius* 501
citrinella, *Psathyrella* 359
citriforme, *Sistotrema* 693
citrina var. *alba*, *Amanita* 196
citrina var. *citrina*, *Amanita* 196
citrina, *Exidiopsis* 810
citrina, *Ramariopsis* 762
citrinella, *Antridiella* 619
citrinofusca, *Neohygrocybe* 101
citrinomarginata, *Mycena* 118
citrinopallida, *Chromosera* 96
citrinovirens, *Hygrocybe* 94
citrinum, *Scleroderma* 819
citrinus, *Albatrellus* 585
citrinus, *Calonarius* 504
citrinus, *Hymenogaster* 841
citrinus, *Vesiculomyces* 680
citriolens, *Lactarius* 234
citrispora, *Flagelloscypha* 739
citrispora, *Oliveonia* 798
citriporella, *Dendrothele* 696
cladii, *Flagelloscypha* 738
cladoniae, *Tremella* 783
clancularis, *Trechispora* 623
clandestina, *Inocybe* 464
clandestinum, *Entoloma* 272
clariana, *Russula* 219
claricolor, *Phlegmacium* 493
claroflava, *Russula* 222
claroplanusculus, *Cortinarius* 561
clathroides, *Hysterangium* 836
claudopus, *Favolaschia* 586
clavarioides, *Bryopistillaria* 766
clavarioides, *Phaeoclavulina* 752
clavarium, *Helminthosphaeria* 759
clavata, *Galerina* 411
clavata, *Phloeomana* 126
clavatus, *Gomphus* 45
clavicularis, *Mycena* 124
clavigera, *Telephora* 669
clavipes, *Ampullocitocybe* 78
clavipes, *Russula* 220
clavocystidiata, *Volvariella* 294
clavularis, *Mycena* 112
clavuligerum, *Gloeocystidiellum* 677
clavus, *Romagnesiella* 393
clematidis, *Litschauerella* 674
cliduchus, *Phlegmacium* 494
clintonianus, *Suillus* 567
clivensis, *Psathyrella* 363
clypeatum, *Entoloma* 255
clypeolaria, *Lepiota* 186
coalescens, *Phlegmacium* 496
coccinea, *Hygrocybe* 97
coccineocrenata, *Hygrocybe* 95
cochleatus, *Lentinellus* 59
cocles, *Entoloma* 267
coelestinum, *Entoloma* 290
coelestium, *Inocybe* 422
coerulea, *Terana* 712
coerulescentium, *Phlegmacium* 507
cognata, *Melanoleuca* 140
cohaerens, *Marasmius* 170
cohaerens, *Trechispora* 716
colemannianus, *Cuphophyllus* 101
coliforme, *Myriostoma* 825
collegarum, *Agaricus* 307
collina, *Spodocybe* 79
collinitoides, *Cortinarius* 491
collinitus, *Cortinarius* 490
collinitus, *Suillus* 566
collinus, *Marasmius* 170
collocandoides, *Thaxterogaster* 495
colorata, *Lulesia* 249
coloratipes, *Lepiota* 183
colossipes, *Cortinarius* 530
colossus, *Tricholoma* 139
colpomaticola, *Tremella* 789
columbetta, *Tricholoma* 148
columbiana, *Incrustocalypetella* 738
comatus, *Coprinus* 318
comatus, *Cortinarius* 528
comedens, *Vuilleminia* 685
commixta, *Dendrothele* 714
commotus, *Protomerulius* 809
commune, *Schizophyllum* 56
compactum, *Dermoloma* 145
compactum, *Hydnellum* 727
compactus, *Sclerogaster* 838
complicatum, *Stereum* 641
compressus, *Cortinarius* 549
comptulus, *Cortinarius* 539
comtus, *Agaricus* 314
conchata, *Phellinopsis* 597
conchatus, *Panus* 60
concosa, *Bourdotigloea* 802
concolor, *Mycena* 125
concolor, *Ramaria* 754
concrecens, *Dendrodacrys* 773
concrecens, *Hydnellum* 727
concrecens, *Phanerochaete* 701
conferendum, *Entoloma* 264
conferta, *Psathyrella* 356
confinis, *Trechispora* 697
confirmatus, *Cortinarius* 548
confluens, *Albatrellus* 585
confluens, *Collybiopsis* 174
confluens, *Coltricia* 584
confluens, *Dacrymyces* 773
confluens, *Phellodon* 726
confluens, *Radulomyces* 714

- confluens*, *Sistotrema* 723
confragosa, *Daedaleopsis* 609
confragosa, *Tubaria* 392
confundens, *Psathyrella* 362
confusa, *Gautieria* 840
confusa, *Merismodes* 735
confusum, *Dermoloma* 145
confusum, *Lyophyllum* 167
congregata, *Ephemerocybe* 326
congregatus, *Cortinarius* 550
conica var. *chloroides*, *Hygrocybe* 92
conica var. *conicopalustris*, *Hygrocybe* 92
conica, *Hygrocybe* 92
conica, *Psathyrella* 364
conicoides, *Hygrocybe* 92
conicus, *Hydopus* 133
conidiata, *Tulasnella* 795
coniferarum, *Agaricus* 307
coniferarum, *Dentipellis* 647
coniferarum, *Ramaria* 752
coniophora, *Coprinopsis* 333
coniophora, *Simocybe* 391
conissans, *Pholiota* 380
connata, *Leucocybe* 72
conopilea, *Parasola* 365
consobrina, *Ceriporiopsis* 620
conspersa, *Tubaria* 393
conspersum, *Botryobasidium* 708
conspersus, *Resupinatus* 733
constricta, *Tricholoma* 138
constrictospora, *Hygrocybe* 97
constrictospora, *Tephrocycbella* 173
contigua, *Fuscoporia* 596
contorta, *Macrotyphula* 760
controversus, *Lactarius* 237
cootui, *Amanita* 198
convoluta, *Gautieria* 840
convolvens, *Gloeopeniophorella* 675
cookei, *Collybia* 161
cookei, *Inosperma* 471
coppinsii, *Crittendenia* 780
coppinsii, *Tremella* 784
coprophila, *Conocybula* 400
coprophila, *Cristinia* 682
coprophila, *Deconica* 348
coprophilus, *Bolbitius* 390
coracinum, *Lyophyllum* 167
coracis, *Entoloma* 285
corallinus, *Marchandiomyces* 718
coralloides, *Clavulina* 759
coralloides, *Herichium* 722
cordispora, *Narcissea* 332
coriacea, *Inocybe* 462
coriaceum, *Hysterangium* 836
corium, *Byssomerulius* 654
corium, *Mycenastrum* 820
cornea, *Calocera* 769
comeipes, *Mythicomycetes* 384
cornelii, *Gloiocephala* 57
cornicolor, *Entoloma* 272
corniculata, *Clavulinopsis* 762
cornucopiae, *Pleurotus* 61
cornucopioides, *Craterellus* 45
cornui, *Xeromphalina* 120
cornutum, *Tectobasidium* 785
corollinum, *Geastrum* 826
coronatum, *Geastrum* 826
coroniferum, *Sistotrema* 691
coronilla, *Sistotrema* 713
coronilla, *Stropharia* 371
corrugata, *Hydnoporia* 664
corrugata, *Hyphodermella* 650
corrugata, *Phaeoclavulina* 753
corrugatus, *Bolbitius* 390
corrugis, *Psathyrella* 351
corticiorum, *Occultifur* 787
corticola, *Oxyporus* 624
cortinarioides, *Psathyrella* 356
cortinarius var. *audraeae*, *Lepiota* 184
cortinarius var. *cortinarius*, *Lepiota* 186
cortinata, *Coprinopsis* 333
corvinus, *Cortinarius* 543
corydalina, *Inocybe* 421
coryli, *Amanita* 203
coryli, *Vuilleminia* 686
corynephora, *Mycena* 112
corynoides, *Multiclavula* 751
cossus, *Hygrophorus* 103
costata, *Infundibulicybe* 77
costatum, *Entoloma* 269
cothurnata, *Coprinopsis* 332
cotonea, *Psathyrella* 349
cotoneovelata, *Mallochybe* 467
cotoneus, *Cortinarius* 515
crassipes, *Typhula* 747
crassiuscula, *Amyloathelia* 698
crassum, *Hysterangium* 836
crassus, *Cystinarius* 494
crataegi, *Parasola* 319
craterellus, *Chaetocalathus* 60
craurum, *Piloderma* 709
cremeoalbum, *Hyphoderma* 715
cremeoalbum, *Steccherinum* 648
cremeoavellanea, *Russula* 223
cremeoavellanea, *Vararia* 700
cremeoisabellinum, *Hypochniciellum* 699
cremeopallens, *Entoloma* 262
cremicolor, *Neohypochnicium* 677
cretata, *Mycena* 129
cretatum, *Parvobasidium* 697
crispa, *Plicatura* 56
crispa, *Sparassis* 630
crispans, *Protoacia* 803
crispata, *Hemimycena* 116
crispula var. *crispula*, *Hemimycena* 115
crispula var. *tetraspora*, *Hemimycena* 115
crispuloides, *Hemimycena* 114
cristata, *Lepiota* 185
cristatoides, *Lepiota* 185
cristatus, *Artomyces* 761
cristatus, *Laeticutis* 585
crochula, *Deconica* 348
crocata, *Mycena* 117
crocatius, *Meripilus* 593
crocea, *Amanita* 198
crocea, *Ramariopsis* 762
croceocoeruleus, *Thaxterogaster* 488
croceconus, *Cortinarius* 514
croceocrystallinus, *Cortinarius* 489
croceovelutinus, *Leucoagaricus* 187
croceus, *Aurantiporus* 602
croceus, *Cortinarius* 514
crocipodium, *Leccinellum* 568
crocodilinus, *Agaricus* 313
crocophyllus, *Crepidotus* 66
crozalsii, *Myxarium* 811
cruciatus, *Lysurus* 815
crucibuliforme, *Crucibulum* 813
cruenta, *Hymenochaete* 664
cruentipellis, *Phlegmacium* 509
cruentiphylus, *Cortinarius* 511
crustosus, *Lyomyces* 650
crustuliniforme, *Hebeloma* 481
crustulinus, *Cerinomyces* 770
cryptocallimon, *Crustoderma* 705
cryptocystis, *Inocybe* 451
cryptomeriae, *Physalacria* 750
crystallifer, *Leucoagaricus* 189
crystallinum, *Dentipratulum* 750
crystallinum, *Myxarium* 808
cuboidoalbum, *Entoloma* 262
cucullata, *Hemimycena* 113
cucullifer, *Cortinarius* 531
cucumis var. *cucumis*, *Macrocyttidia* 166
cucumis var. *latifolia*, *Macrocyttidia* 166
cucumis var. *leucospora*, *Macrocyttidia* 166
culmicola, *Hohenbuehelia* 58
culmigena, *Laetisaria* 710
culmigena, *Typhula* 746
cumatile, *Phlegmacium* 493
cumelatum, *Hydnellum* 727
cuneatum, *Entoloma* 270
cuneatus, *Oxyporus* 612
cuneifolium, *Dermoloma* 143
cuniculicola, *Chionosphaera* 780
cuniculina, *Inocybe* 456
cuniculorum, *Entoloma* 271
cuniculorum, *Parasola* 319
cuprea, *Russula* 229
cupreobrunneus, *Agaricus* 311
cupressicola, *Agaricus* 311
cuprinus, *Paxillus* 563
cupulatoideus, *Arrhenia* 85
curcumina, *Inocybe* 448
curreyi, *Marasmius* 159
curtipes, *Russula* 226
curtispora, *Inocybe* 428
curtus, *Coprinellus* 324
curvicystidium, *Dermoloma* 145
curvipes, *Inocybe* 432

- curvispora*, *Kneiffiella* 651
cuspidiferum, *Entoloma* 272
cutefracta, *Russula* 211
cutefractus, *Pluteus* 297
cuticularis, *Inonotus* 604
cyanea, *Stropharia* 370
cyaneobasileucum, *Leccinum* 569
cyaneolilacinum, *Entoloma* 281
cyaneoviridescens, *Entoloma* 281
cyanescens, *Cyanosporus* 605
cyanescens, *Gyroporus* 571
cyanescens, *Psilocybe* 348
cyaneus, *Amaurodon* 665
cyanites, *Phlegmacium* 495
cyanophylla, *Chromosera* 94
cyanopus, *Conocybula* 400
cyanopus, *Pluteus* 302
cyanorrhiza, *Mycena* 121
cyanoxantha, *Russula* 212
cyanulum, *Entoloma* 287
cyathella, *Pulverulina* 89
cyathiformis, *Pseudoclitocybe* 80
cyathuliformis, *Lactarius* 240
cygnea, *Inocybe* 425
cygneus, *Leucocoprinus* 189
cylindracea, *Cyclocybe* 395
cylindrosporum, *Hebeloma* 476
cyphelliformis, *Hohenbuehelia* 63
cyprinus, *Cortinarius* 548
cystidiata, *Luellia* 707
cystidiata, *Vuilleminia* 686
cystidiatus, *Clitopilus* 246
cystidiophora, *Tulasnella* 797
- D**
daamsii, *Clitopilus* 247
daegae, *Entoloma* 278
danica, *Tulasnella* 796
danicum, *Botryobasidium* 686
danicum, *Hebeloma* 477
danicus, *Cortinarius* 519
dartmorica, *Endoperplexa* 805
dasybus, *Conobolbitina* 399
dasybus, *Mycena* 128
daulnobiae, *Phlegmacium* 495
davemallochii, *Cortinarius* 512
daweshanensis, *Peniophorella* 706
dealbata, *Clitocybe* 73
debilis, *Pterula* 761
decastes, *Lyophyllum* 155
decemgibbosa, *Inocybe* 436
deceptiva, *Volvarella* 295
decipiens, *Athelia* 709
decipiens, *Cortinarius* 544
decipiens, *Gymnopilus* 378
decipiens, *Lactarius* 241
decipiens, *Lycoperdon* 823
decipiens, *Russula* 229
decipientoides, *Cortinarius* 542
decolorans, *Russula* 221
decora, *Tricholomopsis* 137
decorosa, *Leucopholiota* 137
decorus, *Hymenogaster* 841
decurrens, *Phaeoclavulina* 753
decurrentior, *Hodophilus* 100
definitum, *Hyphoderma* 691
deflectens, *Phlebia* 700
deflexa, *Amanita* 199
deformans, *Insolibasidium* 800
deformis, *Nidularia* 813
degener, *Neolentinus* 59
deglubens, *Heteroradulum* 807
delectabilis, *Atheniella* 115
delectabilis, *Membranomyces* 680
deliberatum, *Lyophyllum* 152
delibutus, *Cortinarius* 490
delica, *Russula* 206
delicata, *Limacella* 193
delicata, *Protoacia* 803
delicatissimum, *Paulliacorticium* 687
delicatum, *Acanthobasidium* 673
deliciosus, *Lactarius* 233
deliquescent, *Coprinellus* 322
deliquescent, *Tulasnella* 797
demangei, *Bolbitius* 390
demetris, *Inocybe* 459
deminutum, *Basidioidendron* 806
deminutus, *Coprinellus* 335
demissa, *Omphalina* 88
dendroidea, *Lentaria* 762
denigratoides, *Cortinarius* 536
dennisii, *Sistotrema* 622
densa, *Phaeosolenia* 733
densifolia, *Lepista* 75
densifolia, *Russula* 208
densissima, *Russula* 208
dentatmarginata, *Pholiotina* 400
denudata, *Mycocalia* 813
depallens, *Russula* 228
depauperata var. *depauperata*, *Octaviania* 839
depauperata var. *laurarum*, *Octaviania* 839
depauperatus, *Agaricus* 311
depauperatus, *Pluteus* 299
depilatum, *Hemileccinum* 576
depluens, *Entoloma* 250
derbschii, *Inocybe* 464
dermoxanthum, *Lycoperdon* 822
desertorum, *Panaeolus* 829
deterimus, *Lactarius* 233
detonsus, *Cortinarius* 525
detriticus, *Xylodon* 704
devina, *Inocybe* 460
devoniensis, *Agaricus* 309
dextrinoidea, *Flagelloscypha* 737
diabolicorigens, *Cortinarius* 556
diadema, *Amphinema* 704
diademiferum, *Sistotrema* 713
dianae, *Pluteus* 299
diatreta, *Clitocybe* 76
dibaphus, *Calonarius* 499
dichroa, *Pseudobaeospora* 164
dichroum, *Entoloma* 291
dichrous, *Gloeoporus* 605
dicrani, *Psathyrella* 358
dietrichii, *Pluteus* 302
difforme, *Entoloma* 260
digitalis, *Cyphella* 734
digitula, *Inocybe* 433
dilectus, *Coprinellus* 323
dilepis, *Gymnopilus* 377
dilseae, *Mycaureola* 732
diminutiva, *Psathyrella* 353
dimitica, *Sebacina* 807
dimitica, *Trechispora* 678
diosma, *Clitocybe* 79
diosma, *Mycena* 122
diploschistina, *Tremella* 783
discicola, *Tremella* 788
disciforme, *Aleurocystidiellum* 641
disciformis, *Achroomyces* 800
discoideus, *Hygrophorus* 104
discomorbidum, *Hebeloma* 476
discorosea, *Arrhenia* 87
discoxanthus, *Hygrophorus* 104
discreta, *Galerina* 411
disjungendus, *Cortinarius* 555
dispersa, *Tubaria* 392
dispersum, *Hypholoma* 368
disseminatus, *Coprinellus* 324
dissimulans, *Meotomycetes* 376
dissitisporea, *Tulasnella* 796
distantifolia, *Inocybe* 460
dititomentosus, *Phellodon* 726
ditopus, *Clitocybe* 78
diverticulata, *Melanoleuca* 141
diverticulatus, *Pluteus* 301
dodonae, *Inosperma* 470
dolabratus, *Cortinarius* 554
dolomiticum, *Geastrum* 827
domesticus, *Coprinellus* 327
donkii, *Flagelloscypha* 738
dorsipora, *Protostropharia* 370
doverii, *Ephemerocybe* 323
drenthensis, *Inocybe* 429
dryadeus, *Pseudoinonotus* 603
dryadina, *Inocybe* 429
dryina, *Dendromyces* 685
dryina, *Helicogloea* 801
dryinum, *Crustoderma* 707
dryinus, *Pleurotus* 61
dryobalaustinus, *Cortinarius* 559
dryophila, *Amanita* 201
dryophila, *Inocutis* 603
dryophilus, *Gymnopilus* 171
dryoraphanoides, *Cortinarius* 523
dubius, *Protomerulius* 809
duemmeri, *Odontia* 647
dulcidulus, *Agaricus* 315
dulciolens, *Tricholoma* 139
dumetorum var. *dumetorum*, *Conocybe* 403

dumetorum var. *laricina*, *Conocybe* 403
dumetorum var. *phaeoleiospora*, *Conocybe* 403
dunensis, *Conocybe* 406
dunensis, *Inocybe* 437
dunensis, *Psathyrella* 351
dupainii, *Rubroboletus* 572
dura, *Agrocybe* 395
dura, *Bourdotigloea* 802
dura, *Mycena* 122
duracinus, *Cortinarius* 553
duriaeana, *Mycocalia* 813
duriusculum, *Leccinum* 568
dysthales, *Entoloma* 274
dysthaloides, *Entoloma* 274

E

eburneum, *Hebeloma* 480
eburneus, *Hygrophorus* 104
echinaceum, *Echinoderma* 181
echinata, *Conocybe* 401
echinatum, *Lycoperdon* 823
echinella, *Lepiota* 186
echinocystis, *Peniophorella* 650
echinospora, *Coprinopsis* 337
echinospora, *Hebeloma* 479
echinospora, *Tomentellopsis* 674
ectypa, *Desarmillaria* 154
ectypus, *Cortinarius* 552
edodes, *Lentinula* 137
edulis var. *pusteriensis*, *Boletus* 575
edulis, *Boletus* 571
edwinii, *Ramaria* 758
effibulata, *Psathyrella* 360
effibulata, *Szygospora* 789
effusa, *Colacogloea* 787
effusa, *Exidiopsis* 810
effuscatum, *Dichostereum* 672
effibulata, *Kneiffiella* 649
effibulatum, *Byssocorticium* 680
effibulatum, *Sistotrema* 708
egens, *Piloderma* 710
eichleri, *Cristinia* 644
eichleri, *Hypochnicium* 676
eichleriana, *Tulasnella* 797
elaphinicolor, *Cortinarius* 541
elastica, *Flammulina* 163
elatella, *Agrocybe* 395
elator, *Cortinarius* 491
elegans, *Arrhenia* 89
elegans, *Geastrum* 826
elegans, *Hirticlavula* 749
elegans, *Mutinus* 815
elegans, *Pholiota* 381
elegantior, *Calonarius* 503
elegantissimus, *Calonarius* 505
eleonora, *Cortinarius* 513
eliae, *Amanita* 195
eliae, *Phlegmacium* 496
ellipsospora, *Heteroacanthella* 781
ellipsosporum, *Botryobasidium* 695

ellipsosporum, *Hydnum* 724
ellipticospora, *Pseudobaeospora* 165
ellisianus, *Phellodon* 726
ellisii, *Thelephora* 672
elodes, *Entoloma* 256
elongata, *Trechispora* 673
elongatum, *Hypholoma* 369
elseae, *Lepiota* 186
eludens, *Ceraceomyces* 656
eludens, *Pluteus* 303
emberizanum, *Pseudosperma* 471
emetica, *Russula* 218
emeticolor, *Russula* 214
emollitoides, *Thaxterogaster* 488
emollitus, *Thaxterogaster* 489
emunctus, *Cortinarius* 490
encephala, *Naematelia* 794
enderlei, *Conocybe* 403
endosporogena, *Tremella* 781
eneficola, *Gymnopus* 170
engelii, *Hortiboletus* 579
enodulosa, *Endoperplexa* 805
enteluri, *Inocybe* 430
eosanguinea, *Ramaria* 757
eosinobasis, *Tricholoma* 148
ephebeus, *Pluteus* 298
ephemera, *Ephemerocybe* 326
ephemeroides, *Narcissea* 332
epibryus, *Crepidotus* 66
epichloe, *Hemimycena* 115
epichloe, *Coprinopsis* 338
epichysium, *Arrhenia* 87
epigaea, *Sebacina* 808
epiphylla, *Athelia* 717
epiphylloides, *Marasmius* 172
epiphyllus, *Marasmius* 172
epipterygia var. *epipterygioides*, *Mycena* 121
epipterygia, *Mycena* 121
epipurpurus, *Cortinarius* 550
episcopalis, *Coprinopsis* 329
epodius, *Marasmius* 171
epsomiensis, *Cortinarius* 523
equestre, *Tricholoma* 147
erebia, *Cyclocybe* 395
erebium, *Hebeloma* 478
erhardii, *Entoloma* 286
ericaeoides, *Hypholoma* 369
ericaeum, *Hypholoma* 369
ericaeum, *Lycoperdon* 824
ericetorum, *Inocybe* 434
erikssonii, *Corticium* 713
erikssonii, *Hypochnicium* 682
erikssonii, *Peniophora* 701
erikssonii, *Radulodon* 646
erinaceomorpha, *Inocybe* 453
erinaceus, *Herichium* 722
erinaceus, *Phaeomarasmius* 376
erminea, *Lepiota* 183
erubescens, *Hygrophorus* 104
erubescens, *Inosperma* 420

erubescens, *Mycena* 117
eruciformis, *Calathella* 736
eryngii, *Pleurotus* 61
erythrocephala, *Coprinopsis* 334
erythropus f. *pseudosulphureus*, *Neoboletus* 578
erythropus, *Gymnopus* 171
erythropus, *Neoboletus* 573
erythropus, *Typhula* 745
eschariodes, *Naucoria* 398
esculentus, *Strobilurus* 162
esettei, *Agaricus* 314
esteveraventosii, *Galerina* 413
estonica, *Guepinopsis* 772
eucaeruleum, *Phlegmacium* 499
euchroum, *Entoloma* 291
eucinerascens, *Thelephora* 670
eucoerulea, *Thelephora* 668
eulateritia, *Thelephora* 668
eumorpha, *Phaeoclavulina* 752
eupatorii, *Hapalopilus* 617
eurasiaticogalactina, *Baltazaria* 706
euroasiaticum, *Stereum* 641
europaeus, *Resupinatus* 62
euoperplexus, *Gliophorus* 93
euryospora, *Ephemerocybe* 325
eustygium, *Lyophyllum* 152
evadens, *Rhizopogon* 843
evanescens, *Serendipita* 804
evanidium, *Myxarium* 811
evernius, *Cortinarius* 547
evolvens, *Cylindrobasidium* 639
evosmus, *Lactarius* 237
exannulata, *Pholiotina* 400
excelsa, *Amanita* 197
excelsa, *Ceriporia* 618
excentricum, *Entoloma* 258
excipuliforme, *Lycoperdon* 822
excoriata, *Macrolepiota* 191
excoriatus, *Bolbitius* 390
exigua, *Helicogloea* 801
exigua, *Tremella* 794
exiguum, *Piloderma* 709
exiguus, *Hygrophorus* 105
exiguus, *Pluteus* 298
exile, *Brevicellicium* 716
exile, *Entoloma* 284
eximium, *Entoloma* 258
exitosus, *Cortinarius* 540
expallens, *Cortinarius* 537
expallens, *Crustomyces* 689
expallens, *Pseudoclitocybe* 80
excissa, *Melanoleuca* 141
exsularis, *Cortinarius* 559
eyrei, *Basidioidendron* 806
eyrei, *Melanophyllum* 180

F

fagetophila, *Psathyrella* 362
fagetorum, *Cortinarius* 529
fagetorum, *Mycena* 129

- fagetorum*, *Ramaria* 756
faginea, *Antrodiella* 611
faginea, *Flagelloscypha* 738
faginea, *Phleogena* 779
faginea, *Russula* 220
fagiphilus, *Gymnopus* 175
fagiscabrosum, *Hydnellum* 729
falcata, *Clavaria* 766
falcifera, *Tulasnella* 796
fallax, *Galerina* 411
fallax, *Lulesia* 248
fallax, *Piloderma* 709
farinacea, *Conocybe* 407
farinacea, *Galerina* 409
farinacea, *Trechispora* 649
farinaceum, *Saccosoma* 801
farinipes, *Russula* 209
farinosus, *Bulbillomyces* 703
fasciculare, *Hypholoma* 368
fasciculare, *Protohydnum* 803
fasciculata, *Merismodes* 735
fasciculatus, *Clitopilus* 247
fasciculatus, *Rectipilus* 732
fascinosum, *Pseudosperma* 472
fastidiosa, *Trechispora* 678
fatua, *Psathyrella* 365
faustiana, *Russula* 213
favrei, *Calocybe* 151
favrei, *Marasmius* 172
fechteri, *Butyriboletus* 576
felina, *Lepiota* 184
fellea, *Naucoria* 397
fellea, *Russula* 217
felleus, *Tylopilus* 571
femsjoeensis, *Noblesia* 656
fenestrata, *Gautieria* 840
fennae, *Flammulina* 162
fennica, *Colacogloea* 787
fennica, *Ramaria* 755
fennicum, *Hydnellum* 728
fennicus, *Dacrymyces* 773
fennicus, *Xerocomellus* 578
fennoscandica, *Arrhenia* 85
fennoscandica, *Psathyrella* 365
fennoscandicus, *Cortinarius* 491
fernandae, *Entoloma* 271
ferrea, *Fuscoporia* 596
ferruginascens, *Cantharellus* 47
ferruginea, *Cyphella* 736
ferruginea, *Odontia* 647
ferruginea, *Pachnocybe* 780
ferruginea, *Thelephora* 671
ferrugineifolius, *Cortinarius* 540
ferruginella, *Thelophora* 670
ferrugineovelatus, *Cortinarius* 520
ferrugineum, *Hydnellum* 727
ferrugineus, *Flammulaster* 394
ferrugineus, *Xerocomus* 577
ferruginosa, *Fuscoporia* 596
ferruginosus, *Asterodon* 647
festiva, *Phaeocollybia* 389
fibrillosa, *Mallocybe* 467
fibrillosa, *Oliveonia* 798
fibrillosa, *Psathyrella* 357
fibrillosa, *Tylospora* 672
fibrillosa, *Xenasmata* 676
fibrosa, *Odontia* 647
fibrosipes, *Lyophyllum* 167
fibrosoides, *Inocybe* 439
fibula, *Rickenella* 86
fibulata, *Athelia* 717
fibulatus, *Clitopaxillus* 78
filamentifer, *Coprinopsis* 338
filamentosa, *Rhodocollybia* 170
filamentosum, *Tricholoma* 150
filiana, *Inocybe* 461
filicina, *Nochascypha* 736
filicina, *Woldmaria* 732
filicinum, *Aphanobasidium* 696
filicinum, *Herpobasidium* 800
filipendula, *Merismodes* 736
filipes, *Pholiotina* 401
filopes, *Mycena* 131
fimbriata, *Phaeotremella* 794
fimbriata, *Skeletocutis* 622
fimbriatella, *Junghuhnia* 619
fimbriatum, *Dissoderma* 138
fimbriatum, *Etheiroidon* 648
fimbriatum, *Geastrum* 827
fimbriatum, *Porothelium* 733
fimbriatum, *Tulostoma* 828
fimataria, *Conocybe* 405
fimataria, *Psilocybe* 348
fimatarium, *Cystobasidium* 800
fimicola, *Entoloma* 250
fimicola, *Panaeolus* 345
fimiseda, *Psathyrella* 353
finlandica, *Flammulina* 163
firma, *Agrocybe* 396
firma, *Phlebia* 715
firmaula, *Russula* 227
fissilis, *Pappia* 605
fissuratula, *Inocybe* 446
fissuratus, *Agaricus* 313
fistulosa, *Macrotyphula* 760
flabelliformis, *Lentinellus* 59
flabellus, *Cortinarius* 529
flaccida, *Paralepista* 76
flaccida, *Phaeoclavulina* 753
flagellum, *Hericium* 722
flammans, *Pholiota* 378
flammula, *Tricholomopsis* 137
flava, *Lindtneria* 645
flava, *Mucronella* 750
flava, *Ramaria* 758
flavellum, *Pseudosperma* 473
flavescens, *Diplomitoporus* 612
flavescens, *Mycena* 131
flavescens, *Ramaria* 756
flavescens, *Ramariopsis* 767
flavidolilacinus, *Cortinarius* 508
flavidus, *Lactarius* 233
flavidus, *Suillus* 567
flavipes, *Clavaria* 763
flavipes, *Cuphophyllus* 101
flavipesoides, *Cuphophyllus* 101
flaviporus, *Xylodon* 624
flavispora, *Russula* 207
flavoalba, *Atheniella* 124
flavobrunnescens, *Ramaria* 758
flavoides, *Ramaria* 758
flavoimmaturus, *Clavariadelphus* 760
flavosalmonicolor, *Ramaria* 756
flavostellifera, *Clavaria* 763
flavovirens, *Calonarius* 503
flavovirens, *Polyozellus* 666
flavus, *Gymnopilus* 377
flexibilifolius, *Cortinarius* 544
flexipes, *Cortinarius* 528
flexispora, *Psathyrella* 358
flexuosum, *Geastrum* 834
flexuosus, *Lactarius* 238
floccipes, *Inocybe* 427
floccipes, *Pluteus* 302
floccipes, *Pseudohydropsus* 133
floccosa, *Kneiffella* 649
flocculosa, *Inocybe* 460
flocculosum, *Entoloma* 252
flocculosus, *Coprinellus* 327
floriforme, *Geastrum* 826
floriformis, *Spongiporus* 609
fluens, *Lactarius* 238
fluvialis, *Coprinopsis* 339
fluxilis, *Hohenbuehelia* 64
focale, *Tricholoma* 139
focicola, *Coltricia* 584
fodiens, *Rhodocollybia* 169
foenisecii, *Panaeolus* 345
foetens, *Clitocybe* 80
foetens, *Hodophilus* 99
foetens, *Russula* 210
foetidella, *Coprinopsis* 331
foetidus, *Gymnopus* 169
foliacea, *Phaeotremella* 793
folliculocystidiata, *Postia* 609
fomentarius, *Fomes* 595
font-queri, *Russula* 223
fontenae, *Melanoleuca* 141
forcipata, *Galzinia* 692
formosa, *Ramaria* 756
formosa, *Rhodocybe* 249
formosum, *Entoloma* 277
fornicatum, *Geastrum* 826
fornicatus s.l., *Cuphophyllus* 102
forquignonii, *Lepiota* 183
fracidus, *Chamaemyces* 193
fragilis var. *gilva*, *Russula* 217
fragilis, *Calvatia* 821
fragilis, *Clavaria* 766
fragilis, *Dentipellis* 647

- fragilis*, *Fuscopostia* 608
fragilis, *Russula* 218
fragrans, *Clitocybe* 72
fragrans, *Lanmaoa* 578
fragrans, *Psathyrella* 361
fragrantior, *Cortinarius* 530
fragrantissima, *Russula* 209
fragrantissimus, *Cortinarius* 529
franchetii, *Amanita* 197
fraterna, *Laccaria* 160
fraudans, *Inocybe* 422
fraxinea, *Perenniporia* 594
fraxinicola, *Episphaeria* 733
fraxinophila var. *fraxinophila*,
Xeromphalina 120
fraxinophila var. *macrocytidiata*,
Xeromphalina 120
freirei, *Agaricus* 312
freyae, *Inocybe* 455
friabilis, *Amanita* 200
fridolfingense, *Entoloma* 251
friesianus, *Agaricus* 315
friesii, *Cantharellus* 46
friesii, *Coprinopsis* 339
friesii, *Melanoleuca* 141
frieslandica, *Pseudobaespora* 165
frilulana, *Thelephora* 631
frondosa, *Grifola* 589
frondosa, *Phaeotremella* 794
frondosae, *Tricholoma* 147
frondosoniger, *Phellodon* 725
frondosum, *Piloderma* 709
frustulatus, *Xylobolus* 641
fucatum, *Tricholoma* 147
fuciformis, *Laetisaria* 710
fugacissimum, *Myxarium* 811
fugasissima, *Microsebacina* 804
fulgens, *Gymnopilus* 377
fulgens, *Hygrocybe* 95
fulgens, *Pycnoporellus* 602
fuliginea, *Thelephora* 670
fuligineoalbus, *Phellodon* 725
fuligineoatra, *Inocybe* 438
fuligineosquarrosa, *Macrolepiota* 191
fuligineoviolaceum, *Hydnellum* 728
fuliginosa, *Hymenochaete* 664
fuliginosa, *Macrolepiota* 191
fuliginosus, *Lactarius* 235
fulmineus, *Chroogomphus* 373
fulva, *Amanita* 200
fulvellum, *Tulostoma* 828
fulvescens, *Cortinarius* 517
fulvescentoides, *Cortinarius* 517
fulvisimus, *Lactarius* 241
fulvocitrinus, *Calonarius* 508
fulvograminea, *Russula* 223
fulvodes, *Amanita* 203
fulvodes, *Cortinarius* 517
fulvopaludosus, *Cortinarius* 543
fulvum, *Inosperma* 470
fulvum, *Tricholoma* 153
fulvanellii, *Rhodocybe* 248
fumidiceps, *Tyromyces* 609
fumigata, *Ramaria* 755
fumosa, *Bjerkandera* 611
fumosa, *Clavaria* 765
fumosifolia, *Cystolepiota* 182
fumosodistans, *Cortinarius* 557
fumosum, *Lyophyllum* 155
fungicola, *Exidiopsis* 790
furcata, *Calocera* 769
furcata, *Luellia* 696
furfuracea, *Boidinia* 674
furfuracea, *Globaria* 820
furfuracea, *Skvortzovia* 704
furfuracea, *Tubaria* 392
furfurea, *Inocybe* 456
furius, *Cortinarius* 558
furnacea, *Catatrama* 193
fusca, *Psathyrella* 362
fuscescens, *Cortinarius* 543
fuscescens, *Cuphophyllus* 101
fuscescentipes, *Inocybe* 458
fuscimarginata, *Conocybe* 402
fuscoalbus, *Cortinarius* 541
fuscoatra, *Mycoacia* 646
fuscobrunneum, *Dermoloma* 143
fuscocinerea, *Thelephora* 668
fuscocystidiata, *Ephemerocybe* 325
fuscodiscus, *Cortinarius* 541
fuscodiscus, *Pluteus* 297
fuscoflexipes, *Cortinarius* 544
fuscifulva, *Psilocybe* 347
fuscomarginata, *Mallocybe* 466
fuscopurpureus, *Gymnopus* 174
fuscoroseus, *Butyriboletus* 576
fuscorubroides, *Russula* 218
fuscosquamula, *Clitocybe* 79
fuscostratus, *Leptosporomyces* 716
fuscotomentosum, *Entoloma* 257
fuscoumbrianus, *Cortinarius* 543
fuscovinacea, *Lepiota* 184
fuscoviolacea, *Tulasnella* 797
fuscoviolaceus, *Hirschioporus* 604
fusiformis, *Clavulinopsis* 763
fusipes, *Dermoloma* 143
fusipes, *Gymnopus* 169
fusispora, *Coniophora* 679
fusispora, *Coprinopsis* 335
fusispora, *Flagelloscypha* 738
fusispora, *Rhizoctonia* 799
fusisporum, *Hebeloma* 475
fusisporum, *Merulicium* 654
fusisporum, *Repetobasidiellum* 688
fusisporus, *Cortinarius* 527

G
gaiana, *Inocybe* 429
galactites, *Rhizochaete* 701
galericulata, *Mycena* 128
galerinicola, *Dissoderma* 138
galerinoides, *Cortinarius* 527
gallaeciae, *Psilocybe* 347
gallica, *Funalia* 613
gallica, *Vararia* 693
gallurae, *Cortinarius* 544
galochroa, *Russula* 212
galopus var. *candida*, *Mycena* 117
galopus var. *galopus*, *Mycena* 117
galopus var. *nigra*, *Mycena* 117
galzinii, *Leptosporomyces* 716
galzinii, *Protohydnum* 808
galzinii, *Thelephora* 669
gambosa, *Calocybe* 148
gandalfiana, *Inocybe* 434
gangraenosa, *Calocybe* 152
garajonayensis, *Hygrocybe* 97
gaspicum, *Aphanobasidium* 697
gastrosporoides, *Sclerogaster* 838
gausapatum, *Stereum* 639
geesterani, *Allopsalliota* 306
geesterani, *Coprinopsis* 335
gelatinosum, *Pseudohydnum* 792
gemellatus, *Agaricus* 313
gemellipara, *Zygogloea* 785
gemellum, *Phanericium* 715
gemina, *Rhodocybe* 248
geminatum, *Hebeloma* 480
gemma, *Amanita* 195
gemmiferum, *Coronicium* 697
geniculatus, *Cortinarius* 561
gennadii, *Agaricus* 307
gentianus, *Leucopaxillus* 75
gentilis, *Aureoboletus* 574
gentilissimus, *Cortinarius* 526
geogenium, *Hydnellum* 726
geogenium, *Neohypochnicium* 706
geophylla, *Inocybe* 425
georgica, *Skvortzovia* 692
georginae, *Leucoagaricus* 188
geotropa, *Infundibulicybe* 73
geraniolens, *Cortinarius* 528
geraniolens, *Naucoria* 397
gerardiana, *Arrhenia* 86
gerardii, *Mycogloioicolas* 786
geriae, *Entoloma* 261
ghibbiliana, *Inocybe* 452
giacomii, *Inocybe* 432
gibba, *Infundibulicybe* 77
gibberosa, *Sagaranelia* 166
gibbosa, *Calyptella* 735
gibbosa, *Trametes* 612
gigantea, *Langermannia* 820
gigantea, *Phlebiopsis* 701
giganteus, *Aspropaxillus* 73
giganteus, *Meripilus* 589
gigasperma, *Conocybe* 401
gilva, *Paralepista* 76
gilvescens, *Mycoacia* 617
giraffa, *Tremella* 788

- glabrellus*, *Cortinarius* 555
glabrescens, *Inocybe* 457
glabripes, *Inocybe* 459
glabrodisca, *Inocybe* 434
glaira, *Ofella* 811
glandicolor, *Cortinarius* 552
glandulosa, *Exidia* 793
glandulosae, *Heteromycophaga* 793
glaphurus, *Cortinarius* 548
glareosa, *Infundibulicybe* 77
glareosa, *Lacrymaria* 345
glauca, *Arrhenia* 58
glaucescens, *Calonarius* 505
glaucescens, *Lactifluus* 239
glaucina, *Athelopsis* 716
glaucobasis, *Entoloma* 286
glaucozana, *Lepista* 142
glaucoccephala, *Volvariella* 294
glaucopus, *Hydnellum* 729
glaucum, *Basidioidendron* 806
glebulosus, *Tubulicrinis* 690
gliocyclus, *Hygrophorus* 106
glioderma, *Limacella* 193
glutinosus, *Russula* 229
globispora, *Tremella* 794
globosa, *Flagelloscypha* 739
globosivelata, *Psathyrella* 352
globuliferum, *Entoloma* 269
globulina, *Inocybe* 433
gloeophora, *Exidiopsis* 805
gloiocephalus, *Volvopluteus* 293
glossoides, *Calocera* 769
glutinifer, *Hygrophorus* 105
glutinipes var. *rubra*, *Hygrocybe* 93
glutinipes, *Hygrocybe* 93
glutinosus, *Gomphidius* 373
glyciosmus, *Lactarius* 239
godeyi, *Inocybe* 421
goldbachii, *Cellypha* 735
goniopusio, *Inocybe* 434
gonophylla, *Coprinopsis* 338
gordonii, *Psathyrella* 355
gossypina, *Fibrodontia* 651
gossypina, *Typhrasa* 355
gossypium, *Fibroporia* 627
goudensis, *Coprinopsis* 338
gracile, *Pterulicium* 749
gracilior, *Phlegmacium* 509
gracilipes, *Hydnellum* 727
gracilis, *Flammulaster* 393
gracilis, *Hemimycena* 116
gracilis, *Ramaria* 752
gracillima, *Inocybe* 428
gracillima, *Russula* 219
graminea, *Galerina* 413
graminicola, *Helicogloea* 801
graminicola, *Volvariella* 295
graminis, *Conocybe* 406
grammata, *Inocybe* 437
grammatoides, *Inocybe* 436
grammopodia, *Melanoleuca* 141
granadensis, *Melanoleuca* 140
grandipes, *Ramaria* 757
grandisporum, *Tulostoma* 827
grangei, *Lepiota* 183
granulatus, *Pluteus* 299
granulatus, *Suillus* 566
granuliferum, *Sertulicium* 713
granulosa, *Cystoderma* 177
granulosum, *Geastrum* 827
granulosus, *Flammulaster* 394
grata, *Russula* 209
graveolens, *Bovista* 821
graveolens, *Gautieria* 839
graveolens, *Russula* 220
greletii, *Clavaria* 765
grillei, *Suillus* 567
grillei, *Myxarium* 808
grisea, *Boletopsis* 584
grisea, *Bourdotigloea* 802
grisea, *Exidiopsis* 810
grisea, *Hohenbuehelia* 64
grisea, *Russula* 213
griseum, *Amylokenasma* 687
griseobasale, *Dermoloma* 145
griseocana, *Dendrothele* 710
griseocarneus, *Cortinarius* 536
griseocyanum, *Entoloma* 282
griseoflavescens, *Antrodia* 707
griseofulva, *Amanita* 202
griseoililacina, *Inocybe* 429
griseoluridum, *Entoloma* 261
griseonigrescens, *Tephroclybell* 173
griseopallida, *Arrhenia* 89
griseopallidus, *Resupinatus* 734
griseopergamaceus, *Polyozellus* 666
griseopruinum, *Hebeloma* 477
griseorubella, *Tulasnella* 796
griseorubidum, *Entoloma* 252
griseoumbra, *Thelephora* 670
griseovelata, *Inocybe* 463
griseoviolascens, *Ceriporia* 618
griseovirens, *Lepiota* 183
griseus, *Hymenogaster* 841
groenlandica, *Amanita* 202
groningae, *Basidioidendron* 806
grossula, *Chrysomphalina* 87
guldeniae, *Harmajaea* 78
gummosa, *Pholiota* 379
guttata, *Limacellopsis* 193
guttulata, *Calciopsis* 608
guttulatus, *Panaeolus* 345
guttulifera, *Peniophorella* 685
gypsa, *Ramaria* 758
gypsella, *Hemimycena* 115
gyrans, *Typhula* 748
hadriani, *Phallus* 815
hadrocroceus, *Cortinarius* 513
haedinum, *Cheimonophyllum* 60
haemacta, *Inocybe* 420
haematopus, *Mycena* 117
haematospermum, *Melanophyllum* 180
hafellneri, *Biatoropsis* 782
haglundii, *Conocybe* 402
halophila, *Stropharia* 371
hamadryadis, *Inocybe* 460
harcynicus, *Cortinarius* 545
hariolorum, *Gymnopus* 169
hartigii, *Fomitiporia* 596
hastata, *Hastodontia* 704
hauerslevii, *Hyphodontiella* 697
hauerslevii, *Sistotremella* 700
hauerslevii, *Vararia* 693
hausknechtii, *Resupinatus* 62
haustellaris, *Simocybe* 391
heatherae, *Cortinarius* 560
hebelomoides, *Calocybe* 155
hebes, *Entoloma* 271
hedrychii, *Hygrophorus* 103
heidelbergensis, *Inocybe* 446
heimansii, *Galerina* 415
heimii, *Mallochybe* 466
helianthemii, *Inocybe* 462
helicospora, *Tulasnella* 796
hellebosensis, *Psathyrella* 365
helobia, *Hygrocybe* 94
helobia, *Inocybe* 444
helodes, *Hebeloma* 481
helodes, *Russula* 227
helvelloides, *Cortinarius* 525
helvelloides, *Helvellosebacina* 807
helvelloides, *Tremiscus* 792
helvetica, *Cristinia* 715
helvetica, *Tremellodendropsis* 791
helveticus, *Chroogomphus* 373
helveticus, *Clavariadelphus* 760
helvola, *Clavulinopsis* 763
helvus, *Lactarius* 232
hemidichophyticum, *Scytinostroma* 680
hemitrichus, *Cortinarius* 537
henningsii, *Pholiota* 379
henricii, *Achroomyces* 785
henricii, *Entoloma* 268
hepatia, *Fistulina* 585
hepatica, *Omphalina* 88
hepaticus, *Lactarius* 240
heptemerus, *Coprinellus* 323
herbarum, *Lentinellus* 59
hercules, *Parasola* 320
herculis, *Amanita* 202
herinkii, *Coprinopsis* 339
herpeticus, *Thaxterogaster* 506
hessei, *Hymenogaster* 841
heteroclita, *Hemipholiota* 379
heterodepressus, *Cortinarius* 541
heterogenea, *Scytinostromella* 677

H

- haasii*, *Ditola* 770
habros, *Cortinarius* 561

- heteromorpha*, *Antrodia* 610
heteronemum, *Sistotrema* 688
heterophylla, *Russula* 210
heterosemen, *Inocybe* 447
heterosetulosa, *Ephemerocybe* 325
heterosporus, *Cortinarius* 536
heterothrix, *Ephemerocybe* 324
hetieri, *Cystolepiota* 182
hexagonospora, *Conocybe* 406
hiascens, *Ephemerocybe* 323
hibernica, *Cystidiopostia* 622
hiemale, *Globulicium* 681
hiemale, *Hebeloma* 479
hiemalis, *Phloeomana* 129
highlandensis, *Pholiota* 381
hillieri, *Cortinarius* 561
himantia, *Hydnocristella* 647
himantioides, *Serpula* 655
hinnuleoarmillatus, *Cortinarius* 525
hinnuleus, *Cortinarius* 551
hippophaeicola, *Fomitiporia* 597
hircinosmus, *Cortinarius* 547
hirneola, *Clitopilopsis* 249
hirsuta, *Trametes* 613
hirsutum, *Stereum* 641
hirta, *Psathyrella* 353
hirtella, *Inocybe* 445
hirtelloides, *Inocybe* 447
hirtipes, *Entoloma* 270
hirtipes, *Ramariopsis* 767
hirtosquamulosus, *Cystoagaricus* 350
hirtum, *Entoloma* 275
hirtus, *Cortinarius* 542
hirtus, *Jahnporus* 584
hispanicum, *Sistotrema* 688
hispanicus, *Cortinarius* 536
hispidulum, *Entoloma* 289
hispidulus var. *cephalocystis*, *Pluteus* 298
hispidulus var. *hispidulus*, *Pluteus* 298
hispidus, *Inonotus* 604
hobsonii, *Clitopilus* 247
hollandii, *Typhula* 748
holmussdalenense, *Entoloma* 284
hololanigera, *Psathyrella* 356
holopus, *Leccinum* 569
holoxanthus, *Cortinarius* 514
hongoi, *Pluteus* 296
horizontalis, *Deconica* 347
hornana var. *hornana*, *Conocybe* 403
hornana var. *subcylindrospora*, *Conocybe* 403
homemannii, *Stropharia* 371
houghtonii, *Leucocybe* 75
huartii, *Dermoloma* 143
hudsoniana, *Lichenomphalia* 84
hudsonii, *Marasmius* 168
huijsmanii, *Agaricus* 314
huijsmanii, *Amanita* 198
huijsmanii, *Entoloma* 268
huijsmanii, *Inocybe* 450
humicola, *Cortinarius* 522
humicola, *Polyozellus* 665
humicola, *Thelephora* 670
humifaciens, *Scytinostromella* 677
humile, *Piloderma* 709
humilis, *Ceriporia* 626
humilis, *Inocybe* 441
humilis, *Melanoleuca* 141
humillimus, *Marasmiellus* 173
humolens, *Calonarius* 503
huronensis, *Cortinarius* 513
hyacinthinus, *Hygrophorus* 105
hyalina, *Antrodia* 627
hyalina, *Tulasnella* 795
hyalinum, *Myxarium* 810
hyalothrix, *Disciseda* 820
hybrida, *Galerina* 410
hybridus, *Gymnopus* 171
hydnoidea, *Lindtneria* 645
hydrophila, *Russula* 218
hygrocybe, *Polyporus* 587
hygrometricus, *Astraeus* 825
hygrophana, *Inocybe* 427
hygrophorus, *Dermoloma* 144
hygrophorus, *Pseudosperma* 473
hymenocystis, *Trechispora* 623
hymenoderma, *Lepiota* 185
hyperborea, *Typhula* 746
hyperboria, *Stypelopsis* 808
hypnophilum, *Erythrimum* 710
hynorum, *Galerina* 411
hypocenomycis, *Tremella* 783
hypogymniae, *Tremella* 784
hypogymnicola, *Cyphobasidium* 784
hypopithys, *Volvariella* 295
hypothejus var. *aurea*, *Hygrophorus* 104
hypothejus, *Hygrophorus* 106
hysginoides, *Lactarius* 237
hysginus, *Lactarius* 237
hysterangioides, *Sclerogaster* 838
hystrix, *Echinoderma* 180
hystrix, *Inocybe* 453

I
ianthinopes, *Inocybe* 427
ibericum, *Hydnum* 723
ichnusana, *Anthrodiella* 625
icterina, *Cystolepiota* 182
idae, *Coprinopsis* 332
ignarius, *Phellinus* 597
ignicolor, *Lepiota* 185
ignicolor, *Ramaria* 756
ignivolvata, *Lepiota* 186
ignobilis var. *ignobilis*, *Hemimycena* 113
ignobilis var. *liliputeana*, *Hemimycena* 113
illibatus, *Cortinarius* 490
illinita, *Zhuliangomyces* 193
illota, *Russula* 209
illudens, *Hydnellum* 729
illudens, *Omphalotus* 74
imbricatus, *Tricholoma* 155
imbricatus, *Sarcodon* 728
imbutus, *Cortinarius* 548
impatiens, *Ephemerocybe* 326
imperialis, *Catathelasma* 74
impexa, *Inocybe* 444
impexa, *Psathyrella* 358
impolita, *Russula* 225
impolitum, *Hemileccinum* 576
impolitus, *Cortinarius* 529
impudicus var. *impudicus*, *Phallus* 815
impudicus var. *pseudoduplicatus*, *Phallus* 815
impudicus, *Agaricus* 311
impudicus, *Gymnopus* 169
inaequalis, *Spiculogloea* 786
inamoenum, *Tricholoma* 149
incanosquamulosum, *Entoloma* 271
incanum, *Entoloma* 276
incarnata s.l., *Clavaria* 764
incarnata, *Clavulina* 759
incarnata, *Conocybe* 405
incarnata, *Inocybe* 422
incarnata, *Peniophora* 684
incarnata, *Typhula* 745
incarnatae, *Obvidator* 787
incarnatofuscescens, *Entoloma* 251
incarnatum, *Hebeloma* 479
incisa, *Trechispora* 678
incisor, *Cortinarius* 538
inclinata, *Mycena* 123
inclusa, *Serendipita* 789
incognitum, *Entoloma* 273
inconspicuus, *Cortinarius* 520
incrusters, *Mycobernardia* 688
incrusters, *Sebacina* 807
incrusteratum, *Hyphoderma* 703
incrusteratus, *Lyomyces* 681
indecorata, *Tremella* 795
indikon, *Entoloma* 282
indistinctus, *Agaricus* 314
indutoides, *Entoloma* 252
iners, *Cortinarius* 556
inflatum, *Hysterangium* 836
inflatus, *Pluteus* 297
infractus, *Cortinarius* 492
infula, *Entoloma* 273
ingrata, *Neohygrocycbe* 102
ingratum, *Hebeloma* 480
innocua, *Russula* 213
inocybeoides, *Conocybe* 404
inocybeoides, *Tricholoma* 150
inodora, *Inocybe* 442
inodorus, *Gymnopus* 175
inolens, *Myochromella* 174
inopiliforme, *Entoloma* 260
inopinata, *Saproamanita* 197
inornata, *Atractosporocybe* 74
inornatus, *Tubulicrinis* 702
inquilina, *Deconica* 349
insidiosus, *Pluteus* 301
insignibulbus, *Calonarius* 500

insignis, *Coprinopsis* 329
insignis, *Russula* 209
insignitum, *Stereum* 641
insipida, *Hygrocybe* 97
integra, *Russula* 222
integrella, *Delicatula* 112
intempestivus, *Cortinarius* 535
intermedia, *Amanita* 196
intermedia, *Hygrocybe* 94
intermedia, *Russula* 228
intermedium, *Dermoloma* 144
intermedius, *Lactarius* 234
intermedius, *Melanogaster* 842
interna, *Serendipita* 789
internus, *Occultifur* 785
interrogans, *Tulasnella* 795
intertextum, *Botryobasidium* 695
intimorosea, *Ramaria* 755
intrusa, *Conocybe* 402
inuncta, *Stropharia* 371
inusiaturum, *Entoloma* 261
inutile, *Entoloma* 265
invasa, *Tremella* 788
investiens, *Vararia* 693
invisibilis, *Serendipita* 804
invisitata, *Trechispora* 677
involuta, *Inocybe* 464
involutus, *Paxillus* 563
inzengae, *Fomes* 595
iocularis, *Coprinopsis* 332
iocularis, *Elaphocephala* 692
iodiolens, *Entoloma* 252
iodosmus, *Agaricus* 312
ioeides, *Hydnellum* 728
ionides, *Calocybe* 153
ionidicolor, *Leucoagaricus* 187
ionochlora, *Inocybe* 427
ionochlora, *Russula* 212
ionodactylus, *Cortinarius* 502
ionolepis, *Inocybe* 426
iowensis, *Sphaerobolus* 813
irina, *Lepista* 142
iris, *Clavulina* 759
irrigatus, *Gliophorus* 93
isabellinum, *Botryobasidium* 673
isborscanum, *Entoloma* 286
ischnostylum, *Hebeloma* 475
ishikariensis, *Typhula* 746
islandica, *Protostropharia* 370
ismeneanum, *Inosperma* 470
italica, *Caldesiella* 647

J

jaapii, *Galerina* 413
jaapii, *Hymenochaete* 664
jacobi, *Agaricus* 315
jacobi, *Echinoderma* 181
jacobi, *Inocybe* 436
jacobssonii, *Inocybe* 450
jacobssonii, *Psathyrella* 357

jahnii, *Entoloma* 250
jahnii, *Pholiota* 379
jasonis var. *jasonis*, *Cystoderma* 177
jasonis var. *illicipes*, *Cystoderma* 177
jasonis var. *niveum*, *Cystoderma* 177
jasonis var. *saarenoksa*, *Cystoderma* 177
javorkae, *Inocybe* 437
jennyae, *Entoloma* 254
jennyae, *Phaeocollybia* 389
joachimii, *Tricholoma* 147
johannis-stanglii, *Inocybe* 439
jonesii, *Coprinopsis* 335
jonimitchelliae, *Cortinarius* 524
josserandii, *Dermoloma* 145
josserandii, *Hohenbuehelia* 63
jozefii, *Helicogloea* 801
jubatum, *Entoloma* 256
jubilaei, *Leucoagaricus* 187
jucunda, *Inocybe* 458
julius, *Agaricus* 313
juncea, *Macrotrophula* 760
juncicola, *Hemimycena* 121
juncicola, *Mycena* 121
juncorum, *Arrhenia* 58
juniana var. *juniana*, *Conocybe* 405
juniana var. *sordescens*, *Conocybe* 405
juniana var. *subsejuncta*, *Conocybe* 405
juniperi, *Lyomyces* 704
junipericola, *Peniophora* 685
juniperina, *Mycena* 126
juniperinum, *Entoloma* 264
jussii, *Hydnum* 724
juturnae, *Inocybe* 450

K

kalchbrenneri, *Pseudoomphalina* 76
kamkeae, *Hemimycena* 124
kamtschatica, *Anomoporia* 625
karstenii, *Dacryobolus* 689
karstenii, *Hygrophorus* 103
karstenii, *Ramaria* 755
karstenii, *Tremella* 789
kauffmanianus, *Cortinarius* 546
kauffmannii, *Psathyrella* 363
kavinae, *Flagelloscypha* 738
kavinae, *Resupinatus* 62
kavinoides, *Trechispora* 648
kavynse, *Gloeocystidiellum* 677
kerriganii, *Agaricus* 315
keselakii, *Pluteus* 302
kitsiana, *Psathyrella* 356
kluzakii, *Caloboletus* 574
kmetii, *Heteroradulum* 807
kmetii, *Tyromyces* 608
knautiana, *Inocybe* 427
koldingensis, *Cortinarius* 503
kongoensis, *Tulasnella* 797
konradianum, *Lyophyllum* 152
konradii, *Hygrocybe* 95
korhonenii, *Entoloma* 253

korhonenii, *Hygrophorus* 106
kotlabae, *Tulostoma* 828
kriegsteineri, *Coprinopsis* 336
kriegsteineri, *Inocybe* 440
kriegsteineri, *Ramaria* 757
kriegsteineri, *Ripartites* 392
kristiansenii, *Entoloma* 270
kubickae, *Coprinopsis* 339
kubickae, *Crepidotus* 67
kuehneri, *Dactylosporina* 163
kuehneri, *Parasola* 319
kuehneri, *Skeletocutis* 622
kunzei, *Ramariopsis* 767
kuthanii, *Inosperma* 470
kuzyana, *Fomitopsis* 610

L

laanii, *Coprinopsis* 331
laccata var. *pallidifolia*, *Laccaria* 161
laccata, *Laccaria* 160
laccata, *Russula* 217
lacera, *Inocybe* 444
lacera, *Junghuhnia* 619
lacerata, *Clitocybula* 136
laceratum, *Amylocorticium* 687
lachneoides, *Flagelloscypha* 738
lachnopus, *Ossicaulis* 72
lacmus, *Cuphophyllum* 101
lacrymabunda, *Lacrymaria* 345
lacrymalis, *Dacrymyces* 772
lacrymans, *Serpula* 655
lactea, *Hemimycena* 114
lactea, *Parasola* 320
lactea, *Postia* 609
lactescens, *Gloiothle* 698
lacteus, *Bolbitius* 390
lacteus, *Gyroporus* 571
lacteus, *Hygroaster* 74
lacteus, *Irpex* 646
lactobrunnescens, *Ramaria* 758
lacunarum, *Inocybe* 440
lacunarum, *Lactarius* 241
lacustris, *Cortinarius* 525
lacustris, *Galerina* 414
laeta, *Peniophora* 684
laeta, *Russula* 225
laeticolor, *Clavulinopsis* 764
laeticolor, *Hypholoma* 369
laetissimus, *Leratiomyces* 369
laetitiae, *Hebeloma* 480
laetum, *Erythricium* 710
laetus, *Cortinarius* 526
laetus, *Gliophorus* 93
laeve, *Botryobasidium* 708
laevigata, *Simocybe* 391
laevigatum, *Amylostereum* 699
laevigatus, *Phellinus* 596
laevis, *Muscinaupta* 630
laevis, *Phanerochaete* 701
laevis, *Trechispora* 673

- laevisima*, *Psathyrella* 361
lageniforme, *Geastrum* 827
lagerheimii, *Helicogloea* 801
lagopus var. *vascillans*, *Coprinopsis* 336
lagopus, *Coprinopsis* 336
laguncularis, *Pseudobaespora* 164
lambinonii, *Lycoperdon* 824
lamellata, *Chromocyphella* 65
lamoureae 534, *Cortinarius* 542
lampetiana, *Inocybe* 429
lamprolithum, *Piloderma* 709
lampropus, *Entoloma* 290
lanatum, *Piloderma* 710
lanea, *Bourdotigloea* 802
langei, *Agaricus* 307
langei, *Inocybe* 447
langeorum, *Calonarius* 508
lanicum, *Entoloma* 253
laniger, *Cortinarius* 552
lanipes, *Agaricus* 309
lanuginosa, *Inocybe* 432
lapida, *Thelephora* 670
lapponica, *Russula* 220
lapponicus, *Amylocystis* 608
larga, *Kauffmania* 364
lagentii, *Ramaria* 757
largum, *Phlegmacium* 496
larskersii, *Alpova* 835
larssonii, *Lepidomyces* 701
laschii, *Typhula* 748
lascivum, *Tricholoma* 149
lasiosperma, *Mycenella* 132
lasiosphaeriae, *Kriegelsteineria* 788
latemarginatus, *Ipex* 624
lateralis, *Hohenbuehelia* 60
laterinum, *Hebeloma* 477
lateritium, *Hypholoma* 368
latifolia, *Mallocybe* 467
latifolia, *Mycena* 125
latispora, *Mallocybe* 467
latitabundus, *Hygrophorus* 106
latitans, *Chaetoporellus* 621
laurina, *Inocybe* 461
laurisilvae, *Entoloma* 267
lautum, *Subulicium* 680
laxum, *Asterostroma* 680
lazulinum, *Entoloma* 288
lecanicola, *Cyphobasidium* 781
lecidellae, *Crittendenia* 780
legaliae, *Rubroboletus* 574
legonii, *Myxarium* 803
leightonii, *Hohenbuehelia* 63
leiocastaneus, *Cortinarius* 538
leiocephala, *Inocybe* 457
lembospora, *Athelopsis* 688
lenis, *Sidera* 621
lenta, *Pholiota* 380
leochroma, *Inocybe* 449
leoninus, *Pluteus* 297
leonis, *Lactarius* 234
lepida s.l., *Hygrocybe* 95
lepida, *Russula* 215
lepideus, *Neolentinus* 59
lepidissimum, *Entoloma* 290
lepidotoides, *Cystoagaricus* 350
lepidum, *Hydnellum* 729
leptotoides, *Pluteus* 298
leporinus, *Pelloporus* 603
leproleptopus, *Cortinarius* 515
leptocephala, *Mycena* 130
leptocystis, *Inocybe* 454
leptophylla, *Atheniella* 123
leptophylla, *Inocybe* 431
leptopus, *Entoloma* 271
leucanthanum, *Inocybe* 425
leucoborealis, *Pluteus* 296
leucobryophila, *Lindtneria* 677
leucodiatreta, *Clitocybe* 76
leucoluteolus, *Thaxterogaster* 488
leucomallella, *Fuscopostia* 608
leucomelaena, *Boletopsis* 585
leucophaea, *Eichleriella* 807
leucophanes, *Thaxterogaster* 493
leucopus, *Sarcodon* 728
leucosarx, *Hebeloma* 479
leucotephros, *Candolleomyces* 354
leucothites var. *carneifolius*, *Leucoagaricus* 188
leucothites var. *leucothites*, *Leucoagaricus* 188
leucoxantha, *Antridiella* 611
leucoxanthum, *Megalocystidium* 686
levisticolens, *Coprinus* 318
libertiana, *Flagelloscypha* 737
lichenicola, *Crittendenia* 780
lichenicola, *Laetisaria* 694
lichenicola, *Penttilamyces* 714
lichenicola, *Tremella* 781
lignatilis, *Ossicaulis* 72
lignicola, *Buchwaldoboletus* 571
lignicola, *Cortinarius* 513
lignicola, *Kuehneromyces* 376
lignyotus, *Lactarius* 235
ligula, *Clavariadelphus* 760
liacea, *Lepiota* 185
liacea, *Russula* 214
liacina, *Chromosera* 94
liacina, *Skeletocutis* 604
ilacinicolor, *Omphalina* 88
ilacinogrisea, *Thelephora* 671
ilacinomaculata, *Inocybe* 426
ilacinoroseum, *Entoloma* 264
ilacinovelatus, *Calonarius* 501
ilacinus, *Lactarius* 239
ilascens, *Phlebia* 715
ilatincta, *Parasola* 320
lilliputana, *Psathyrella* 362
lilliputianus, *Cortinarius* 536
limbatum, *Hebeloma* 480
limitata, *Peniophora* 685
limonella, *Pholiota* 379
limonispora, *Spiculogloea* 786
limonius, *Aureonarius* 516
limosus, *Marasmius* 159
limulatus var. *limulatus*, *Flammulaster* 393
limulatus var. *lituus*, *Flammulaster* 394
lindbladii, *Cinereomyces* 622
lindrothii, *Inocybe* 448
lindstroemii, *Cortinarius* 529
lindtneri, *Hygrophorus* 105
lindtneri, *Meruliella* 656
liniformans, *Psilocybe* 347
linkii, *Entoloma* 278
lipoferus, *Cerinomyces* 771
litoralis, *Agaricus* 309
litschaueri, *Steccherinum* 648
livescens, *Phanerochaete* 701
livida, *Mycocacia* 691
livido-ochraceus, *Cortinarius* 491
lividoalbum, *Entoloma* 259
lividocyanulum, *Entoloma* 282
lividomalvaceus, *Cortinarius* 524
lividonitidus, *Agaricus* 311
lividopallescens, *Amanita* 201
lividum, *Lycoperdon* 824
lividus, *Gyrodont* 570
lloydii, *Amyloxenasma* 687
lloydii, *Tulostoma* 828
lobariacearum, *Tremella* 783
lobata, *Arrhenia* 56
lohaensis, *Clitocybe* 79
lohwaigii, *Mycena* 125
longicauda, *Psathyrella* 360
longicornis, *Xenolachne* 790
longicystis, *Alnicola* 398
longipes, *Hohenbuehelia* 79
longispora, *Ceratosebacina* 804
longispora, *Flagelloscypha* 737
longisporum, *Helicobasidium* 800
longisporum, *Subulicystidium* 694
longisporus, *Achroomyces* 800
longistriatus, *Pluteus* 298
lotharingus, *Achroomyces* 786
lubrica, *Pholiota* 381
lubrica, *Psathyrella* 364
lucidum, *Entoloma* 271
lucidum, *Ganoderma* 586
lucifera, *Pholiota* 379
lucorum, *Cortinarius* 548
lucorum, *Hygrophorus* 104
ludibundum, *Xenosperma* 692
lugubris, *Phaeocollybia* 389
luhmanni, *Phlegmacium* 502
lumbicifer, *Achroomyces* 786
luminosum, *Piloderma* 709
lunae, *Chaetodermella* 686
lunare, *Entoloma* 266
lunaticonidiatum, *Achroomyces* 787
lundbergii, *Pholiota* 378
lundellii, *Hydnellum* 729
lundellii, *Hypochnicium* 715
lundellii, *Phellinus* 597

lupinus, *Rubroboletus* 572
luridum, *Megalocystidium* 699
luridus, *Cortinarius* 551
luridus, *Lactarius* 234
luridus, *Suillellus* 573
lutea, *Armillaria* 137
lutea, *Filobasidiella* 790
lutea, *Octaviania* 838
lutea, *Ramaria* 757
luteicystidium, *Hebeloma* 481
lutense, *Hebeloma* 481
lutensis, *Psathyrella* 362
luteo-olivaceum, *Callistosporium* 168
luteoalba, *Clavulinopsis* 764
luteoaurantica, *Ramaria* 757
luteobasis, *Entoloma* 260
luteocephala, *Coprinopsis* 338
luteocupreus, *Imperator* 573
luteoflocculosus, *Agaricus* 314
luteolofibrillosa, *Naucoria* 398
luteolus, *Crepidotus* 67
luteolus, *Rhizopogon* 842
luteomaculatus, *Agaricus* 314
luteonana, *Ramariopsis* 763
luteonitens, *Protothoparia* 370
luteoochracea, *Ramariopsis* 767
luteoperonatus, *Cortinarius* 523
luteotacta, *Russula* 217
luteovariegata, *Mycena* 122
luteovirens, *Floccularia* 139
lutescens, *Craterellus* 46
lutescens, *Inocybe* 454
lutescens, *Tretomyces* 682
lutescens, *Typhula* 745
luteus, *Hymenogaster* 840
luteus, *Melanogaster* 842
luteus, *Suillus* 567
luxurians, *Marasmiellus* 174
lycii, *Peniophora* 689
lyckebodensis, *Psathyrella* 352
lycoperdoides, *Asterophora* 161
lyrica, *Serendipita* 804

M

macedonica, *Kurtia* 690
macnabbii, *Dacryonaema* 770
macounii, *Clavulicium* 705
macra, *Antrodia* 626
macrobasidiata, *Tremella* 782
macrocarpus, *Agaricus* 314
macrocephala, *Conocybe* 408
macrocephala, *Coprinopsis* 336
macrocoilia, *Gautieria* 840
macroporum, *Aporpium* 791
macrospora, *Conocybe* 408
macrospora, *Mycogloea* 785
macrospora, *Phaeoclavulina* 752
macrospora, *Vuilleminia* 686
macrospora, *Wakefieldia* 835
macrosporum, *Dacryonaema* 770

macrosporum, *Repetobasidium* 691
macrosporus, *Melanogaster* 842
maculata, *Mycena* 128
maculata, *Psathyrella* 349
maculata, *Rhodocollybia* 169
maculata, *Russula* 229
maculatocaesпитosus, *Cortinarius* 492
maculatum, *Inosperma* 469
maculatus, *Gomphidius* 373
maculosum, *Phlegmacium* 497
madida, *Psathyrella* 356
madidum, *Entoloma* 255
madidus, *Protomerulius* 809
magicum, *Dermoloma* 143
magicum, *Phlegmacium* 502
magnispora, *Conocybe* 407
magnispora, *Lepiota* 186
magnispora, *Psathyrella* 363
magnivelaris, *Leratiomyces* 371
magnivolata, *Amanita* 199
magnofulvescens, *Cortinarius* 517
magnorufescens, *Hydnum* 723
mairei, *Amanita* 198
mairei, *Cephaloscypha* 736
mairei, *Galerina* 409
mairei, *Hemimycena* 125
mairei, *Lactarius* 236
mairei, *Pholiotina* 401
mairei, *Russula* 218
majaloides, *Entoloma* 259
majoranae, *Phlegmacium* 492
majusculum, *Entoloma* 284
malachius, *Cortinarius* 546
malachius, *Crepidotus* 67
malenconii, *Mallocybe* 466
malenconii, *Melanoleuca* 141
maleolens, *Pseudosperma* 469
malicorius, *Cortinarius* 512
mammiforme, *Lycoperdon* 823
mammillatus, *Cortinarius* 532
mammosus, *Lactarius* 239
mappa, *Antrodia* 626
marcescibilis, *Coprinopsis* 359
marchantiae, *Loreleia* 85
marchii, *Hygrocybe* 97
marchii, *Rhizopogon* 843
marculenta, *Ephemerocybe* 323
margaritispota, *Inocybe* 439
marginata, *Galerina* 414
marginatum, *Geastrum* 827
marginatum, *Lycoperdon* 822
marginella, *Clitocybe* 76
marginellus, *Hydopus* 133
marianiae, *Fomitopsis* 609
marina, *Digitatipora* 692
maritima, *Laccaria* 160
maritimoides, *Inocybe* 431
marmorata, *Coniophora* 679
marquana, *Psathyrella* 363
martinii, *Coprinopsis* 331

martinii, *Peniophorella* 704
martinii, *Thelephora* 669
martioflavum, *Hydnellum* 728
martiorum, *Hertzogia* 75
marxmuelleriana, *Russula* 208
marylandensis, *Cortinarius* 510
marzuolus, *Hygrophorus* 107
masseei, *Cortinarius* 530
mastoidea, *Macrolepiota* 191
mastrucata, *Hohenbuehelia* 64
matsutake, *Tricholoma* 139
mattiroloana, *Russula* 837
maura, *Myxomphalia* 79
mauretanica var. *apogama*, *Hemimycena* 116
mauretanica var. *cystidiata*, *Hemimycena* 115
mauretanica var. *mauretanica*, *Hemimycena* 116
mauretanica var. *megaspora*, *Hemimycena* 116
mauretanica var. *microcephala*, *Hemimycena* 115
mayrhoferi, *Tremella* 782
medioburiense, *Hyphoderma* 703
medioflavoides, *Leucoagaricus* 189
mediterraneense, *Entoloma* 277
mediterraneense, *Phlegmacium* 509
mediterraneus, *Chroogomphus* 373
medium, *Asterostroma* 672
medium, *Botryobasidium* 695
medius, *Polyozellus* 667
medius, *Tubulicrinis* 690
medulla-panis, *Perenniporia* 594
medullata, *Russula* 226
medullosa, *Psilocybe* 347
megacystidiosus, *Cortinarius* 544
megasperma, *Parasola* 319
megaspora, *Mycena* 128
melaleuca, *Melanoleuca* 140
melaleucus, *Phellodon* 726
melaneum, *Leccinum* 569
melanocephalum, *Geastrum* 825
melanocyclum, *Tulostoma* 829
melanogastroides, *Rhizopogon* 843
melanopoda, *Inocybe* 453
melanopus, *Picipes* 587
melanosperma, *Stropharia* 371
melanotricha, *Xerula* 163
melanotrichus, *Leucoagaricus* 189
melanotus, *Cortinarius* 515
melanoxeros, *Craterellus* 46
melanthina, *Coprinopsis* 349
meleagris, *Leucoagaricus* 187
meliigena, *Mycena* 123
melilotinus, *Phellodon* 725
melitodes, *Russula* 226
melitosarx, *Hydnum* 724
mellea, *Armillaria* 138
mellea, *Rickenella* 86
melleicarneus, *Thaxterogaster* 508
melleopallens, *Rhodophana* 248
melliolens, *Pseudosperma* 471
melliolens, *Russula* 215
mellita, *Ceriporia* 618

- mellita*, *Fomitopsis* 622
melzeri, *Russula* 224
mendax, *Sistotremastrum* 713
mendax, *Suillus* 573
menieri, *Gloiocephala* 57
menthiodora, *Clitocybe* 80
mentschulensis, *Frantisekia* 610
mephiticum, *Lyophyllum* 167
merdaria, *Conocybe* 408
merdaria, *Deconica* 348
merdicola, *Deconica* 348
merdicola, *Psathyrella* 353
meridionalis, *Lichenomphalia* 84
merlinii, *Pseudosperma* 473
merxmulleri, *Flagelloscypha* 737
mesenterica, *Auricularia* 792
mesenterica, *Bondarzewia* 589
mesenterica, *Tremella* 792
mesomorphum, *Myxarium* 811
mesophaeum, *Hebeloma* 476
mesospora, *Conocybe* 404
mesotephros, *Hygrophorus* 105
messapica, *Clavaria* 764
metachroa, *Clitocybe* 81
metachroides, *Clitocybe* 81
metamorphosa, *Riopa* 621
metapodium, *Pseudotricholoma* 152
metata, *Mycena* 131
metrodi, *Inocybe* 457
metrodi, *Ripartites* 392
micaceus, *Coprinellus* 328
micaceus, *Hodophilus* 99
micans, *Typhula* 745
micelianum, *Geastrum* 827
micra, *Slooffia* 786
microbasidia, *Microsebacina* 804
microcarpus, *Pisolithus* 818
microcephala, *Melanoleuca* 141
microglobisporus, *Cortinarius* 523
micropora, *Deconica* 349
microrrhiza, *Psathyrella* 351
microrrhiza var. *microrrhiza*, *Conocybe* 405
microrrhiza var. *tetraspora*, *Conocybe* 405
microspermus, *Thaxterogaster* 489
microspora var. *brunneola*, *Conocybe* 403
microspora var. *microspora*, *Conocybe* 403
microspora, *Colacogloea* 787
microspora, *Kneiffiella* 649
microspora, *Trechispora* 678
microsporus, *Artomyces* 761
microsporus, *Ceraceomyces* 656
microsporus, *Tretomyces* 682
milthalerai, *Entoloma* 264
milvinicolor, *Cortinarius* 541
mimeana, *Inocybe* 430
mimicum, *Pseudosperma* 468
minervae, *Pseudosperma* 472
miniata, *Hygrocybe* 95
miniatus, *Cortinarius* 519
minima, *Dendrothele* 714
minima, *Inocybe* 429
minima, *Trechispora* 678
minimispora, *Inocybe* 456
minimum, *Geastrum* 827
minor, *Dacrymyces* 772
minus, *Subulicium* 681
minusculus, *Cortinarius* 540
minuta, *Biatoropsis* 782
minuta, *Spiculogloea* 786
minuta, *Trechispora* 678
minutalis, *Tubaria* 394
minutigranulosum, *Entoloma* 287
minutispora, *Ephemerocybe* 324
minutissima var. *nidulus*, *Flagelloscypha* 739
minutissima, *Dendrothele* 681
minutissima, *Flagelloscypha* 739
minutissima, *Inocybe* 448
minutissima, *Mycocalia* 813
minutissimum, *Myxarium* 808
minutissimus, *Pseudolasiobolus* 736
minutula, *Fomitopsis* 610
minutula, *Phloeomana* 113
minutula, *Russula* 216
minutum, *Entoloma* 272
minutum, *Sphaerobasidium* 707
minutus, *Cortinarius* 531
minutus, *Cryptomarasmius* 172
mirabile, *Atheloderma* 707
mirabile, *Hydnum* 727
mirabile, *Myxarium* 804
mirabile, *Piloderma* 682
mirabilis, *Queletia* 829
miranda, *Inocybe* 425
mirata, *Mycena* 131
misera, *Parasola* 319
mitis, *Panellus* 62
mitraespora, *Coprinopsis* 335
mitrinodulispora, *Ephemerocybe* 323
mixta, *Pholiota* 381
mixtilis, *Inocybe* 441
mniophila, *Galerina* 414
modestus, *Cortinarius* 524
moelleri, *Agaricus* 312
moelleri, *Cystolepiota* 182
moelleri, *Deconica* 348
moellerianus, *Agaricus* 310
moenne-loccozii, *Phlegmacium* 498
mohniensis, *Arrhenia* 85
molaris, *Radulomyces* 646
moliniophilum, *Entoloma* 252
molle, *Hypochniciellum* 657
molle, *Lycoperdon* 824
mollis, *Crepidotus* 66
mollis, *Datronia* 606
mollis, *Leptoporus* 606
mollusca, *Leucogyrophana* 657
mollusca, *Trechispora* 623
molochinus, *Calonarius* 499
molybdaea, *Thelephora* 672
molybdites, *Chlorophyllum* 190
monacha, *Merismodes* 736
monaensis, *Thaxterogaster* 489
monasticum, *Inosperma* 422
montagnei, *Coltricia* 584
montana var. *macrospora*, *Deconica* 349
montana var. *montana*, *Deconica* 349
montana, *Laccaria* 161
montanus, *Laetiporus* 589
monteverdae, *Cuphophyllum* 98
montis-anagae, *Flagelloscypha* 739
moravica, *Inocybe* 444
moravicus, *Aureoboletus* 575
morchelliformis, *Gautieria* 840
morgani, *Geastrum* 826
moriformis, *Pseudotremella* 795
mortanii, *Inocybe* 461
moseri var. *bisporigera*, *Conocybe* 401
moseri var. *moseri*, *Conocybe* 402
moseri var. *robustior*, *Conocybe* 402
moseri, *Gymnopus* 175
moserianum, *Entoloma* 257
moserianus, *Hydropus* 133
mougeotii, *Entoloma* 285
mucicola, *Cortinarius* 534
mucida, *Mucidula* 168
mucida, *Multiclavula* 751
mucidulus, *Polyozellus* 666
mucidus, *Porpomyces* 626
mucifluoides, *Cortinarius* 491
mucifluus, *Cortinarius* 490
mucor, *Mycena* 112
mucosus, *Cortinarius* 490
mucrocystis, *Psathyrella* 352
mucronella, *Hygrocybe* 95
multicolor, *Hydnum* 724
multicystidium, *Hyphoderma* 705
multifida, *Pterula* 761
multiflora, *Psilochaete* 809
multiforme, *Hypochnicium* 681
multiformis, *Pluteus* 303
multiformis, *Thaxterogaster* 507
multifurcata, *Bourdotiogloea* 802
multipedata, *Britzelmayria* 358
multiseptata, *Hyphodontiella* 697
multiseptata, *Russula* 219
multizonata, *Podoscypha* 630
mundula, *Lulesia* 249
muricatus, *Flammulaster* 393
muricellata, *Inocybe* 446
murina, *Tephrocycbe* 174
murinacea, *Conocybe* 401
murinascens, *Cortinarius* 559
murinella, *Volvariella* 294
murinoalba, *Clitocybe* 79
murinus, *Pluteus* 298
murrayi, *Cystostereum* 640
muscaria, *Amanita* 195
musciola, *Chromocypella* 733
musciola, *Cortinarius* 531
musciola, *Ecronartium* 791

muscolica, *Sistotrema* 647
muscigena, *Cotylidia* 631
muscorum, *Lycoperdon* 824
musilii, *Pseudosperma* 472
mussum, *Phlegmacium* 492
mustelina, *Russula* 211
musteus, *Lactarius* 237
mustialaënsis, *Amaurodon* 712
mustialensis, *Hohenbuehelia* 63
mutabilipes, *Entoloma* 288
mutabilis, *Fibulomyces* 716
mutabilis, *Henningsomyces* 732
mutabilis, *Kuehneromyces* 376
mutabilis, *Octaviania* 838
mutabilis, *Phaeoclavulina* 753
mutatum, *Hyphoderma* 703
muticus, *Hymenogaster* 841
mutila, *Omphalina* 89
myceliosa, *Phaeoclavulina* 753
myceliosum, *Anomoloma* 625
mycenoides, *Inocybe* 445
mycetophiloides, *Phaeotremella* 791
mycophaga, *Syzygospora* 790
mycophilum, *Phragmoxenidium* 787
myochroum, *Entoloma* 259
myosotis, *Phaeonematoloma* 369
myosura, *Baeospora* 162
myriadophylla, *Mallocybe* 466
mystica, *Inocybe* 451
mytilodora, *Inocybe* 449
myxoanomalus, *Cortinarius* 490

N

nana, *Galerina* 415
nanceiense, *Phlegmacium* 493
nanispora, *Typhrasa* 355
nanum, *Hebeloma* 477
nanus, *Cortinarius* 531
nanus, *Pluteus* 303
napipes, *Inocybe* 433
narcotica, *Coprinopsis* 331
narymica, *Perenniporia* 620
natalis, *Calonarius* 509
nauseosa, *Russula* 222
nauseosodulcis, *Leucopaxillus* 73
nauseosum, *Hebeloma* 475
nausiosme, *Entoloma* 251
naviculolefibulata, *Dendrothele* 686
nebularis, *Clitocybe* 78
nebularis, *Inocybe* 452
necator, *Lactarius* 238
neckerae, *Rimbachia* 734
nefastus, *Cortinarius* 558
neglecta, *Typhula* 745
neglectum, *Entoloma* 262
memorale, *Hyphoderma* 705
memoralis s.l., *Skeletocutis* 606
memoralis, *Coprinopsis* 333
memoralis, *Pholiotina* 400
memoreus, *Hygrophorus* 105
memorosum, *Hydnellum* 729
neofallax, *Cortinarius* 533
neoformosa, *Ramaria* 756
neofurvolaeus, *Cortinarius* 553
neohirsutum, *Inosperma* 420
neoparvula, *Volvariella* 294
nephriticum, *Hysterangium* 836
nesporii, *Xylodon* 651
neuhoffii, *Athelia* 716
neuhoffii, *Cerinomyces* 771
neuhoffii, *Russula* 837
nidulans, *Phyllotopsis* 65
nidus-pici, *Inonotus* 619
niemelaei, *Antella* 624
nigellum, *Entoloma* 252
nigellum, *Hebeloma* 476
niger, *Phellodon* 725
niger, *Polyozellus* 665
niger, *Resupinatus* 63
nigrescens, *Bovista* 821
nigrescens, *Lycoperdon* 823
nigrescens, *Melanomphalia* 373
nigricans f. *lobata*, *Exidia* 793
nigricans, *Exidia* 793
nigricans, *Phellinus* 597
nigricans, *Russula* 207
nigrifacta, *Russula* 208
nigripes, *Galerina* 411
nigrocrispatus, *Cortinarius* 540
nigrolimitatus, *Phellopilus* 596
nigromammosus, *Cortinarius* 538
niphoides, *Entoloma* 255
nitellina, *Rhodophana* 248
nitida, *Junghuhnia* 619
nitida, *Russula* 223
nitidiuscula, *Inocybe* 465
nitidula, *Cyrtidiella* 715
nitidum, *Entoloma* 254
nitrata, *Neohygrocybe* 102
nitriolens, *Hemimycena* 115
nitrophila, *Clitocybe* 81
nivea, *Coprinopsis* 332
nivea, *Plicatura* 638
nivea, *Trechispora* 649
niveipes, *Mycena* 127
niveocreteum, *Sertulicium* 713
niveola, *Seticypella* 736
niveotraganus, *Cortinarius* 545
niveum, *Tulostoma* 828
niveus, *Hymenogaster* 841
nodosa, *Oliveonia* 798
nodosiporus, *Cortinarius* 557
nodulosa, *Mensularia* 604
nolaneiformis, *Cortinarius* 558
noli-tangere, *Psathyrella* 365
noordeloosii, *Entoloma* 259
nordlandicum, *Entoloma* 283
normandinae, *Tremella* 783
norrandica, *Fibroporia* 626
norvegica, *Syzygospora* 789

norvegicum, *Acanthobasidium* 676
norvegicum, *Lycoperdon* 823
notabile, *Renatobasidium* 808
notabilis, *Pluteus* 297
nothomixtilis, *Inocybe* 439
novasilvensis, *Flammulaster* 394
nucicola, *Mycena* 111
nucicolor, *Cortinarius* 538
nucleatum, *Myxarium* 810
nuda, *Lepista* 142
nuda, *Peniophora* 684
nudicephalum, *Hyphoderma* 702
nudus, *Leucogaster* 835
nuoljæe, *Russula* 220
nuptialis, *Mallocybe* 467
nympharum, *Leucoagaricus* 188
nympharum, *Russula* 229
nymphicolor, *Calonarius* 499

O

obducens, *Oxyporus* 624
oblectabilis, *Inocybe* 437
obliquus, *Inonotus* 619
oblongispora, *Flagelloscypha* 739
oblongisporum, *Dendrodacrys* 773
oblongisporum, *Sistotrema* 688
oblongospora, *Amanita* 200
obovatispora, *Flagelloscypha* 739
obscura, *Lulesia* 249
obscura, *Tremella* 788
obscurata, *Arrhenia* 89
obscuratus, *Lactarius* 240
obscurisporus, *Paxillus* 563
obscurissima, *Calocybe* 154
obscurobadia, *Inocybe* 462
obscuroides, *Inocybe* 428
obscurosaniosus, *Cortinarius* 526
obscurotristis, *Psathyrella* 361
obscurum, *Dermoloma* 144
obsoleta, *Clitocybe* 72
obsoletum, *Phlegmacium* 497
obsoletum, *Pseudosperma* 472
obtusata, *Psathyrella* 365
obtusiforme, *Hyphoderma* 703
obtusisporum, *Botryobasidium* 708
obtusissima var. *scandinavica*, *Ramaria* 758
obtusiuscula, *Inocybe* 438
obtusobrunneus, *Cortinarius* 556
obtusorum, *Cortinarius* 532
obtusum, *Hyphoderma* 704
obtusum, *Cortinarius* 532
occarium, *Somion* 611
occidentale, *Hyphoderma* 691
occidentalis, *Rhizopogon* 842
occulta, *Inocybe* 441
occulta, *Spiculogloea* 786
occultixanthoriae, *Tremella* 780
ocecanus, *Agaricus* 313
ocellata, *Mycoacia* 691
ochracea, *Agrocybe* 396

- ochracea*, *Merismodes* 736
ochracea, *Parasola* 319
ochracea, *Phaeodavulina* 753
ochracea, *Rhizoctonia* 799
ochracea, *Trametes* 613
ochraceobrunneum, *Phlegmacium* 494
ochraceofulva, *Lepiota* 184
ochraceolanata, *Coprinopsis* 335
ochraceolateritia, *Erastia* 621
ochraceoluteus, *Zhuliangomyces* 193
ochraceopallescens, *Calonarius* 502
ochraceopallidus, *Cuphophyllum* 101
ochraceorubens, *Rhizopogon* 842
ochraceosclerotata, *Typhula* 748
ochraceum, *Conferticum* 698
ochraceum, *Piloderma* 681
ochraceum, *Steccherinum* 648
ochreoprunuloides f. *hyacinthinum*, *E. entoloma* 254
ochreoprunuloides, *Entoloma* 254
ochroalba, *Inocybe* 447
ochrolamellatus, *Cortinarius* 559
ochroleuca, *Jaapia* 694
ochroleuca, *Russula* 215
ochroleuca, *Vararia* 700
ochromicaceum, *Entoloma* 277
ochrophyllum, *Cortinarius* 522
ochrostriata var. *favrei*, *Conocybe* 407
ochrostriata var. *ochrostriata*, *Conocybe* 407
ocior, *Gymnopus* 171
octosporum, *Sistotrema* 714
odini, *Gymnopilus* 378
odora, *Clitocybe* 72
odora, *Skeletocutis* 622
odorata, *Russula* 224
odoratissimum, *Hebeloma* 475
odoratum, *Dissoderma* 138
odoratus, *Calonarius* 503
odoratus, *Osmoporus* 595
odorus, *Haploporus* 593
odorus, *Ripartites* 392
oedematopus, *Lactifluus* 236
oelandica, *Cystogloea* 785
officinalis, *Laricifomes* 593
olearioides, *Calonarius* 504
olens, *Cortinarius* 841
olida, *Aphroditeola* 70
olidisjungendus, *Cortinarius* 561
oligofulvescens, *Cortinarius* 517
olivacea, *Russula* 225
olivaceoalbus, *Hygrophorus* 106
olivaceofuscus, *Cortinarius* 511
olivaceogrisea, *Amanita* 201
olivaceomarginata, *Mycena* 118
olivaceonigra, *Hygrocybe* 92
olivaceostipitatum, *Entoloma* 268
olivaceotinctum, *Entoloma* 289
olivaceotinctum, *Hypholoma* 369
olivaceoviridis, *Inocybe* 422
olivaceum, *Piloderma* 709
olivaceus, *Hymenogaster* 841
olivaceus, *Panaeolus* 346
olivaceus, *Pluteus* 302
olivascens, *Brevicellicium* 693
olivascens, *Penttilamyces* 679
olivascens, *Typhula* 745
olivellus, *Paxillus* 563
olivieri, *Chlorophyllum* 190
olivina, *Russula* 222
olla, *Cyathus* 813
ollare, *Entoloma* 250
olympiana, *Psathyrella* 359
ombrophila, *Mycena* 121
ominosus, *Cortinarius* 511
omphaliformis, *Lactarius* 240
ononidis, *Flammulina* 162
onychoides, *Antrodiella* 611
opaca, *Amanita* 203
opacum, *Entoloma* 260
opalea, *Exidiopsis* 805
orbicularis, *Psathyrella* 360
orbitarum, *Psathyrella* 362
oreades, *Lichenomphalia* 84
oreades, *Marasmius* 174
oreadiformis, *Lepiota* 186
oreadoides, *Gymnopus* 175
orellanus, *Cortinarius* 516
oreophilum, *Steccherinum* 646
orioli, *Inocybe* 446
orionis, *Inocybe* 449
orirubens, *Tricholoma* 151
orliensis, *Serendipita* 805
orphanellum, *Hyphoderma* 704
orthospora, *Flagelloscypha* 739
ortonii, *Entoloma* 272
osloensis, *Calonarius* 503
osmophorum, *Lyophyllum* 167
osmophorus, *Calonarius* 506
ossolana, *Ramaria* 758
ostoyae, *Armillaria* 137
ostreatus var. *praecox*, *Pleurotus* 61
ostreatus, *Pleurotus* 61
otthii, *Gautieria* 839
ovilla, *Inocybe* 424
ovina, *Neohygrocybe* 102
ovinus, *Albatrellus* 585
ovispora, *Lepista* 77
ovisporus, *Dacrymyces* 772
ovoidea, *Amanita* 196
ovoideisporum, *Hydnum* 724
ovoideum, *Hypochniciellum* 697
owyheensis, *Psathyrella* 364
- P**
pachycraspedum, *Marasmiellus* 173
pachyderma, *Coprinopsis* 334
pachyderma, *Mycena* 126
pachyodon, *Irpiciporus* 611
pachyphylla, *Pseudolaccaria* 75
pachypus, *Cortinarius* 556
pachypus, *Typhula* 748
pachysperma, *Coprinopsis* 332
pachysporus, *Chondrogaster* 835
pachysterigmata, *Dendrothele* 711
pachysterigmatus, *Achromyces* 786
pacis, *Pseudosperma* 468
paelochroum, *Lyophyllum* 152
paleoveneta, *Inocybe* 428
pallasii, *Antrodiella* 625
pallens, *Agaricus* 315
pallens, *Cantharellus* 47
pallens, *Entoloma* 262
pallescens, *Antrodiella* 611
pallescens, *Entoloma* 270
pallida, *Ephemerocybe* 325
pallida, *Galerina* 415
pallida, *Hygrophoropsis* 70
pallida, *Peniophorella* 690
pallida, *Ramaria* 755
pallida, *Syzygospora* 790
pallida, *Tulasnella* 797
pallideradicatum, *Entoloma* 268
pallidicutis, *Melanoleuca* 140
pallidissimus, *Coprinellus* 328
pallidocrema, *Tulasnella* 797
pallidolutea, *Inocybe* 446
pallidosaponaria, *Ramaria* 757
pallidospathulata, *Calocera* 769
pallidospora, *Conocybe* 402
pallidospora, *Russula* 207
pallidostriatoides, *Cortinarius* 532
pallidotomentosa, *Mallocybe* 467
pallidovirens, *Hyphodermella* 708
pallidula, *Hyphodontia* 707
pallidum, *Hydnum* 723
pallidus, *Crepidotus* 733
pallidus, *Hodophilus* 99
pallidus, *Lactarius* 237
palmata, *Thelephora* 631
palmatus, *Rhodotus* 136
paludicola, *Entoloma* 253
paludicola, *Hebeloma* 476
paludinella, *Inocybe* 435
paludosa, *Bovista* 822
paludosa, *Galerina* 409
paludosa, *Russula* 221
paludosaniosus, *Cortinarius* 526
paluster, *Sphagnurus* 166
palustris, *Macrotyphula* 760
panaeoloides, *Psathyrella* 363
panaeolus, *Lepista* 142
pannocinctus, *Gloeoporus* 618
pannosa, *Cotylidia* 630
pannucoides, *Coprinopsis* 355
panphyliensis, *Lindtneria* 645
pantherina, *Amanita* 195
panuoides, *Tapinella* 65
papilionaceus, *Panaeolus* 346
papyracea, *Skeletocutis* 623
parabotrytis, *Ramaria* 754

- paraconcolor*, *Ramaria* 753
paradoxum, *Dissoderma* 138
paradoxus, *Xylodon* 645
paragaudis, *Cortinarius* 518
paralbocyaneus, *Cortinarius* 546
parapilosella, *Conocybe* 402
pararhombisporum, *Entoloma* 266
pararubens, *Inocybe* 443
pararustica, *Lichenomphalia* 84
parasitica, *Antrodiella* 625
parasitica, *Asterophora* 161
parasitica, *Flagelloscypha* 739
parasiticum, *Cylindrobasidium* 696
parasiticum, *Entoloma* 250
parasiticus, *Pseudoboletus* 576
parazurea, *Russula* 212
parca, *Mycena* 130
paradinum, *Tricholoma* 150
pargasensis, *Inocybe* 435
parhonestus, *Cortinarius* 539
parkensis, *Entoloma* 253
parmeliarum, *Tremella* 784
parva, *Psathyrella* 361
parvannulata, *Lepiota* 183
parvannulatus, *Cortinarius* 533
parviporum, *Heterobasidion* 593
parvispora, *Clavaria* 764
parvisporum, *Dermoloma* 144
parvula, *Pholiotina* 401
passeeckerianus, *Clitopilus* 247
patellaris, *Tectella* 61
patouillardii, *Narcissea* 332
paulochroma, *Pseudobaespora* 164
paululus, *Cortinarius* 533
paulus, *Cortinarius* 534
pauperculus, *Cortinarius* 533
pauvilla, *Oliveonia* 798
paxilloides, *Clitopilus* 246
pearsoniana, *Mycena* 122
pearsonii, *Dissoderma* 138
pearsonii, *Paulliacorticium* 695
peckii, *Hydnellum* 727
pectinata, *Russula* 210
pectinatum, *Gastrum* 826
pediades var. *cinctula*, *Agrocybe* 396
pediades var. *fimicola*, *Agrocybe* 396
pediades var. *pediades*, *Agrocybe* 396
pedicellata, *Galzinia* 687
pelargonia, *Russula* 219
pelargonium, *Inocybe* 447
pelerinii, *Cortinarius* 524
pelianthina, *Mycena* 118
pelletieri, *Phylloporus* 563
pelluculosa, *Mycena* 124
pellitus, *Pluteus* 296
pellstonianus, *Cortinarius* 512
pellucida, *Ephemerocybe* 326
pellucida, *Helicogloea* 802
penarioides, *Hygrophorus* 103
penarius, *Hygrophorus* 103
pendula, *Plicatura* 645
pendula, *Stereophlebia* 688
penetrans, *Gymnopilus* 377
penetrans, *Tremella* 788
penicillata, *Thelephora* 631
pennata, *Psathyrella* 356
pentagonale, *Entoloma* 267
perasprellum, *Entoloma* 280
percandidum, *Entoloma* 262
percevalii, *Leratiomyces* 368
perchtana, *Inocybe* 458
percoelestinum, *Entoloma* 291
percome, *Phlegmacium* 492
perennis, *Coltricia* 584
perforans, *Paragymnopus* 168
peritricha, *Exidiopsis* 810
perlaetissimus, *Cortinarius* 539
perlatum, *Lycoperdon* 823
perlatum, *Pseudosperma* 470
perlongisporum, *Subulicystidium* 694
permacra, *Tulasnella* 795
permeliiolens, *Pseudosperma* 472
permixta, *Macrolepiota* 191
peronata, *Collybiopsis* 175
perplexa, *Clavulina* 759
perplexa, *Galerina* 412
perplexum, *Echinoderma* 181
perpusilla, *Psathyrella* 363
perpusilla, *Sistotremella* 713
perrhombisporum, *Entoloma* 266
perrugatus, *Cortinarius* 524
persicina, *Russula* 217
persimilis, *Gautieria* 839
persimilis, *Hemimycena* 116
pertenuis, *Peniophorella* 691
pertinax, *Psathyrella* 355
pertusae, *Tremella* 781
pertusariae, *Tremella* 781
pertusus, *Protomerulius* 809
pes-caprae, *Pseudoporpoloma* 154
pes-caprae, *Scutiger* 585
pessundatum, *Tricholoma* 154
petaloides, *Hohenbuehelia* 60
petasatus, *Pluteus* 296
petasiformis, *Cystolepiota* 182
petersenii, *Lamelloclavaria* 98
petiginosa, *Inocybe* 435
peziziformis, *Femsjonina* 771
pfeifferi, *Ganoderma* 595
phacorrhiza, *Macrotyphula* 760
phaeococcinea, *Hygrocybe* 97
phaeocyathus, *Entoloma* 252
phaeodisca var. *geophylloides*, *Inocybe* 450
phaeodisca, *Inocybe* 450
phaeodiscum, *Entoloma* 281
phaeographidis, *Tremella* 781
phaeolepidotus, *Agaricus* 312
phaeoleuca, *Inocybe* 457
phaeophthalma, *Singerocybe* 74
phaeophyllus, *Hodophilus* 100
phaeophysciae, *Tremella* 784
phaeopodium, *Dermoloma* 145
phaeosmus, *Cortinarius* 559
phaeospora, *Coprinopsis* 339
phaeosticta, *Inocybe* 439
phaeoxanthus, *Hodophilus* 99
phalloides var. *alba*, *Amanita* 196
phalloides, *Amanita* 196
phalloides, *Battarrea* 829
phari, *Inocybe* 420
phedoraphanoides, *Cortinarius* 523
phillipsii, *Deconica* 347
philonotis, *Arrhenia* 86
philyla, *Colacogloea* 787
phlebodermum, *Entoloma* 268
phlebophorus, *Pluteus* 302
phlyctidospora, *Coprinopsis* 337
pholideus, *Cortinarius* 522
pholiotinoides, *Inocybe* 446
phyllogena, *Deconica* 348
phyllophila, *Clitocybe* 73
physciacearum, *Zyzygomyces* 784
physciophila, *Crittendenia* 780
physconiae, *Zyzygomyces* 784
picacea, *Coprinopsis* 329
piceae, *Hygrophorus* 103
piceae, *Peniophora* 685
piceicola, *Hyalodon* 803
piceicola, *Typhula* 746
piceinum, *Leccinum* 568
picinus, *Lactarius* 235
picreus, *Gymnopilus* 377
picrophylla, *Russula* 208
picta, *Mycena* 120
pictus, *Suillus* 567
piepenbroekorum, *Coprinopsis* 337
pierii, *Ceriporia* 618
pilaecystidiata, *Deviodontia* 651
pilatii, *Cortinarius* 529
pilatii, *Flagelloscypha* 738
pilatii, *Hymenochaete* 664
pilatii, *Lactarius* 238
pillodii, *Pseudobaespora* 165
pilodes, *Lepiota* 186
pilosa, *Thelephora* 669
pilosella, *Conocybe* 401
pilosotomentosa, *Coprinopsis* 333
pinuliformis, *Psathyrella* 361
pinastri, *Hydnomerulius* 657
pinaultii, *Tremella* 784
pinetorum, *Boletus* 571
pini, *Basidioidendron* 805
pini, *Crepidotus* 67
pini, *Peniophora* 684
pini, *Porodaedalea* 595
pinicola f. *alniviridis*, *Saccosoma* 801
pinicola, *Callistosporium* 168
pinicola, *Flammula* 380
pinicola, *Fomitopsis* 593
pinicola, *Skvortzovia* 646

- pinicola*, *Tulasnella* 797
pinisquamulosus, *Cortinarius* 527
pinophilus, *Boletus* 571
pinophilus, *Polyozellus* 667
piperatus, *Chalciporus* 572
piperatus, *Lactifluus* 239
pipillikae, *Inocybe* 458
pisciodorum, *Inosperma* 423
pistillaris, *Clavariadelphus* 760
pistilliferum, *Sistotrema* 693
pithya, *Exidia* 793
pithya, *Peniophora* 684
pityophila, *Gautieria* 839
pityrodes, *Pholiota* 380
placenta, *Rhodonia* 617
placidum, *Entoloma* 290
placidus, *Suillus* 566
plagiopora, *Ephemerocybe* 325
platyphylla, *Megacollybia* 136
platypus, *Calonarius* 502
platypus, *Tephroclybe* 166
plautus, *Pluteus* 299
plebeia, *Malloclabe* 467
plebeioides, *Entoloma* 270
plebejum, *Entoloma* 256
pleopodium, *Entoloma* 263
plicatilis-similis, *Parasola* 320
plicatilis, *Parasola* 320
plorans, *Suillus* 566
plumbea, *Bovista* 821
plumulosus, *Cortinarius* 547
pluppiana, *Inocybe* 444
plurabellae, *Inocybe* 460
pluriolobus, *Polyozellus* 667
pluteidermum, *Entoloma* 283
pluvius, *Thaxterogaster* 489
podlachicum, *Myxarium* 809
podocarpus, *Typhula* 747
podospileus, *Pluteus* 297
poetarum, *Hygrophorus* 105
poliochloodes, *Lepiota* 183
polioleuca, *Melanoleuca* 141
poliomalla, *Coprinopsis* 333
poliopus, *Entoloma* 288
politum, *Entoloma* 252
pollucis, *Pseudosperma* 469
polonensis, *Gyrophanopsis* 702
polyadelphia, *Mycena* 113
polygonia, *Peniophora* 689
polygonioides, *Dendrococtium* 641
polygonius, *Caloboletus* 574
polygramma f. *pumila*, *Mycena* 129
polygramma var. *polygramma*, *Mycena* 127
polyporinus, *Carcinomyces* 788
polytrichi, *Hypholoma* 369
pomaceus, *Phellinus* 597
pompholyx, *Hysterangium* 836
popinalis, *Lulesia* 249
populi, *Cyanosporus* 605
populicola, *Flammulina* 162
populicola, *Phellinus* 597
populinum, *Hebeloma* 479
populinum, *Myxarium* 811
populinum, *Tricholoma* 153
populinus, *Cystoagaricus* 350
populinus, *Oxyporus* 594
populnea, *Hemipholiota* 379
porcorum, *Inocybe* 432
poriaeformis, *Resupinatus* 733
porinensis, *Lactarius* 237
porosporus, *Xerocomellus* 579
porosum, *Gloeocystidiellum* 677
porphyria, *Amanita* 196
porphyron, *Agaricus* 315
porphyrocephalum, *Entoloma* 258
porphyrocephalus, *Agaricus* 311
porphyrogriseum, *Entoloma* 285
porphyrophaeum, *Entoloma* 257
porphyropus, *Thaxterogaster* 495
porphyrosporus, *Porphyrellus* 570
porrigens, *Pleurocybella* 60
portentosum, *Tricholoma* 149
porulosum, *Sistotrema* 714
postcoitus, *Ramariopsis* 761
posterula, *Inocybe* 425
postiana, *Russula* 221
postii, *Loreleia* 85
potteri, *Psathyrella* 362
pouzarianus, *Pluteus* 296
pouzarii, *Geastrum* 825
pouzarii, *Meripilus* 616
praecox, *Agrocybe* 395
praefocata, *Trechispora* 678
praestans, *Phlegmacium* 494
praestans, *Scytinostroma* 694
praestigiosus, *Cortinarius* 520
praetermissa s.l., *Peniophorella* 691
praetervisa, *Inocybe* 440
prasinocyanum, *Phlegmacium* 501
prasinus, *Calonarius* 505
pratense, *Lycoperdon* 822
pratensis, *Cortinarius* 512
pratensis, *Cuphophyllus* 101
praticola, *Pulverulina* 89
pratulense, *Entoloma* 266
prescottii, *Cantharellopsis* 85
primulina, *Ramaria* 758
primus, *Pluteus* 296
priscus, *Aurantiporus* 617
prismatospermum, *Entoloma* 267
privignatus, *Cortinarius* 537
procera, *Macrolepiota* 191
prodigiosus, *Cortinarius* 500
projectellus, *Aureoboletus* 574
prolixa var. *distorta*, *Rhodocollybia* 170
prolixa var. *prolixa*, *Rhodocollybia* 170
prona, *Psathyrella* 362
proteica, *Inocybe* 458
protoparmeliae, *Tremella* 781
proxima, *Amanita* 196
proxima, *Laccaria* 160
proximella, *Inocybe* 433
prudens, *Amanita* 202
pruinatipes, *Galerina* 410
pruinatum, *Botryobasidium* 708
pruinatus, *Cortinarius* 530
pruinatus, *Xerocomellus* 579
pruinosa, *Inocybe* 442
pruinosa, *Rhizocybe* 78
pruinosa, *Tulasnella* 797
pruinosis, *Dermoloma* 145
pruinotum, *Xenasma* 675
pruinotus, *Xylodon* 704
pruni, *Lyomyces* 651
prunuloides, *Entoloma* 258
prunulus, *Clitopilus* 247
psalion, *Lepiota* 183
psammicola, *Cortinarius* 543
psammobrunnea, *Inocybe* 463
psammophilum, *Hebeloma* 476
psammopus, *Tricholoma* 155
pseudoacutus, *Cortinarius* 531
pseudoaeruginea, *Russula* 213
pseudoamarens, *Hebeloma* 475
pseudoamphithalla, *Ephemerocybe* 322
pseudoampullaceocystis, *Pholiotina* 399
pseudoasperulum, *Echinoderma* 181
pseudoasterospora, *Inocybe* 432
pseudobiformis, *Cortinarius* 546
pseudobullarioides, *Cortinarius* 549
pseudocaricis, *Gloiocephala* 57
pseudocasca, *Psathyrella* 356
pseudocephalix, *Phlegmacium* 494
pseudoconferendum, *Entoloma* 265
pseudoconica, *Hygrocybe* 92
pseudoconidiatus, *Achromyces* 800
pseudocornigera, *Rhizoctonia* 799
pseudocorrugis, *Psathyrella* 350
pseudocorticola, *Mycena* 123
pseudocortinata, *Coprinopsis* 333
pseudocrispa, *Conocybe* 402
pseudocrispula, *Hemimycena* 114
pseudocruentatum, *Entoloma* 281
pseudocyanea, *Stropharia* 370
pseudocyanulum, *Entoloma* 280
pseudodaulnoidae, *Phlegmacium* 496
pseudodelica, *Russula* 207
pseudodestructa, *Inocybe* 465
pseudodolabratus, *Cortinarius* 555
pseudoexcentricum, *Entoloma* 259
pseudofallax, *Cortinarius* 533
pseudofervidus, *Cortinarius* 512
pseudofistularis, *Cortinarius* 534
pseudofragilipes, *Hebeloma* 480
pseudofriesii, *Coprinopsis* 339
pseudofulgens, *Gymnopilus* 377
pseudogibba, *Hemimycena* 116
pseudograticis, *Psathyrella* 351
pseudogrisella, *Blasiphalia* 85
pseudohyalina, *Typhula* 747

- pseudoincarnata*, *Clavaria* 764
pseudoingrata, *Neohygrocybe* 102
pseudoinsidiosus, *Pluteus* 301
pseudointegra, *Russula* 224
pseudojosserandii, *Dermoloma* 145
pseudolactea, *Hemimycena* 114
pseudolilacea, *Lepiota* 185
pseudolimbatus, *Geastrum* 827
pseudomarciscibilis, *Coprinopsis* 359
pseudomniophila, *Galerina* 414
pseudomycenopsis, *Galerina* 413
pseudomytilodora, *Inocybe* 449
pseudonivea, *Coprinopsis* 332
pseudoparasiticum, *Entoloma* 250
pseudopicta, *Mycena* 125
pseudopratisensis, *Agaricus* 312
pseudoradiata, *Coprinopsis* 335
pseudoreducta, *Inocybe* 457
pseudoroseolus, *Rhizopogon* 843
pseudorubens, *Inocybe* 450
pseudoscabelliformis, *Inocybe* 448
pseudoscabrum, *Leccinellum* 568
pseudoseminuda, *Cystolepiota* 182
pseudostriatum, *Geastrum* 825
pseudoteraturgus, *Inocybe* 432
pseudotsugae, *Aphanobasidium* 714
pseudoturbidum, *Entoloma* 260
pseudoturci, *Entoloma* 283
pseudoversicolor, *Peniophora* 684
pseudovulpinum, *Phlegmacium* 497
psittacinus, *Bolbitius* 390
psittacinus, *Gliophorus* 93
pteridicola, *Tricholomopsis* 137
pteridis, *Astraeus* 825
pterigena, *Mycena* 118
pterospora, *Lindtneria* 643
pterosporus, *Lactarius* 235
ptychogaster, *Oligoporus* 607
puber, *Henningsomyces* 732
pubera, *Peniophorella* 703
puberula, *Psilocybe* 348
pubescens, *Conocybe* 408
pubescens, *Lactarius* 236
pubescens, *Trametes* 613
pudens, *Xerula* 163
pudica, *Inocybe* 421
pudorinus, *Hygrophorus* 104
puellaris, *Cortinarius* 535
puellaris, *Russula* 215
puellula, *Russula* 216
pulchella, *Conocybe* 408
pulchella, *Ramariopsis* 765
pulchella, *Tomentellopsis* 674
pulchellum, *Tulostoma* 827
pulcherrimus, *Pluteus* 299
pulchrum, *Byssocorticium* 680
pullei, *Clavaria* 765
pulmonarius, *Pleurotus* 61
pulverea, *Exidiopsis* 805
pulverium, *Entoloma* 274
pulverulenta, *Fomitopsis* 626
pulverulenta, *Hauerslevia* 798
pulverulenta, *Meruliporia* 655
pulverulentum, *Xenasma* 675
pulverulentus, *Cyanoboletus* 578
pulverulentus, *Ripartites* 392
pulvina, *Fomitopsis* 586
pulvinascens, *Fomitopsis* 627
pulvinatus, *Atractocolax* 800
pulvis-horrei, *Lyophyllum* 152
pumila, *Galerina* 414
pumilum, *Hebeloma* 477
punctata, *Fomitiporia* 596
punctatiformis, *Cortinarius* 539
punctatum, *Tulostoma* 828
punctatus, *Pluteus* 299
punctiformis, *Flagelloscypha* 737
punctulatum, *Neohypochnicium* 677
punicea, *Hygrocybe* 96
punicea, *Thelephora* 671
puniceus, *Cortinarius* 510
pura, *Mycena* 122
purpurascens, *Chroogomphus* 373
purpurascens, *Hygrophorus* 104
purpurascens, *Thaxterogaster* 499
purpurea, *Alloclavaria* 765
purpurea, *Ceriporia* 618
purpurellus, *Agaricus* 315
purpureobadia, *Inocybe* 431
purpureobadia, *Laccaria* 160
purpureobadia, *Psathyrella* 353
purpureofusca, *Mycena* 118
purpureofusca, *Russula* 228
purpureopallescens, *Russula* 215
purpureum, *Chondrostereum* 639
purpureum, *Helicobasidium* 800
purpureus, *Cortinarius* 510
pusilla, *Bovista* 821
pusilla, *Tomentellopsis* 674
pusilla, *Volvariella* 295
pusillus, *Coprinellus* 323
pusillus, *Pluteus* 297
pusillum, *Hebeloma* 481
pusillum, *Mycorrhaphium* 723
pusio, *Inocybe* 427
pusiola, *Agrocybe* 396
pustulatus, *Hygrophorus* 106
putaninum, *Agrocybe* 396
puteana, *Coniophora* 679
putidum, *Lyophyllum* 167
putilla, *Inocybe* 434
putillus, *Gymnopus* 175
pygmaea, *Psathyrella* 358
pygmaeaffinis, *Conobolbitina* 400
pygmaeopapillatum, *Entoloma* 273
pyrifer, *Pseudobaeospora* 164
pyriforme, *Apioperdon* 821
pyriforme, *Eonema* 696
pyrochroa, *Lepiota* 184
pyrogalus, *Lactarius* 238
pyrosporum, *Sistotrema* 695
pyrotricha, *Lacrymaria* 345
pyrrhanthes, *Coprinellus* 323
pyxidata, *Omphalina* 88
pyxidatus, *Artomyces* 761

Q

- quadrifidum*, *Geastrum* 826
quarciticus, *Cortinarius* 546
quasiflorens, *Tulasnella* 796
quebecensis, *Simocybe* 391
queletii, *Cabalodontia* 648
queletii, *Entoloma* 275
queletii, *Gautieria* 839
queletii, *Russula* 218
queletii, *Suilellus* 572
quercetorum, *Entoloma* 259
quercetorum, *Tricholoma* 153
querceus, *Mycetinis* 159
quercilicis, *Calonarius* 504
quercina, *Fomitopsis* 592
quercina, *Peniophora* 685
quercinae, *Obvidator* 787
quercinofibulatus, *Sarcodon* 728
quercinus, *Xylodon* 650
querciphila, *Inocybe* 462
quercconicus, *Cortinarius* 522
quercoclocculosus, *Cortinarius* 538
quercophila, *Collybiopsis* 173
querquedula, *Entoloma* 278
quieta, *Hygrocybe* 96
quieticolor, *Lactarius* 233
quietiodor, *Inosperma* 471
quietus, *Lactarius* 240
quisquiliaris, *Typhula* 745

R

- racemosa*, *Dendrocollybia* 161
radians, *Basidioidendron* 805
radians, *Coprinellus* 327
radiata, *Coprinopsis* 336
radiata, *Mensularia* 604
radiata, *Phlebia* 656
radicans, *Caloboletus* 574
radicans, *Coprinopsis* 331
radicata, *Ditiola* 771
radicata, *Hymenopellis* 163
radicata, *Rhizochaete* 701
radicatum, *Lycoperdon* 821
radicella, *Ephemerocybe* 326
radicosissimus, *Cortinarius* 551
radicosum, *Hebeloma* 475
radicosum, *Hypholoma* 368
radula, *Basidiiradulum* 649
raduloides, *Sistotrema* 647
ragazziana, *Pleuroflammula* 65
rallum, *Piloderma* 709
ramalinae, *Tremella* 783
ramealis, *Collybiopsis* 173
ramentacea, *Fomitopsis* 610

- ramicola*, *Rhizoctonia* 799
ramosocystidiata, *Coprinopsis* 333
rancida, *Tephrocye* 165
rangifer, *Pluteus* 296
rangiferi, *Inocybe* 433
raoutii, *Russula* 217
rapaceotomentosus, *Calonarius* 507
raphanoides, *Cortinarius* 523
rapipes, *Tricholoma* 146
rasilis, *Melanoleuca* 141
raunkiaeri, *Leptosporomyces* 716
ravenelii, *Mutinus* 815
ravenelii, *Phlebiopsis* 701
ravum, *Conferticum* 675
reae, *Clavulina* 759
recisa, *Exidia* 794
recondita, *Lepiota* 185
recondita, *Luellia* 696
recondita, *Russula* 209
reducta, *Simocybe* 391
regalis, *Amanita* 195
regificus, *Tubulicrinis* 702
reginae, *Gliophorus* 93
reginae, *Thaxterogaster* 488
regius, *Butyriboletus* 575
rehsteineri, *Hymenogaster* 841
reidiana, *Amanita* 199
reidii, *Hygrocybe* 97
reidii, *Peniophora* 684
reidii, *Stereopsis* 630
reidii, *Volvariella* 294
reisneri, *Pluteus* 301
relicina, *Inocybe* 431
renati, *Mycena* 123
renehenticii, *Fomitopsis* 610
rennyi, *Inocybe* 432
rennyi, *Oligoporus* 626
repanda, *Exidia* 794
repandum, *Hydnum* 723
repraesentaneus, *Lactarius* 233
resimus, *Lactarius* 234
resinaceum, *Ganoderma* 586
resinascens, *Ceriporiopsis* 620
resinicystidium, *Sistotrema* 706
resinosum, *Ischnoderma* 606
resutum, *Entoloma* 269
reticulata, *Ceriporia* 621
reticulatum, *Piloderma* 709
reticulatus, *Bolbitius* 390
reticulatus, *Boletus* 572
reticulatus, *Panaeolus* 345
retiruga, *Arrhenia* 56
rhacodes, *Chlorophyllum* 190
rheades, *Inocutis* 603
rhenana, *Cristinia* 682
rhenana, *Mycena* 111
rhizocarpicola, *Tremella* 781
rhizophilus, *Picipes* 587
rhizophorum, *Phlegmacium* 509
rhizopunctatus, *Polyozellus* 665
rhodiolum, *Inosperma* 423
rhodocylix, *Entoloma* 251
rhododendricola, *Ramariopsis* 766
rhodoleucum, *Amylocorticium* 687
rhodoleucus, *Pseudoclitopilus* 72
rhodomelanea, *Russula* 218
rhodopolium, *Entoloma* 259
rhodopurpureus, *Imperator* 573
rhodopus, *Russula* 227
rhodosperma, *Macrolepiota* 191
rhodoxanthus, *Rubroboletus* 574
rhombisporoides, *Entoloma* 267
rhombisporum, *Entoloma* 266
rhombosporus, *Flammulaster* 393
rhynchocystidium, *Entoloma* 284
ribicola, *Hapalopilus* 603
ribis, *Phylloporia* 597
rickeniana, *Conocybe* 405
rickenii, *Cercopemyces* 139
rickenii, *Conocybe* 401
rickii, *Radulomyces* 674
riederi, *Thaxterogaster* 502
rigidipes, *Cortinarius* 558
rimosa, *Scopuloides* 684
rimosissimus, *Xylodon* 651
rimosobispora, *Inocybe* 443
rimosum, *Basiodendron* 805
rimosum, *Pseudosperma* 472
rimulentum, *Basiodendron* 806
rimulincola, *Phaeomarasmius* 376
ringens, *Panellus* 62
rinodinae, *Tremella* 781
riparia, *Mycena* 121
ripariellus, *Xerocomellus* 578
riparium, *Entoloma* 280
risigallina, *Russula* 224
ritae, *Entoloma* 264
rivierana, *Inocybe* 456
rivularis, *Amnocybe* 682
rivulosa, *Agrocybe* 395
rivulosa, *Clitocybe* 73
robertii, *Inocybe* 436
robertii, *Russula* 215
robiginosa, *Inocybe* 461
robusta, *Fomitiporia* 597
robusta, *Ramariopsis* 767
robustus, *Botryobasidium* 695
robustus, *Steccherinum* 648
roellinii, *Phaeoclavulina* 753
romagnesiana, *Coprinopsis* 329
romagnesiana, *Mycena* 128
romagnesii, *Entoloma* 275
romagnesii, *Lactarius* 235
romagnesii, *Psathyrella* 360
romellii, *Antrodiella* 625
romellii, *Penttilamyces* 657
romellii, *Pluteus* 300
romellii, *Psathyrella* 355
romellii, *Russula* 226
romellii, *Xenasmata* 676
roridus, *Roridomyces* 124
rosea, *Clavaria* 764
rosea, *Fomitopsis* 593
rosea, *Mycena* 122
roseascens, *Cuphophyllum* 101
roseilividus, *Leucoagaricus* 187
roseipellis, *Laetisaria* 710
roseipes, *Pluteus* 297
roseipes, *Russula* 221
rosella, *Mycena* 119
rosellus, *Contumyces* 88
rosealbum, *Entoloma* 257
roseoarmillatus, *Cortinarius* 518
roseoaurantia, *Russula* 214
roseocastaneus, *Cortinarius* 519
roseocrema, *Russula* 228
roseocrema, *Hyphoderma* 705
roseogriseus, *Butyriboletus* 576
roseolus, *Rhizopogon* 843
roseomyceliosus, *Cortinarius* 552
roseonigra, *Russula* 208
roseonudipes, *Cortinarius* 551
roseoornatus, *Crepidotus* 66
roseotinctum, *Entoloma* 285
roseoviolaceum, *Hydnellum* 728
roseum, *Corticium* 713
roseus, *Gomphidius* 373
rossica, *Flammulina* 163
rostellata, *Conocybe* 407
rostellata, *Psathyrella* 358
rostratum, *Dermoloma* 144
rostratum, *Hebeloma* 479
rostratus, *Lactarius* 240
rotula, *Marasmius* 159
rotundisporus, *Polyozellus* 667
rouxii, *Resupinatus* 62
rubella, *Ramaria* 754
rubellus, *Cortinarius* 516
rubellus, *Hortiboletus* 578
ruber, *Clathrus* 815
rubescens, *Amanita* 196
rubescens, *Neolpova* 835
rubicundae, *Biatoropsis* 782
rubicundulus, *Cystinarius* 517
rubicundulus, *Paxillus* 563
rubidofuscum, *Hydnellum* 727
rubiginosa, *Hymenochaete* 664
rubiginosa, *Psathyrella* 364
rubinus, *Chalciporus* 572
rubra, *Aseroë* 815
rubra, *Coprinopsis* 334
rubra, *Pistillina* 747
rubra, *Russula* 228
rubrievanescens, *Ramaria* 754
rubripermanens, *Ramaria* 754
rubrobadius, *Cortinarius* 531
rubrocinctus, *Lactarius* 241
rubrofuscum, *Sirobasidium* 803
rubromarginata, *Mycena* 119
rubrophyllum, *Cortinarius* 510

- rubroanguineus*, *Rubroboletus* 574
rude, *Fibricium* 706
rudis, *Panus* 60
rufa, *Hygrophoropsis* 70
rufa, *Phlebia* 656
rufenum, *Tricholoma* 148
rufescens, *Geastrum* 826
rufescens, *Hydnum* 724
rufescens, *Postia* 608
rufescens, *Ramaria* 757
rufo-olivaceus, *Calonarius* 505
rufoallutus, *Thaxterogaster* 507
rufobrunnea, *Inocybe* 443
rufomarginata, *Peniophora* 685
rufopruinatus, *Coprinellus* 328
rufuloides, *Inocybe* 443
rufum, *Dacryonaema* 770
rufus, *Lactarius* 240
ruginosus, *Lactarius* 235
rugosa, *Clavulina* 759
rugosa, *Pholiotina* 399
rugosoannulata, *Stropharia* 371
rugosobisporus, *Coprinopsis* 337
rugosum, *Stereum* 639
rupicola, *Lycoperdon* 823
russoconiacus, *Cuphophyllum* 98
ruscula, *Hygrophorus* 104
rusulaespermus, *Cortinarius* 534
rustica, *Arrhenia* 89
rusticelloides, *Cortinarius* 534
rusticoides, *Entoloma* 252
rutila, *Russula* 228
rutilans, *Hapalopilus* 603
rutilans, *Tricholomopsis* 137
rutilus, *Chroogomphus* 373
rybergii, *Psathyrella* 364
ryvardenii, *Phlebia* 651
- S**
sabuletorum, *Psathyrella* 363
sabulicola, *Ephemerocybe* 322
saccatum, *Geastrum* 827
saccatus, *Phallo-gaster* 836
saccharifera, *Resinomycena* 112
saccharina, *Exidia* 793
saccharinus, *Coprinellus* 328
saccharinus, *Marasmius* 172
sacchariolens, *Hebeloma* 475
sacchariosmus, *Cortinarius* 541
saccharomyces, *Coprinopsis* 331
sachalinensis, *Clavariadelphus* 760
saeva, *Lepista* 142
safraniolens, *Ramaria* 756
safranopes, *Cortinarius* 550
sagacitas, *Cortinarius* 533
saginum, *Phlegmacium* 493
sagittiformis, *Bryopistillaria* 750
salicicola, *Inocybe* 438
salicicola, *Russula* 224
salicicola, *Galerina* 413
salicicola, *Hebeloma* 481
salicina, *Cytidia* 639
salicina, *Mycenella* 133
salicinus, *Pluteus* 295
salicis, *Inocybe* 439
salicis, *Naucoria* 397
salicicola, *Cortinarius* 536
salicum, *Athelia* 717
salmonicolor, *Lactarius* 233
salonii, *Ossicaulis* 73
salor, *Cortinarius* 490
sambucella, *Inocybe* 425
sambuci, *Lyomyces* 704
sambucina, *Inocybe* 424
sanguifluus, *Lactarius* 233
sanguinea, *Phanerochaete* 700
sanguinea, *Ramaria* 757
sanguinea, *Russula* 227
sanguineus, *Cortinarius* 510
sanguinolenta, *Mycena* 117
sanguinolentum, *Stereum* 639
sanguinolentus, *Meripilus* 616
saniosus, *Cortinarius* 526
sanvitalense, *Entoloma* 273
sapineus, *Gymnopilus* 377
saponacea, *Psathyrella* 359
saponaceum, *Tricholoma* 146
saporatus, *Calonarius* 508
sarcitulum, *Entoloma* 284
sardonia var. *citrina*, *Russula* 226
sardonia var. *sardonia*, *Russula* 227
sarniensis, *Tremella* 789
sassii, *Ephemerocybe* 322
satanas, *Rubroboletus* 573
satur, *Pluteus* 303
saturninus, *Cortinarius* 548
saundersii, *Entoloma* 255
saveloides, *Tulasnella* 796
scabella, *Crinipellis* 168
scabripes, *Mycopan* 133
scabrosellum, *Hydnum* 729
scabrosum, *Hydnum* 729
scabrum, *Leccinum* 569
scalpturatum, *Tricholoma* 150
scamba, *Pholiota* 380
scanica, *Psathyrella* 356
scatophila, *Psathyrella* 353
scaurotraganoides, *Cortinarius* 549
scaurus, *Thaxterogaster* 506
scheppingensis, *Psathyrella* 361
schildii, *Ramaria* 758
schistophilum, *Leccinum* 569
schmidelii, *Geastrum* 826
schoeni, *Typhula* 745
schoeni, *Squamanita* 139
schroeteri, *Parasola* 320
schulzeri, *Camarophyllopsis* 98
schweinitzii, *Phaeolus* 589
sciastrus, *Polyozellus* 667
sciodes, *Tricholoma* 150
scirpicola, *Mycena* 129
sclerocystidiosa, *Ephemerocybe* 324
scleroticola, *Pterulicium* 761
sclerotoides, *Typhula* 748
sclerotiorum, *Coprinopsis* 338
scolopacis, *Inocybe* 465
scorodoni, *Mycetis* 159
scoticus, *Cortinarius* 531
scoticus, *Lactarius* 236
scotoides, *Cortinarius* 540
scrobiculatum, *Hydnum* 727
scrobiculatus, *Lactarius* 234
scyphoides, *Clitopilus* 246
sebacea, *Helicogloea* 802
sebacea, *Naohidea* 785
secretanii, *Hygrophorus* 104
secretus, *Phellodon* 725
segregata, *Phlebia* 690
sejunctum, *Tricholoma* 148
selandicus, *Calonarius* 501
semibulbosus, *Pluteus* 298
semifulva, *Inocybe* 459
semiglobata, *Conocybe* 404
semiglobata, *Proto-stropharia* 370
semilanceata, *Psilocybe* 347
seminuda, *Cystolepiota* 182
semiodoratus, *Cortinarius* 551
semiovatus, *Panaeolus* 346
semipileata, *Skeletocutis* 606
semisanguifluus, *Lactarius* 233
semisanguineus, *Cortinarius* 511
semitale, *Lyophyllum* 152
semitalis, *Coprinopsis* 332
senex, *Psathyrella* 364
seperina, *Russula* 222
sepiana, *Inocybe* 437
sepiarium, *Gloeophyllum* 594
sepium, *Entoloma* 255
septentrionale, *Scleroderma* 819
septentrionalis, *Climacodon* 722
septentrionalis, *Leptosporomyces* 716
septentrionalis, *Mycena* 130
septifera, *Helicogloea* 801
septocystidia, *Candelabrochaete* 686
serenus, *Leucoagaricus* 189
serialis, *Fomitopsis* 610
serialis, *Merulius* 692
sericacula, *Russula* 224
sericatum, *Entoloma* 257
sericellum, *Entoloma* 262
sericeoides, *Entoloma* 252
sericeomollis, *Oligoporus* 624
sericeum, *Entoloma* 272
sericifer, *Leucoagaricus* 189
serifluus, *Lactarius* 239
serissima, *Russula* 220
sermanderi, *Sistotrema* 691
serotina, *Inocybe* 442
serotina, *Sarcomyxa* 60
serpens, *Crystallicutis* 656

- serpens*, *Entoloma* 261
serpula, *Antrodiella* 610
serratisimus, *Cortinarius* 548
serrulata, *Simocybe* 391
serrulatum, *Entoloma* 278
setigerum, *Hyphoderma* 702
setosa, *Sarcodontia* 722
setosus, *Rhizomarasmius* 172
setulipes, *Xeromphalina* 120
seymourensis, *Psathyrella* 357
seynii, *Mycena* 119
shimeji, *Lyophyllum* 155
sibiricus, *Suillus* 567
siccophila, *Psathyrella* 361
siccus, *Pluteus* 300
siciliana, *Mallocybe* 467
sideroides, *Galerina* 415
siennicolor, *Russula* 225
siennophylla, *Conocybe* 408
sigmaspora, *Serendipita* 804
siliginea, *Conocybe* 406
silvae-dravedae, *Tremella* 806
silvae-nigrae, *Mycena* 127
silvae-pristinae, *Mycena* 128
silvae-ryae, *Trechispora* 714
silvaenovae, *Naucoria* 398
silvestris, *Russula* 218
silwoodensis, *Xerocomus* 577
simani, *Oligoporus* 622
simile, *Botryobasidium* 695
simile, *Dermoloma* 143
similis, *Galerina* 413
similis, *Inocybe* 442
similis, *Volvariella* 293
simplex, *Gastrosporium* 834
simplex, *Phaeotremella* 791
simulans, *Amanita* 199
simulans, *Cyanosporus* 605
simulans, *Entoloma* 270
simulans, *Tulostoma* 828
simulatum, *Cystoderma* 177
simulatus, *Cortinarius* 546
sinapizans, *Hebeloma* 478
sindonia, *Inocybe* 424
singeri, *Saproamanita* 197
singeriana, *Conocybe* 404
singulare, *Entoloma* 256
singularis, *Ephemerocybe* 322
sinopicus, *Bonomyces* 76
sinuatum, *Entoloma* 256
sinuosa, *Amyloporia* 622
sitibunda, *Inocybe* 430
slovenicus, *Hydnum* 724
smardae, *Gastrum* 827
smardae, *Trechinothus* 673
smithiana, *Mycena* 123
smithii, *Agrocybe* 396
sobrius, *Phlegmacium* 497
sodagnitus, *Calonarius* 499
sodale, *Entoloma* 287
soehneri, *Lactarius* 837
solani, *Atractiella* 779
solani, *Rhizoctonia* 799
solaris, *Fomitopsis* 610
solaris, *Lulesia* 249
solaris, *Russula* 226
solida, *Heterocephalacria* 789
solitaria, *Amanita* 197
soluta, *Inocybe* 431
somae, *Inocybe* 445
sorana, *Piskurozyma* 790
soranus, *Occultifur* 785
sordescens, *Cortinarius* 556
sordescens, *Hebeloma* 476
sordida, *Hemimycena* 125
sordida, *Lepista* 142
sordida var. *lilacea*, *Lepista* 142
sordida, *Phanerochaete* 700
sordidamaculatus, *Cortinarius* 553
sordidolamellatum, *Entoloma* 269
sordidulum, *Entoloma* 258
sordipes, *Cortinarius* 539
sorjusensis, *Polyozellus* 667
sororia, *Leucogyrophana* 657
sororia, *Russula* 210
sororius, *Tubulicrinis* 689
sororpratulense, *Entoloma* 268
sosia, *Cortinarius* 557
spadicea var. *albifolia*, *Hygrocybe* 102
spadicea var. *spadicea*, *Hygrocybe* 101
spadiceogrisea, *Psathyrella* 364
spadiceum, *Homophron* 365
spadiceum, *Porostereum* 640
spathulata, *Arrhenia* 56
spathulata, *Typhula* 746
speciosa, *Lepiota* 186
spectabilis, *Gymnopilus* 377
spectrale, *Pseudosperma* 471
speculum, *Entoloma* 257
speirea, *Phloeomana* 126
speireoides, *Flammulaster* 393
sphaerocephalus, *Buchwaldoboletus* 571
sphaerocystis, *Psathyrella* 352
sphaerospora, *Hydrophana* 811
sphaerosporum, *Piloderma* 681
sphagneti, *Entoloma* 258
sphagneti, *Lactarius* 241
sphagneti, *Mycocalia* 813
sphagneti, *Naucoria* 398
sphagnicola, *Clavaria* 762
sphagnicola, *Galerina* 409
sphagnicola, *Psathyrella* 353
sphagnofulvescens, *Cortinarius* 517
sphagnogenus, *Cortinarius* 511
sphagnophila, *Inocybe* 433
sphagnophilus, *Thaxterogaster* 506
sphagnoravus, *Cortinarius* 543
sphagnorum, *Entoloma* 286
sphagnorum, *Galerina* 410
spicifera, *Tremella* 793
spilomeus, *Cortinarius* 519
spilospora, *Coprinopsis* 327
spinosae, *Pluteus* 303
spinospora, *Thelephora* 670
spinosulus, *Lactarius* 236
spintrigeroides, *Psathyrella* 357
spinulosa, *Ramaria* 755
spinulosum, *Pogonoloma* 154
spisnii, *Cortinarius* 556
splendens, *Calonarius* 504
splendens, *Inocybe* 455
splendentoides, *Inocybe* 446
splendidissima, *Hygrocybe* 96
splendificus, *Calonarius* 505
spongiosipes, *Hydnellum* 727
spumeus, *Spongipellis* 612
spumosa, *Pholiota* 381
spurium, *Pseudosperma* 468
sputum, *Helicogloea* 801
squalens, *Dichomitus* 593
squamatum, *Pseudosperma* 468
squamosa, *Psathyrella* 358
squamosum, *Tulostoma* 828
squamosus, *Ceriporus* 587
squamosus, *Leratiomyces* 371
squamosus, *Sarcodon* 728
squamulosa, *Infundibulicybe* 77
squarrosa, *Inocybe* 453
squarrosa, *Pholiota* 378
squarrosoides, *Pholiota* 379
squarulosum, *Tricholoma* 151
stabilis, *Gymnopilus* 377
stagnina, *Phaeogalera* 385
stangliana, *Coprinopsis* 329
stangliana, *Rhodophana* 248
stans, *Cortinarius* 520
stans, *Tricholoma* 154
steidleri, *Tremella* 794
stellatospore, *Inocybe* 432
stellatus, *Sphaerobolus* 813
stellifera, *Clavaria* 764
stellulata, *Trechispora* 673
stenocystis, *Crepidotus* 67
stenospora, *Inocybe* 466
stenotricha, *Russula* 213
stephanocystis, *Strobilurus* 162
stephensii, *Lactarius* 837
stepposa, *Melanoleuca* 141
stercoraria, *Arrhenia* 735
stercoraria, *Psathyrella* 360
stercorea, *Coprinopsis* 331
stercoreus, *Cyathus* 813
sterigmatica, *Rhizoctonia* 799
sterquilinus, *Coprinus* 318
stevensonii, *Trechispora* 649
stilboidea, *Physalacria* 750
stillatius, *Cortinarius* 490
stillatus, *Dacrymyces* 772
stiparophyllum, *Tricholoma* 149
stipata, *Mycena* 127

- stipitatus*, *Merismodes* 735
stipticus, *Oligoporus* 607
stipticus, *Panellus* 61
stirisporea, *Hemimycena* 114
stjernegaardii, *Phlegmacium* 493
stoloniferum, *Hysterangium* 836
stordalii, *Galerina* 410
stramineus, *Hodophilus* 100
strangulata, *Volvariella* 294
strangulatus, *Tubulicrinis* 689
striatipes, *Conocybe* 407
striatoundatum, *Entoloma* 253
striatula, *Gamundia* 132
striatula, *Naucoria* 398
striatuloides, *Cortinarius* 532
striatulus, *Cortinarius* 532
striatulus, *Resupinatus* 62
striatum, *Gastrum* 825
striatus, *Cyathus* 813
strickeriana, *Inocybe* 440
stricta, *Ramaria* 754
strictipes, *Melanoleuca* 140
strictipes, *Psilocybe* 347
stridii, *Athelium* 694
stridii, *Rhizoctonia* 799
stridvallorum, *Psathyrella* 361
strigosa, *Clitocybe* 75
strigosa, *Fibulosebacea* 807
strigosissimum, *Entoloma* 274
strigosus, *Gloiodon* 722
striipes, *Pholiotina* 400
striipileum, *Lyophyllum* 167
strobilaceus, *Strobilomyces* 570
strobiliformis, *Amanita* 197
strossmayerii, *Coprinopsis* 329
struthiopteridis, *Herpobasidium* 800
struthiopteridis, *Typhula* 746
stuposa, *Thelephora* 670
stylabates, *Mycena* 111
suaveolens, *Calonarius* 498
suaveolens, *Hydnellum* 726
suaveolens, *Hygrophorus* 105
suaveolens, *Trametes* 612
suavissima, *Psathyrella* 352
suavissimus, *Neofavolus* 58
subaditus, *Achroomyces* 786
subabruptus, *Crustomyces* 650
subalba, *Lepiota* 183
subalbescens, *Phlegmacium* 507
subalpina, *Conocybe* 404
subalpina, *Hydropodia* 133
subalpinus, *Rhizopogon* 842
subalutacea, *Clitocybe* 74
subalutacea, *Kneiffiella* 689
subappendiculatus, *Butyriboletus* 576
subardosiaca, *Helicogloea* 801
subasperispora, *Gloeodontia* 673
subbalaustinus, *Cortinarius* 555
subbotrytis, *Ramaria* 754
subbrunnea, *Inocybe* 457
subbullardioides, *Cortinarius* 560
subcaeruleum, *Hydnellum* 726
subcaesius, *Cyanosporus* 605
subcalceus, *Lepidomyces* 704
subcarpta, *Inocybe* 431
subcastaneus, *Cortinarius* 521
subcaulescens, *Lentaria* 762
subclavata, *Galerina* 410
subclavigera, *Thelephora* 669
subconspera s.l., *Naucoria* 398
subcoprophila, *Deconica* 348
subcordispora, *Clitocybe* 81
subcoronatum, *Botryobasidium* 695
subcotoneus, *Cortinarius* 515
subcretacea, *Cabalodontia* 688
subcrinale, *Steccherinum* 648
subcuboideum, *Entoloma* 266
subdecolorans, *Phlegmacium* 508
subdecurrens, *Phaeoclavulina* 753
subdisseminata, *Ephemerocybe* 325
subdulcis, *Lactarius* 241
subencephala, *Tremella* 790
suberi, *Cortinarius* 550
subericaeum, *Hypholoma* 369
suberythrinus, *Cortinarius* 521
subexcentrica, *Galerina* 410
subexitiosus, *Cortinarius* 540
subfarinacea, *Endoperplexa* 805
subfirmus, *Panaeolus* 346
subflavidogrisea, *Xenasmattella* 676
subflexibilifolius, *Cortinarius* 544
subfloccosus, *Agaricus* 308
subfoetens, *Hodophilus* 99
subfoetens, *Russula* 210
subfuliginosa, *Hymenochaete* 664
subfulmineus, *Chroogomphus* 373
subfusipes, *Cortinarius* 511
subgelatinosa, *Protodontia* 803
subglandicolor, *Cortinarius* 552
subglobisemen, *Arrhenia* 58
subglobispora, *Arrhenia* 86
subglobispora, *Gautieria* 839
subglobispora, *Hemimycena* 113
subglobospora, *Tulasnella* 796
subgracilis, *Lepiota* 186
subhirsutum, *Inosperma* 420
subhirtella, *Inocybe* 447
subhyalina, *Typhula* 747
subimmaculata, *Hemimycena* 114
subimpatiens, *Ephemerocybe* 324
subincarnata, *Lepiota* 184
subincarnatum, *Amylocorticium* 699
subincarnatus, *Flammulaster* 393
subinconspicua, *Athelopsis* 716
sublaevisporum, *Entoloma* 290
sublatisspora, *Psathyrella* 363
sublevispora, *Russula* 213
sublevisporus, *Cortinarius* 533
sublilacina, *Inocybe* 426
sublittoralis, *Leucoagaricus* 189
sublividopallescens, *Amanita* 201
submelinoides, *Naucoria* 398
submembranacea, *Amanita* 202
submicrospora, *Coprinopsis* 359
subminiatus, *Cortinarius* 519
subminuta, *Spiculogloea* 786
submollis, *Tomentellopsis* 675
subnitens, *Aphanobasidium* 714
subnudipes, *Amanita* 198
subnudipes, *Inocybe* 464
subobtusobrunneus, *Cortinarius* 544
subochracea, *Phlebiodontia* 707
subochracea, *Pholiota* 381
subolivascens, *Rhizopogon* 842
subovalis, *Conocybe* 405
subovoideisporum, *Hydnum* 724
suboxytoneus, *Cortinarius* 560
subpaleaceus, *Cortinarius* 537
subpallida, *Conocybe* 404
subpallidospora, *Russula* 207
subpapillata, *Hygrocybe* 97
subparvannulatus, *Cortinarius* 528
subperonatus, *Agaricus* 308
subpilosa, *Tomentella* 669
subporphyropus, *Thaxterogaster* 495
subpubescens, *Conocybe* 408
subpuellaris, *Cortinarius* 535
subpulchrifolius, *Cortinarius* 526
subpurpurascens, *Thaxterogaster* 495
subpurpurea, *Ephemerocybe* 325
subradiatum, *Entoloma* 258
subradula, *Antrodia* 625
subrigescens, *Neohypocinchium* 682
subrimosa, *Inocybe* 441
subrubens, *Russula* 220
subrubescens, *Albatrellus* 585
subrufa, *Pouzaroporia* 617
subrufescens, *Agaricus* 313
subsaccharina, *Exidia* 793
subsaniosus, *Cortinarius* 526
subscotoides, *Cortinarius* 541
subsenilis, *Phlebia* 691
subserratissimus, *Cortinarius* 548
subspadicea, *Clitocybe* 80
subspheerospora, *Merismodes* 736
subsquamosum, *Tulostoma* 828
substellata, *Hemimycena* 115
substrangulata, *Hygrocybe* 94
substrictus, *Lentinus* 587
subsulcatipes, *Cortinarius* 558
subsulphureum, *Amylocorticium* 699
subterfucata, *Russula* 213
subtestacea, *Thelephora* 669
subtilior, *Cortinarius* 535
subtilis, *Cortinarius* 543
subtilis, *Hemimycena* 115
subtilis, *Ramariopsis* 767
subtilissimus, *Xylodon* 707
subtomentosum, *Stereum* 641
subtomentosus, *Xerocomus* 577

- subtortum*, *Hebeloma* 476
subtortus, *Cortinarius* 492
subtrigonospermum, *Sistotrema* 693
subtropicus, *Xylodon* 624
subturbulosus, *Cortinarius* 520
subulata, *Pterula* 761
subulatus, *Tubulicrinis* 690
subumbrinum, *Lycoperdon* 824
subverrucisporus, *Crepidotus* 67
subviolaceus, *Scotomyces* 798
subviscida var. *subviscida*, *Deconica* 349
subviscida var. *velata*, *Deconica* 348
subviscifer, *Hygrophorus* 107
subvolemus, *Lactifluus* 236
subxerophytica var. *brunnea*, *Conocybe* 408
subzonalis, *Notholepista* 72
sudans, *Dacryobolus* 691
sumum, *Tricholoma* 149
suecica, *Guepinopsis* 771
suecica, *Inocybe* 455
suecica, *Ramaria* 755
suecica, *Typhula* 748
suecicum, *Sistotremastrum* 713
sulcata, *Laurilia* 640
sulcata, *Pholiotina* 400
sulcata, *Volvariella* 294
sulcatotuberculosis, *Candolleomyces* 359
sulfurinus, *Calonarius* 503
sulphureoides, *Tricholomopsis* 137
sulphurescens, *Tricholoma* 149
sulphureum, *Tricholoma* 146
sulphureus f. *imbricatus*, *Laetiporus* 589
sulphureus, *Laetiporus* 589
sumptuosa, *Simocybe* 391
superbum, *Cystoderma* 177
supernula, *Britzelmayria* 358
supina, *Mycena* 126
supravolvata 200, *Amanita* 202
surrecta, *Volvariella* 293
suryana, *Inocybe* 445
sutherlandensis, *Cortinarius* 532
swartzii, *Rickenella* 86
sylvaticus, *Agaricus* 307
sylvicola, *Agaricus* 314
sylvipraticola, *Volvariella* 295
syringae, *Inocybe* 426
syringae, *Xanthoporus* 584
syringicolor, *Entoloma* 290
syrjense, *Hebeloma* 477
- T**
tabacina, *Hydnoporia* 664
tabacina, *Inocybe* 440
tabescens, *Desarmillaria* 137
tabidus, *Lactarius* 241
tabularis, *Cortinarius* 524
talimultiformis, *Thaxterogaster* 507
talpoides, *Arrhenia* 85
talus, *Thaxterogaster* 508
tantilla, *Naucoria* 397
tarda, *Inocybe* 465
tardum, *Hydnellum* 727
taxicola, *Meruliopsis* 654
taxophila, *Clavicornia* 751
taylorii, *Volvariella* 294
telluris, *Inocybe* 446
telmatiaea, *Arrhenia* 86
tenacellus, *Strobilurus* 162
tenebrosa, *Inocybe* 454
tenella, *Hemimycena* 114
tener, *Leucoagaricus* 189
tenera, *Conocybe* 405
tenera, *Psathyrella* 357
teneroides, *Pholiotina* 399
tenerrima, *Mycena* 111
tenuicula, *Psathyrella* 352
tenuicula, *Ramariopsis* 767
tenuicula, *Trechispora* 677
tenuicystidiata, *Inocybe* 463
tenuicystidiatus, *Hodophilus* 99
tenuifulvescens, *Cortinarius* 517
tenuiorparietalis, *Inocybe* 437
tenuipes, *Clavaria* 766
tenuipes, *Descolea* 829
tenuis, *Exidiopsis* 810
tenuis, *Perenniporia* 620
tenuispinosa, *Mycena* 111
tenuispora, *Athelia* 697
tenuispora, *Seticypella* 736
tephroleuca, *Postia* 609
teraturgus, *Inocybe* 431
terena, *Mycena* 129
terginus, *Gymnopus* 175
terpsichores, *Phlegmacium* 499
terrea, *Volvariella* 294
terrestris f. *resupinata*, *Thelephora* 671
terrestris, *Byssoporia* 625
terrestris, *Thelephora* 631
terreum, *Tricholoma* 151
terrifera, *Inocybe* 446
terrigena, *Mallochybe* 466
terrigena, *Rhizoctonia* 799
terrigenus, *Ceipomyces* 694
tessulatus, *Ceraceomyces* 656
tessulatus, *Hypsizygus* 136
testaceoflava, *Ramaria* 754
testaceogilva, *Thelephora* 671
testaceomicaceus, *Cortinarius* 560
tetracornis, *Dendrothele* 673
tetraedrispora, *Flagelloscypha* 738
tetrasporoides, *Conocybe* 408
teutoburgensis, *Athelia* 716
thalliovirescens, *Ramaria* 757
thelephorea, *Tulasnella* 796
theobrominum, *Hebeloma* 478
thermometrus, *Tubulicrinis* 682
thomsonii, *Pluteus* 301
thrudiae, *Inocybe* 463
thujina, *Psathyrella* 360
thuretiana, *Exidia* 794
thuringiaca, *Russula* 208
thwaitesii, *Hymenogaster* 841
thwaitesii, *Hysterangium* 836
tiburtina, *Inocybe* 430
tigrina, *Inocybe* 460
tigrinella, *Coprinopsis* 339
tigrinipes, *Cortinarius* 526
tigrinus, *Lentinus* 59
tiliae, *Inocybe* 436
tiliae, *Phlegmacium* 497
tillamookensis, *Cortinarius* 514
timidum, *Entoloma* 277
tinctipes, *Russula* 225
tinctorius, *Pisolithus* 818
tintinnabulum, *Mycena* 127
tirolium, *Phlegmacium* 502
titubans, *Bolbitius* 390
tjallingiorum, *Entoloma* 290
tjallingiorum, *Inocybe* 454
tofaceus, *Aureonarius* 516
tomaculum, *Tulasnella* 796
tomentella, *Lepiota* 186
tomentellum, *Lyophyllum* 166
tomentosa, *Bovista* 821
tomentosa, *Lepista* 142
tomentosus, *Pelloporus* 586
tomentosus, *Phellodon* 726
terminosus, *Lactarius* 236
torosus, *Imperator* 575
torpida, *Ceriporia* 617
torquescens, *Marasmius* 175
tortiliforme, *Entoloma* 264
tortilis, *Laccaria* 160
tortuosa, *Hemimycena* 113
tortuosus, *Cortinarius* 547
tortus, *Cerinomyces* 771
torulosa, *Fuscoporia* 597
torulosa, *Russula* 227
torvodes, *Cortinarius* 560
torvus, *Cortinarius* 551
trabeum, *Gloeophyllum* 594
trabuti var. *longisporus*, *Marasmiellus* 173
trabuti var. *trabuti*, *Marasmiellus* 173
trachyspora, *Lindtneria* 644
trachyspora, *Mycenella* 132
trachysporum, *Basidiodendron* 806
traganus, *Cortinarius* 545
transatlanticus, *Cortinarius* 514
transforme, *Lyophyllum* 152
transitoria, *Inocybe* 433
translucens, *Phaeotremella* 790
transvenosum, *Entoloma* 261
Tremella, *Naematelia* 790
tremellosus, *Merulius* 654
tremens, *Thaxterogaster* 489
tremula, *Hohenbuehelia* 60
tremula, *Macrotyphula* 760
tremulae, *Phellinus* 597
treneri, *Inocybe* 451
triangulus, *Cortinarius* 542

- tricholoma*, *Ripartites* 392
trichotis, *Resupinatus* 62
tricolor, *Leucopaxillus* 73
tricolor, *Metacampanella* 173
tridentinus, *Suillus* 567
trifolii, *Typhula* 748
trigonospora, *Trechispora* 693
triqueter, *Pelloporus* 603
triscopa, *Galerina* 415
trispota, *Coprinopsis* 331
triste, *Crustoderma* 692
triste, *Entoloma* 265
triste, *Tricholoma* 151
tristis, *Melanoleuca* 141
tristis, *Polyozellus* 667
tristoides, *Polyozellus* 667
triumphans, *Phlegmacium* 496
trivialis s.l., *Cortinarius* 491
trivialis, *Lactarius* 238
trivialis, *Psathyrella* 357
trogii, *Funalia* 613
trogii, *Podofores* 586
trollii, *Inocybe* 450
trossingenensis, *Cortinarius* 531
trulliformis, *Spodocybe* 79
truncata, *Typhula* 747
truncatus, *Clavariadelphus* 760
truncicola, *Clitocybe* 72
truncorum, *Coprinellus* 328
tsugae, *Peniophorella* 704
tubaeiformis, *Craterellus* 46
tubaeiformis, *Picipes* 587
tubarioides, *Mycena* 121
tubarius, *Cortinarius* 511
tuberaster, *Polyporus* 587
tuberculatum, *Phanericium* 715
tuberculosa, *Pholiota* 378
tuberculosis, *Haploporus* 592
tuberiformis, *Melanogaster* 842
tuberosa, *Collybia* 161
tuberosa, *Coprinopsis* 331
tuberosa, *Tremellodendropsis* 791
tuberosum, *Hypholoma* 368
tubulosae, *Tremella* 784
tuckerae, *Tremella* 783
tugruii, *Rhodocybe* 249
tulasnellodea, *Xenasmata* 672
tumefaciens, *Syzygospora* 789
turbidum, *Entoloma* 259
turci, *Entoloma* 283
turci, *Russula* 221
turcicum, *Lyophyllum* 154
turfae, *Inocybe* 432
turgidoides, *Cortinarius* 554
turgidulus, *Cortinarius* 556
turgidus, *Cortinarius* 549
turmalis, *Thaxterogaster* 494
turunda, *Hygrocybe* 95
tuxtlensis, *Conocybe* 403
tylicolor, *Sagaranella* 166
typhae, *Candolleomyces* 353
typhae, *Epithele* 649
tyrii, *Inocybe* 426
- U**
uda, *Sarcodontia* 644
udicola, *Inocybe* 449
udicola, *Melzericium* 698
udum, *Hypholoma* 369
uliginosus f. *luteus*, *Cortinarius* 514
uliginosus f. *uliginosus*, *Cortinarius* 514
uliginosus, *Tetragoniomyces* 792
uljei, *Ephemerocybe* 324
ulmarius, *Hypsizygus* 136
ulmarius, *Leucofomes* 594
ulmicola, *Hymenochaete* 664
ulmicola, *Inonotus* 619
ultimus, *Thaxterogaster* 489
ultrodistortus, *Cortinarius* 511
ulvinenii, *Tricholoma* 147
umbellata, *Cladomeris* 589
umbellifera, *Lichenomphalia* 84
umbilicatum, *Hydnum* 724
umbonata, *Cantharellula* 70
umbonatum, *Tricholoma* 148
umbrata, *Phlebia* 708
umbratica, *Inocybe* 435
umbrina, *Exidiopsis* 808
umbrina, *Psathyrella* 357
umbrinascens, *Polyozellus* 666
umbrinella, *Clavulinopsis* 766
umbrinella, *Exidia* 793
umbrinellum, *Pseudosperma* 470
umbrinobellus, *Cortinarius* 520
umbrinolens, *Cortinarius* 536
umbrinolutea, *Amanita* 199
umbrinolutescens, *Cortinarius* 529
umbrinospora, *Thelephora* 671
umbrinum, *Lycoperdon* 824
umbrinus, *Polyozellus* 666
umbrosus, *Pluteus* 297
uncialis, *Galerina* 413
uncialis, *Typhula* 747
undatolacera, *Inocybe* 444
undatum, *Entoloma* 253
undatus, *Rhizomarasmius* 169
undatus, *Meripilus* 618
undinea, *Inocybe* 438
undosa, *Osteina* 607
undulata, *Cotylidia* 631
undulata, *Russula* 219
undulatosporum, *Entoloma* 265
undulatus, *Craterellus* 46
unguicularis, *Hohenbuehelia* 63
unicolor, *Cerrena* 592
unicolor, *Hygrophorus* 105
unicolor, *Russula* 228
unicum, *Cremeroderma* 703
unispota, *Unilacryma* 770
universitatis-gandavensis, *Colacogloea* 787
uraceonemoralis, *Cortinarius* 558
uranochroum, *Entoloma* 285
urbicus, *Cortinarius* 549
urbis-veteris, *Cortinarius* 557
urceolycystis, *Inocybe* 448
ursinus, *Lentinellus* 59
ursulae, *Entoloma* 279
urticicola, *Coprinopsis* 339
ushae, *Pseudosperma* 468
usnearum, *Biatoropsis* 782
usneicola, *Cyphobasidium* 782
ustale, *Tricholoma* 153
ustaloides, *Tricholoma* 153
ustulata, *Russula* 208
utribasidium, *Leptocorticium* 705
utricystidiata, *Pholiotina* 399
utrifer, *Coprinopsis* 333
utriforme, *Lycoperdon* 822
uvidicola, *Entoloma* 257
uvidus, *Lactarius* 234
uxorum, *Cortinarius* 550
- V**
vaccina, *Inocybe* 448
vaccinum, *Hebeloma* 479
vaccinum, *Tricholoma* 155
vacekii, *Octaviania* 839
vaga, *Xenasmata* 676
vaginata, *Amanita* 198
vaillantii, *Collybiopsis* 173
vaillantii, *Fibroporia* 627
valesiaca, *Hohenbuehelia* 64
valgus, *Cortinarius* 523
variabilipes, *Hodophilus* 100
variabilis, *Crepidotus* 67
varicolor, *Phlegmacium* 496
variegatus, *Melanogaster* 842
variegatus, *Suillus* 566
varicolor, *Bolbitis* 390
variicolor, *Leccinum* 569
variiforme, *Phlegmacium* 497
varisporus, *Dacrymyces* 773
varium, *Myxarium* 811
varium, *Phlegmacium* 496
varius, *Ceriporus* 587
vaurasii, *Inocybe* 441
velata, *Pholiotina* 400
velatipusio, *Inocybe* 428
velatopruinata, *Ephemerocybe* 324
velatum, *Hebeloma* 476
velenovskii, *Entoloma* 267
velenovskii, *Russula* 223
vellereum, *Granulobasidium* 674
vellereus, *Lactifluus* 239
vellingae, *Pluteus* 300
velutina, *Lichenomphalia* 84
velutina, *Phanerochaete* 703
velutinus, *Pluteus* 299
velutipes var. *lactea*, *Flammulina* 162
velutipes var. *velutipes*, *Flammulina* 162

velutipes, *Arrhenia* 89
velutipes, *Conocybe* 406
velutipes, *Russula* 216
velutipes, *Hebeloma* 479
venerabilis, *Inocybe* 461
venetus, *Cortinarius* 515
venosum, *Entoloma* 261
ventricosum, *Entoloma* 270
venustissima, *Haasiella* 87
venustus, *Cortinarius* 546
vepalidosporus, *Polyozellus* 665
verae, *Entoloma* 276
verii, *Rhizopogon* 842
vermicularis, *Musumecia* 71
vermicularis, *Rhizocybe* 75
vermiculifer, *Coprinopsis* 338
vermifera, *Serendipita* 804
vermiferum, *Tubulicium* 694
vermiformis, *Mycostilla* 808
vernalis, *Multiclavula* 764
vernum, *Entoloma* 273
vernus, *Cortinarius* 521
vernus, *Gymnopus* 171
verrucipes, *Melanoleuca* 140
verrucispermus, *Coprinellus* 322
verrucosa, *Disciseda* 820
verrucosum, *Scleroderma* 819
verruculosa, *Candelabrochaete* 700
verruculosa, *Trechispora* 678
versatile, *Entoloma* 274
versatilis, *Russula* 229
versicolor, *Entoloma* 284
versicolor, *Russula* 228
versicolor, *Trametes* 613
versicolor, *Tremella* 790
versipelle, *Hydnellum* 729
versipelle, *Leccinum* 568
versutus, *Crepidotus* 66
vervacti, *Agrocybe* 396
vesca, *Russula* 211
vespertinus, *Thaxterogaster* 494
vesterholtii, *Calonarius* 501
vesterholtii, *Hebeloma* 478
vesterholtii, *Hydnum* 723
vesterholtii, *Psathyrella* 354
vestigium, *Dermoloma* 144
vestita, *Bourdotigloea* 802
vestita, *Pholiotina* 399
veternosa, *Russula* 229
vetlinianus, *Resupinatus* 61
vexans, *Pholiotina* 399
vibecina, *Clitocybe* 80
vibratilis, *Thaxterogaster* 489
vibrissa, *Nia* 818
vicinus, *Cortinarius* 530
vietus, *Lactarius* 238
viiduense, *Entoloma* 285
vile, *Repetobasidium* 690
villosa, *Coprinopsis* 336
villosa, *Gautieria* 840

villosa, *Inocybe* 438
villosa, *Lachnella* 737
villosipes, *Collybiopsis* 174
villosulus, *Rhizopogon* 843
vinaceipes, *Phaeoclavulina* 753
vinaceum, *Entoloma* 265
vinaceum, *Inosperma* 423
vindobonense, *Entoloma* 272
vinicolor, *Rhizopogon* 843
vinosa, *Russula* 221
vinosofulva, *Psathyrella* 354
vinosopurpurea, *Russula* 229
vinosorubescens, *Limacella* 193
viola, *Chromosera* 94
violacea, *Russula* 219
violaceipes, *Calonarius* 499
violaceofulvus, *Panellus* 62
violaceoivida, *Periophora* 684
violaceopallens, *Psathyrella* 360
violaceopapillatus, *Cortinarius* 528
violaceopulchra, *Clavaria* 765
violaceoserrulatum, *Entoloma* 284
violaceoviride, *Entoloma* 288
violaceozonatum, *Entoloma* 290
violaceus, *Cortinarius* 545
violascens, *Lactarius* 234
violascens, *Phellodon* 725
violascens, *Rhizochaete* 715
violea, *Tulasnella* 797
violeipes, *Russula* 214
violillamellatus, *Cortinarius* 528
virescens, *Russula* 211
virgatula, *Inocybe* 463
virgatum, *Tricholoma* 150
virginus, *Cuphophyllus* 98
viridans, *Ceriporia* 618
viridans, *Entoloma* 258
viridibasidia, *Thelephora* 671
viridilutescens, *Tricholoma* 147
viridimarginata, *Mycena* 118
viridis, *Amaurodon* 644
viridocoeruleum, *Phlegmacium* 498
virosa, *Amanita* 196
viscida, *Russula* 215
viscidus, *Suillus* 567
viscosa, *Calocera* 769
vitellina, *Stereopsis* 630
vitellinus, *Gloioxanthomyces* 93
viticola, *Fuscoporia* 596
vittilis, *Mycena* 130
vitosus, *Cortinarius* 510
vitreus, *Meripilus* 616
vittadinii, *Saproamanita* 197
vittiformis, *Galerina* 412
vladimirii, *Amanita* 199
volaticus, *Cerinomyces* 769
volemus, *Lactifluus* 236
volvacea, *Volvariella* 293
vulgare, *Auriscalpium* 722
vulgare, *Stilbum* 779

vulgaris, *Hymenogaster* 841
vulgaris, *Mycena* 124
vulgaris, *Sidera* 621
vulpinum, *Leccinum* 568
vulpinum, *Phlegmacium* 497
vulpinus, *Lentinellus* 59

W

wakefieldiae, *Aleurodiscus* 676
wakefieldiae, *Neophychnicum* 677
wakefieldiae, *Postia* 608
wakefieldiae, *Thelephora* 671
walleyana, *Galerina* 413
walleyana, *Basidiodendron* 806
watlingii, *Boletopsis* 585
watlingii, *Conocybe* 405
waverenii, *Entoloma* 256
wettsteinii, *Marasmius* 159
whitei, *Inocybe* 421
wichanskyi, *Leucoagaricus* 188
wilhelmii, *Hohenbuehelia* 63
winterhoffii, *Entoloma* 265
winterhoffii, *Tulostoma* 828
wirthii, *Tremella* 781
woglindeana, *Inocybe* 443
wynneae, *Entoloma* 289
wynneae, *Loweomyces* 607
wynneae, *Marasmius* 175

X

xantha, *Amyloporia* 619
xantho-ochraceum, *Phlegmacium* 509
xanthocephalum, *Hypholoma* 369
xanthocephalum, *Pseudosperma* 473
xanthochlorus, *Calonarius* 504
xanthochroa, *Chromosera* 94
xanthodermus, *Agaricus* 312
xantholepis, *Coprinopsis* 339
xantholeuca, *Mycena* 124
xanthomelas, *Inocybe* 441
xanthophylla, *Alnicola* 398
xanthophylla, *Lepiota* 184
xanthophyllus, *Calonarius* 505
xanthopus, *Neoboletus* 573
xanthosuave, *Phlegmacium* 504
xanthothrix, *Coprinellus* 327
xenobia, *Coprinopsis* 338
xerampelina, *Russula* 220
xerophila, *Gamundia* 132
xerophilus, *Coprinus* 318

Z

zephirus, *Mycena* 130
zethi, *Inocybe* 462
zonarius, *Lactarius* 237
zonatula, *Russula* 229
zuccherellii, *Entoloma* 264
zvaraee, *Russula* 216
zygodesmoides, *Tomentellopsis* 675